

compile systems





PROTECTING THE ENVIRONMENT FOR FUTURE GENERATIONS

Our environmental success story began with the challenge to create an office system that would meet today's business requirements while maintaining a firm commitment to save and protect the environment.

Sustainability became a part of the creative focus and development of Compile that incorporates the latest technology and design features to provide excellent performance at a competitive price.

As government and industry environment ratings such as LEEDS & Greenguard become more prevalent, Compile offers designers and architects functional, attractive, and economical office designs that meet these standards.

Evolve Furniture Group is a leader in reducing waste in the manufacturing of its products as well as utilizing recycled materials wherever possible. We make extensive use of recycled plastic and wood waste from other Global factories.

Evolve Furniture Group is committed to the continuous improvement of our environmental systems, the prevention of pollution, and to comply with both the spirit and the letter of all relevant environmental legislation.

Compile Panels are 100% recyclable at the end of their lifespan. Nothing from an Evolve Panel needs to end up in a landfill.

SUSTAINABILITY INFORMATION

Compile offers fabrics that are made from 100% recycled polyester, which means less waste going to landfills. These fabrics also reduced the demand for petroleum products, and decrease the environmental impacts of processing those petroleum products into polyester.

Compile's epoxy powder coating process involves no liquids and is solvent free. It contains no harmful VOC's or lead. Up to 99% of over sprayed powdered is reclaimed, mixed with virgin powder and reused.

Compiles's entire panel is up to 82% recycled.

Compile masonite is up to 85% recycled.

Compile's entire product line is up to 99% recyclable.

INTRODUCTION TABLE OF CONTENTS

REFERENCES	
Features, Benefits & General Information	3
Coding an Order	4-6
Textiles & Finishes	110-114
Panel COM Form	115
Panel Fabric Specification Sheet	116
Panel Fabric Sample	118
Appendix	119
Terms & Conditions	120-121
PANELS	
Panels – Technical Information	
Panel – Types	
Panel Package — Configuration	
Monolithic Panel Packages	
Segmented Panel Packages	18-19
Acoustic Panel Packages	20-21
Monolithic Laminate Panel Packages	22-25
Segmented Laminate Panel Packages	
Segmented Writeboard Panel Packages	30-33
Single Segmented Open Bottom Panel Packages	34-35
Glazed Panel Packages	36-37
Partly Glazed Panel Packages	38-41
Privacy Glass	42
Over Panels	43-46
Gallery Panels	47-53
Sliding Doors	54
Post Packages	55-56
Raceway & Knockout Covers	57
Posts & Trim Inserts	58-60
Post Covers	60
Panel Legs	61
Post Separator	62
ELECTRICAL	
Electrical – Technical Information	
Electrical – Wire Schematic	
Electrical – Configuration	
Power Distribution Housing	67
Cables	68
I Connector	68
Duplex Receptacle	69
Power Entry	70
Electrical Box	70-59
Post Extension	71
Ceiling Feed	71
Cable Cover	71
Task Lights	72

WORKSURFACES	
Worksurfaces – Technical Information	74
Worksurfaces – Configuration	75
Rectangular Worksurface	76
Straight Worksurfaces	77
Wedge Worksurfaces	78
Curvilinear Worksurface	79
Corner Worksurface	80-81
Extended Curved Corner	81-82
"D" Worksurface	82
Hatchet Worksurface	83
Straight Wedge Worksurfaces	83
Quarter Round Panel Worksurface	83-84
Transaction Worksurface	84
Accessories	85-88
STORAGE	
Storage — Technical Information	90
Storage - Configuration	91
Pedestals	92-93
Overhead Storage	94-95
Lateral File	97-98
Storage Towers	99-100
Key Alike Form	101
ACCESSORIES	
Tack Board	104
White Marker Board	104
Load Bars	105
Rail Accessories	106-107

PANELS

• Panel Fabric modules consist of Module Frames, Module Interiors and Fabric Skins.

Fabric

 Fabric offerings include selections woven with 100% recycled yarn.

Panel Frame

- Typical workstation contains up to 62.2% recycled material
- Panel is made of 82.3% recycled material.
- Acoustic panels are light tackable with 0.70 NRC and a 26 STC rating.
- Non Acoustic panels are not tackable with 0.17 NRC and a 28 STC rating.
- · Raceway covers are aluminum.
- Plastic top cap vs Aluminum top cap.

Metal Components/Raceway Finish

- All aluminum components are painted with environmentally friendly epoxy powder.
- Raceway interiors are coated with recycled epoxy powder.
- The entire Compile Panel and the processes used to manufacture it are designed to save and protect the environment. Compile Panels are made from recycled materials and are 99% recyclable.

Panel Options

- Compile Panels come in 4 heights: 30", 42", 54" and 66".
- Panel widths come in 7 sizes including: 24", 30", 36", 42", 48", 54" and 60".
- Panels conform to CGSB and ANSI/BIFMA standards.
 This is your assurance that the quality, and performance level of these Panels have been tested to equal or exceed the requirements of the US government.
- Rigid, aluminum Panel Frame is 2 3/8" thick.
- Aluminum Panel Frame combined with easy to assemble "Quick Connect" clips, create a rigid Panel Wall
- Levelling glides extend 2". Enables the client to deal with severe undulations in the flooring levels of a building.
- Compile makes it easy to select a Panel function that is suitable for your application.
- Compile makes it easy to select a Panel type and height that is suitable for your application.

VOICE/DATA AND ELECTRICAL POWER

- Voice/data cables can be inserted at the base. 8 wire, 4 circuit electrical capability, 2 utility + 2 dedicated circuits, each with 10 gauge (oversized) neutrals. All circuits can support up to 20 amps (15 CSA).
- Raceway Cover opening sizes conform to the ANSI/ TIA/EIA Furniture Opening Standard of 1.345"x 2.680".
- Panels 24" wide include raceway covers with one knockout.
- Panels 30" wide include raceway covers with two knockouts.

- Panels 36"-60" wide include raceway covers with three knockouts.
- Panels and electrical components are CSA/UL approved.
- Compile panel raceway is roughly 2.13" x 4.6" without power distribution housing installed. With power distribution housing installed inside, the dimension is reduced to roughly 2.13" x 2.13
- The base raceway cavity accommodates 50 .25" diameter communication cables without power installed or 30 .25" diameter communication cables with power installed.
- 90-degree posts accommodate 25 .25"diameter communication cables without a ceiling infeed or 20 .25" diameter communication cables with a ceiling infeed installed.
- 120-degree posts may not be utilized for power infeeds or communication cables. 90-degree posts may be utilized at the end of a 120-degree configuration if ceiling infeed of power and/or data cables is required.
- No tools are required to install electrical in the Compile Panel System.

WORKSURFACES

- 1" thick worksurfaces come in a variety of shapes and sizes. Essentially, they are 24" or 30" deep and are available in 6" increments from 24" to 84" wide.
- Cable scoops located at the back of each Worksurface provide routing of power and data cables.
- This convenient feature, together with a 3/8" gap between the Worksurface and the Panel, allows access to cables without having grommet holes in the Worksurface.
- With this choice of product, we can tailor each installation to your requirements. The addition of custom sizes shows a commitment to client satisfaction that not every manufacturer offers.
- Thermally fused laminate tops are standard.
- All Worksurfaces utilize balanced construction.
- Predrilled holes in worksurfaces enable installer to properly align worksurface.

STORAGE

- 19", 23" and 29" deep Pedestals. Freestanding and Worksurface supporting options available.
- Drawer divider and pencil tray included in all Freestanding Pedestals containing box drawers.
 Drawer divider and pencil tray not included in Worksurface Supporting Pedestals.
- Adjustable glides are accessible from the inside of the cabinet.
- Positive and secure locking system on all Pedestals is standard.
- Full height drawer sides are standard on all file drawers. This enables you to hang files from the drawer side so no extra hardware is necessary. File drawers accept letter sized files. Optional file bars are available to file legal and metric sized files.
- Steel construction guarantees the performance of the product over the long term. Welded joints with a full top, back and base ensure that the Pedestal will

- sit square and adequately support the Worksurface where necessary.
- Worksurface supporting Pedestals are standard with Compile
- · Shelves feature all metal construction.
- All storage components as well as the Panel Frames are epoxy powder coated.
- Glides enable you to level the cabinet to the floor and or Worksurface. The convenient adjustment feature allows the installer to adjust the height of the cabinet while it is under the Worksurface. This saves time in the installation process.
- For additional security and peace of mind, locks can be keyed alike or master keyed for additional convenience. Standard recessed handle offers uncluttered aesthetic.
- "Environmentally friendly" epoxy powder coat is 15 times more durable in independent testing than a wet paint spray. This helps maintain the look of the product over its many years of service.

WARRANTIES AND PERFORMANCE

- · A Lifetime Warranty
- Non Obsolescence Warranty
- · Reduced cost of assembly and reconfiguration
- ISO9001:2008 Registered
- ISO14001:2004 Registered
- GreenGuard Certified
- Level 2 Certified
- ANSI/BIFMA CGSB testing on all products
- For piece of mind over the long term, we cover you with a comprehensive warranty that is supported by our dealer network.
- Some installation companies claim that the Compile Panels System can be installed in half the time it takes to install most of our competitor's segmented panels. This cost saving can amount to thousands of dollars over the lifetime of our furniture.
- Your assurance of consistent quality to an international standard. Evolve Furniture Group is committed to design, manufacture and distribute superior quality office furniture, which meets or exceeds the requirements of our customers.
- Confirmation that Evolve Furniture Group is committed

 (1) to providing product that, through their entire life cycle, minimize negative environmental impacts on the environment, (2) to continuous improvement to our environmental systems and programs and (3) to comply to all relevant environmental legislation and regulations.
- Compile Panel System can help a company meet LEED requirements for office furniture.
- Compile components are tested to the highest standard in the industry. This is your assurance of quality and longevity.
- Panel textiles, adjustable keyboard mechanisms, task lights and electrical devices = five (5) Years
- Other parts = Lifetime Warranty

CODING AN ORDER INTRODUCTION

Compile products have been coded using alphas that correspond with the product name. This creates an easy-to-remember code. The following breaks down the coding logic and highlights the required code components needed to order within each product category.


Panels

Example:

Product:

Compile Fabric Monolithic Panel

Specify:



Base Code found on the product page to the left of the product name and a simple product illustration.

CoMpile product line

Fabric-covered Panel

Monolithic panel category

CMFM6648

Panel size offering. Listed on every product page with price listing.

Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering

code.

CMFM6648-BK

Standard paint code for frame. See the Fabric & Finish listing in this section.


To specify fabric for a Compile Panel, please note:



CMFM6648-BK-B84A

Fabric code for all modules on both sides of the Panel*. See the Fabric & Finish listing in this section.

* NOTE: If different fabrics are to be included on a Compile Panel, please use the following ordering format. Start at the bottom of one side of a Panel and work to the top module of that Panel. Then start the process over on the other side of the Panel. As an example:



= 42 Position 2

Position 1

11 **B86A** 12 B84A

01 **B86A** 02 B84A I = Inside

0 = Outside

INTRODUCTION CODING AN ORDER


Electrical

Example:

Product:

Flexible Mesh Jumper Cable

Specify:



CE8CP**17**

Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Electrical category.

Cable Panel.

Pass-Through.

Product size offering – length. Listed on every product page with price listing. Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.


Worksurfaces

Example:

Product:

Curvilinear Worksurface - Left

Specify:



CWVL**3042**

CWVL3042-T431

CWVL3042-T890-CR

Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Worksurface category.

CurVilinear shape.

Left hand configuration.

Worksurface size offering. Listed on every product page with price listing. Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

Laminate code for surface. See the Fabric & Finish listing in this section.

PVC code for trim. See the Fabric & Finish listing in this section.

5

INTRODUCTION CODING AN ORDER


Worksurfaces - Hardware

Example:

Product:

End Panel

Specify:



2 CHEP-**T431**

Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Hardware category.

End Panel.

End Panel.

Laminte code for End Panel. See the Fabric & Finish listing in this section.


Storage

Example:

Product:

Box, Box, File Pedestal

Specify:



2 CS1923BBF

3 CS19**23**BBF

4 CS1923BBF

Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Storage category.

19 Product Series.

23" Pedestal depth in inches.

 $\boldsymbol{B} o \boldsymbol{x}$ drawer, $\boldsymbol{B} o \boldsymbol{x}$ drawer, $\boldsymbol{F} i le$ drawer.


panels

THE INFORMATION LISTED BELOW PROVIDES YOU WITH BASIC FEATURES OF COMPILE PANELS:


- Compile Panels are:
 - Available in four (4) heights: 30", 42", 54" and 66"; and seven (7) widths: 24", 30" 36", 42", 48", 54" and 60".
 - 23/8" thick.
 - Monolithic, Segmented, Acoustic, and Glazed.
- Acoustic panels are lightly tackable with 0.70 NRC rating and a 26 STC rating.
- Compile Non Acoustic panels are not tackable.
- Raceway openings are 1.375" x 2.680".
- Panels 24" wide include raceway covers with one knockout.
- Panels 30" wide include raceway covers with three knockouts.
- Panels 36" 60" wide include raceway covers with three knockouts.
- · Opposite sides of each Module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at the highest grade.
- · Standard with aluminum frame.
- Individual fabric covered acoustic modules incorporated into an aluminum frame.
- Reinforced aluminum raceway covers are included when ordering panel packages or may be ordered and shipped separately. Raceway covers can be replaced in the field
 to change a panel from non-powered to powered (or vice versa).
- Base raceway lifts up and locks in an upright 90-degree position, or can be removed for open access to base raceway.
- Electric knockouts in the raceway have black plastic covers that snap into place from the outside of the cover, when a duplex is not required. Electric knockout covers must be specified separately. Available in standard paint finishes.
- 3 panel connector brackets per side for 30"h, 42"h and 54"h come installed on panels and universal posts.
- 4 panel connector brackets per side for 66"h panels come installed on panels and universal posts.
- · Panel connector brackets are opposite direction of each other per panel side, and can be removed with one screw per bracket.

MONOLITHIC PANEL PACKAGES - PAGES 16 & 17, 22-25


Non-Powered Compile Monolithic Fabric Panel Package




Powered Compile Monolithic Fabric Panel Package




Non-Powered Compile Monolithic Fabric Panel Package



Powered Compile Monolithic Fabric Panel Package



Non-Powered Compile Monolithic Fabric Panel Package





Non-Powered Compile Monolithic Laminate Panel Package



Model Definitions:

N0 = No punch outs on raceways.

N1 = Raceway punch out on one side.

N2 = Raceway punch out on both sides.

P1 = Power harness and raceway punch out on one side.

P2 = Power harness and raceway punch outs on two sides.

RACEWAY COVER OPTIONS (Suffix)

(NO) No Knockouts Side 1 and Side 2

(N1) Knockouts Side 1 - No Knockout Side 2

(N2) Knockouts Side 1 and Side


(P1) Knockouts Side 1 - No Knockout Side 2




PANELS PANEL TYPES

SEGMENTED - PANEL PACKAGES - PAGES 18 & 19, 26-35


Non-Powered Compile Single Segmented Fabric Panel Package




Non-Powered Compile Single Segmented Fabric Panel Package




Non-Powered Compile Single Segmented Fabric Panel Package



Powered Compile Single Segmented Fabric Panel Package




Powered Compile Single Segmented Fabric Panel Package




ACOUSTIC PANEL PACKAGES - PAGES 20 & 21


Non-Powered Compile Monolithic Acoustic Panel Package




Non-Powered Compile Monolithic Acoustic Panel Package




Non-Powered Compile Monolithic Acoustic Panel Package



Powered Compile Monolithic Acoustic Panel Package




Powered Compile Monolithic Acoustic Panel Package




PANELS PANEL TYPES

SINGLE SEGMENTED OPEN BOTTOM PANEL PACKAGES - PAGES 34-35


Non-Powered Compile Single Segmented Open Bottom Panel Package




Non-Powered Compile Single Segmented Open Bottom Panel Package




Non-Powered Compile Single Segmented Open Bottom Panel Package



Powered Compile Single Segmented Open Bottom Panel Package




Powered Compile Single Segmented Open Bottom Panel Package



DOOR PANELS - PAGE 42


Sliding Privacy Door




CMPDSL6636/42

GLAZED PANEL PACKAGES - PAGES 36-37


Non-Powered Compile Glazed Panel Package




Non-Powered Compile Glazed Panel Package




Non-Powered Compile Glazed Panel Package



Powered Compile Glazed Panel Package




Powered Compile Glazed Panel Package




PANELS PANEL TYPES

PARTLY GLAZED PANEL PACKAGES - PAGES 38-41


Non-Powered Compile Partly Glazed Panel Package




Non-Powered Compile Partly Glazed Panel Package




Non-Powered Compile Partly Glazed Panel Package



Powered Compile Partly Glazed Panel Package




Powered Compile Partly Glazed Panel Package



Compile Privacy Glass

Available in widths from 24" to 60".



MINI PANEL KIT - PAGE 43

Mini Panel Kit



CMFMA2418KIT1

PANELS CONFIGURATION

This page provides an exploded view of a sample Panel Package highlighting each Panel component included within the package.

Package Components

Package 1 CMFM6636N0


- A. (1) 66"h x 36"w Monolithic Fabric Panel
- B. (2) 36"w Raceway Covers Without Knockouts


Package 2 CMFF6636P2


- C. (1) 66"h x 36"w Single Segmented Fabric Panel
- D. (2) 36"w Raceway Covers With Knockouts
- E. (1) 36"w Power Distribution Housing

Package 3 CHP66-2

- F. (1) 66"h Universal Corner Post
- G. (2) Trim Inserts for 66" Universal Corner Post
- H. (1) Post Base Cover for 2-Way Application
- I. "Quick Connect" comes standard with Panels and Universal Corner Post







CMFMXXYYN_ - NON-POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	Non-Powered Compile Fabric Monolithic Panel Package - 30" Non-Powered Compile Fabric Monolithic Panel Package - 42" Non-Powered Compile Fabric Monolithic Panel Package - 48"	CMFM3024N_ CMFM3030N_ CMFM3036N_ CMFM3042N_ CMFM3048N_ CMFM3054N_ CMFM3060N_ CMFM4224N_ CMFM4230N_ CMFM4236N_ CMFM4242N_ CMFM4242N_ CMFM4254N_ CMFM4254N_ CMFM4260N_ CMFM4826N_ CMFM4826N_ CMFM4826N_ CMFM4830N_ CMFM4830N_ CMFM4830N_ CMFM4836N_	Gr1 312 352 383 423 450 498 525 312 352 383 423 450 498 525	340 379 438 477 503 551 577 340 379 438 477 503 551 577	H 30 30 30 30 30 30 30 30 42 42 42 42 42 42 42 48	24 30 36 42 48 54 60 24 30 36 42 48 54 60	2 3/8 2 3/8
	Panel Package - 30" Non-Powered Compile Fabric Monolithic Panel Package - 42" Non-Powered Compile Fabric Monolithic	CMFM3030N_ CMFM3036N_ CMFM3042N_ CMFM3048N_ CMFM3054N_ CMFM3060N_ CMFM4224N_ CMFM4230N_ CMFM4236N_ CMFM4242N_ CMFM4248N_ CMFM4254N_ CMFM4254N_ CMFM4260N_ CMFM4826N_ CMFM4830N_ CMFM4830N_ CMFM4830N_ CMFM4830N_ CMFM4836N_	352 383 423 450 498 525 312 352 383 423 450 498 525	379 438 477 503 551 577 340 379 438 477 503 551 577 357	30 30 30 30 30 30 30 42 42 42 42 42 42 42 42 42 42 42	30 36 42 48 54 60 24 30 36 42 48 54 60	2 3/8 2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 42" Non-Powered Compile Fabric Monolithic	CMFM3036N_ CMFM3042N_ CMFM3048N_ CMFM3054N_ CMFM3060N_ CMFM4224N_ CMFM4230N_ CMFM4236N_ CMFM4242N_ CMFM4242N_ CMFM4260N_ CMFM4260N_ CMFM4824N_ CMFM4830N_ CMFM4830N_ CMFM4830N_ CMFM4836N_	383 423 450 498 525 312 352 383 423 450 498 525	438 477 503 551 577 340 379 438 477 503 551 577	30 30 30 30 30 30 42 42 42 42 42 42 42 42 42 42 42	36 42 48 54 60 24 30 36 42 48 54 60	2 3/8 2 3/8
	Panel Package - 42" Non-Powered Compile Fabric Monolithic	CMFM3042N_ CMFM3048N_ CMFM3054N_ CMFM3060N_ CMFM4224N_ CMFM4230N_ CMFM4236N_ CMFM4242N_ CMFM4248N_ CMFM4254N_ CMFM4260N_ CMFM4260N_ CMFM4830N_ CMFM4830N_ CMFM4830N_ CMFM4836N_	423 450 498 525 312 352 383 423 450 498 525	477 503 551 577 340 379 438 477 503 551 577	30 30 30 30 30 42 42 42 42 42 42 42 42 42 42 42	42 48 54 60 24 30 36 42 48 54 60	2 3/8 2 3/8
	Panel Package - 42" Non-Powered Compile Fabric Monolithic	CMFM3048N_ CMFM3054N_ CMFM3060N_ CMFM4224N_ CMFM4230N_ CMFM4236N_ CMFM4242N_ CMFM4248N_ CMFM4254N_ CMFM4260N_ CMFM4830N_ CMFM4830N_ CMFM4836N_	450 498 525 312 352 383 423 450 498 525 325 368	503 551 577 340 379 438 477 503 551 577	30 30 30 42 42 42 42 42 42 42 42 42 42	48 54 60 24 30 36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
	Panel Package - 42" Non-Powered Compile Fabric Monolithic	CMFM3054N_ CMFM3060N_ CMFM4224N_ CMFM4230N_ CMFM4236N_ CMFM4242N_ CMFM4248N_ CMFM4254N_ CMFM4260N_ CMFM4830N_ CMFM4830N_ CMFM4836N_	498 525 312 352 383 423 450 498 525 325 368	551 577 340 379 438 477 503 551 577	30 30 42 42 42 42 42 42 42 42 42 42	54 60 24 30 36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
	Panel Package - 42" Non-Powered Compile Fabric Monolithic	CMFM3060N_ CMFM4224N_ CMFM4230N_ CMFM4248N_ CMFM4248N_ CMFM4254N_ CMFM4254N_ CMFM4830N_ CMFM4830N_ CMFM4836N_	525 312 352 383 423 450 498 525 325 368	577 340 379 438 477 503 551 577	30 42 42 42 42 42 42 42 42 42	24 30 36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
	Panel Package - 42" Non-Powered Compile Fabric Monolithic	CMFM3060N_ CMFM4224N_ CMFM4230N_ CMFM4248N_ CMFM4248N_ CMFM4254N_ CMFM4254N_ CMFM4830N_ CMFM4830N_ CMFM4836N_	312 352 383 423 450 498 525	340 379 438 477 503 551 577	42 42 42 42 42 42 42 42	24 30 36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
	Panel Package - 42" Non-Powered Compile Fabric Monolithic	CMFM4230N_ CMFM4236N_ CMFM4242N_ CMFM4248N_ CMFM4254N_ CMFM4260N_ CMFM4830N_ CMFM4830N_ CMFM4836N_	352 383 423 450 498 525 325 368	379 438 477 503 551 577	42 42 42 42 42 42 42	30 36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
	Panel Package - 42" Non-Powered Compile Fabric Monolithic	CMFM4230N_ CMFM4236N_ CMFM4242N_ CMFM4248N_ CMFM4254N_ CMFM4260N_ CMFM4830N_ CMFM4830N_ CMFM4836N_	383 423 450 498 525 325 368	438 477 503 551 577	42 42 42 42 42 42	36 42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8 2 3/8
	Non-Powered Compile Fabric Monolithic	CMFM4242N_ CMFM4248N_ CMFM4254N_ CMFM4260N_ CMFM4824N_ CMFM4830N_ CMFM4836N_	423 450 498 525 325 368	477 503 551 577	42 42 42 42 42	42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8
		CMFM4242N_ CMFM4248N_ CMFM4254N_ CMFM4260N_ CMFM4824N_ CMFM4830N_ CMFM4836N_	423 450 498 525 325 368	477 503 551 577	42 42 42 42 42	42 48 54 60	2 3/8 2 3/8 2 3/8 2 3/8
		CMFM4248N_ CMFM4254N_ CMFM4260N_ CMFM4824N_ CMFM4830N_ CMFM4836N_	450 498 525 325 368	503 551 577 357	42 42 42 48	48 54 60	2 3/8 2 3/8 2 3/8
		CMFM4254N_ CMFM4260N_ CMFM4824N_ CMFM4830N_ CMFM4836N_	498 525 325 368	551 577 357	42 42 48	54 60 24	2 3/8 2 3/8
		CMFM4260N_ CMFM4824N_ CMFM4830N_ CMFM4836N_	525 325 368	577 357	42 48	60	2 3/8
		CMFM4830N_ CMFM4836N_	368				2 3/8
		CMFM4830N_ CMFM4836N_	368				
	v	_	***		40	30	2 3/8
		_	410	472	48	36	2 3/8
		CMFM4842N	456	520	48	42	2 3/8
		CMFM4848N	480	545	48	48	2 3/8
		CMFM4854N	519	583	48	54	2 3/8
		CMFM4860N_	567	629	48	60	2 3/8
	Non-Powered Compile Fabric Monolithic	CMFM5424N_	326	359	54	24	2 3/8
	Panel Package - 54"	CMFM5430N	368	401	54	30	2 3/8
		CMFM5436N_	411	474	54	36	2 3/8
		CMFM5442N	456	521	54	42	2 3/8
1 100		CMFM5448N	481	546	54	48	2 3/8
4 ~		CMFM5454N	520	585	54	54	2 3/8
		CMFM5460N_	567	630	54	60	2 3/8
	Non-Powered Compile Fabric Monolithic	CMFM6624N	365	406	66	24	2 3/8
	Panel Package - 66"	CMFM6630N	418	460	66	30	2 3/8
1		CMFM6636N_	478	557	66	36	2 3/8
		CMFM6642N	537	616	66	42	2 3/8
		CMFM6648N	581	661	66	48	2 3/8
		_	647	726	66	54	2 3/8
]		CMFM6654N		, 20	66	60	23/8

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFMXXYYP_ - POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no uncharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	Powered Compile Fabric Monolithic		Gr1	Gr2		W	D
	Powered Compile Fabric Monolithic				Н		
		CMFM3024P_	444	471	30	24	2 3/8
	Panel Package - 30"	CMFM3030P_	530	557	30	30	2 3/8
		CMFM3036P_	569	622	30	36	2 3/8
		CMFM3042P_	613	666	30	42	2 3/8
		CMFM3048P_	654	708	30	48	2 3/8
		CMFM3054P_	702	757	30	54	2 3/8
•		CMFM3060P_	732	784	30	60	2 3/8
a	Powered Compile Fabric Monolithic	CMFM4224P	444	471	42	24	2 3⁄8
		_					
ar I	Panel Package - 42"	CMFM4230P_	530	557	42	30	2 3/8
		CMFM4236P_	569	622	42	36	2 3/8
		CMFM4242P_	613	666	42	42	2 3/8
		CMFM4248P_	654	708	42	48	2 3/8
		CMFM4254P_	702	757	42	54	2 3/8
•		CMFM4260P_	732	784	42	60	2 3/8
/	Powered Compile Fabric Monolithic	CMFM4824P	456	489	48	24	2 3/8
	Panel Package - 48"	CMFM4830P_	544	576	48	30	2 3/8
	Tuliot Fuckage 40	CMFM4836P	594	658	48	36	2 3/8
		CMFM4842P	645	709	48	42	2 3/8
r II		CMFM4848P	686	750	48	48	2 3/8
		CMFM4854P	723	750 788	46 48	40 54	2 3/8
		CMFM4860P_	773	836	48	60	2 3⁄8
	Powered Compile Fabric Monolithic	CMFM5424P	456	491	54	24	2 3/8
	Panel Package - 54"	CMFM5430P	544	577	54	30	2 3/8
	Ÿ	CMFM5436P	596	660	54	36	2 3/8
		CMFM5442P	646	711	54	42	2 3/8
		CMFM5448P_	686	751	54	48	2 3/8
		CMFM5454P	724	790	54	54	2 3/8
		CMFM5460P_	773	838	54	60	2 3/8
	Powered Compile Fabric Monolithic	CMFM6624P_	495	537	66	24	2 3/8
	Panel Package - 66"	CMFM6630P_	596	638	66	30	2 3/8
		CMFM6636P_	664	743	66	36	2 3/8
		CMFM6642P_	726	805	66	42	2 3/8
		CMFM6648P_	786	865	66	48	2 3/8
		CMFM6654P_	852	932	66	54	2 3/8
		CMFM6660P_	916	996	66	60	2 3/8

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

CMFFXXYYN_ - NON-POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- Non nowered
- Includes one panel, two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

ented CMFF4224N_	327 368 390 445 475 528	354 396 443 498 528	42 42 42 42 42	24 30 36	2 3/8 2 3/8
CMFF4230N_ CMFF4236N_ CMFF4242N_ CMFF4248N_ CMFF4254N_ CMFF4260N_ CMFF4266N_	368 390 445 475 528	396 443 498	42 42	30	
CMFF4236N_ CMFF4242N_ CMFF4248N_ CMFF4254N_ CMFF4260N_ CMFF4266N_	390 445 475 528	443 498	42		2 3/8
CMFF4242N_ CMFF4248N_ CMFF4254N_ CMFF4260N_ CMFF4266N_	445 475 528	498		36	
CMFF4248N_ CMFF4254N_ CMFF4260N_ CMFF4266N_	475 528		42		2 3/8
CMFF4254N_ CMFF4260N_ CMFF4266N_	528	528		42	2 3/8
CMFF4260N_ CMFF4266N_			42	48	2 3/8
CMFF4266N_		581	42	54	2 3/8
_	565	618	42	60	2 3/8
CMFF4272N_	666	772	42	66	2 3/8
	701	808	42	72	2 3/8
mented CMFF4824N_	356	388	48	24	2 3/8
CMFF4830N_	395	427	48	30	2 3/8
CMFF4836N_	446	510	48	36	2 3/8
CMFF4842N	505	569	48	42	2 3/8
CMFF4848N	546	610	48	48	2 3/8
CMFF4854N_	581	644	48	54	2 3/8
CMFF4860N_	624	688	48	60	2 3/8
mented CMFF5424N_	357	389	54	24	2 3/8
CMFF5430N	396	428	54	30	2 3/8
CMFF5436N	447	511	54	36	2 3/8
CMFF5442N	505	570	54	42	2 3/8
CMFF5448N_	547	612	54	48	2 3/8
CMFF5454N_	581	646	54	54	2 3/8
CMFF5460N_	624	689	54	60	2 3/8
mented CMFF6624N_	417	458	66	24	2 3/8
CMFF6630N	477	519	66	30	2 3/8
CMFF6636N	530	610	66	36	2 3/8
	604	684	66	42	2 3/8
CMFF6648N	641	720	66	48	2 3/8
_	695	774	66	54	2 3/8
GIVII I 0034IN	737	816	66	60	2 3/8
	CMFF6642N_	CMFF6642N_ 604 CMFF6648N_ 641 CMFF6654N_ 695	CMFF6642N_ 604 684 CMFF6648N_ 641 720 CMFF6654N_ 695 774	CMFF6642N_ 604 684 66 CMFF6648N_ 641 720 66 CMFF6654N_ 695 774 66	CMFF6642N_ 604 684 66 42 CMFF6648N_ 641 720 66 48 CMFF6654N_ 695 774 66 54

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFFXXYYP_ - POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIMENSIONS/INCHES		
			Gr1	Gr2	Н	W	D
	Powered Compile Single Segmented	CMFF4224P_	457	486	42	24	2 3/8
	Fabric Panel Package - 42"	CMFF4230P_	544	572	42	30	2 3/8
		CMFF4236P_	576	628	42	36	2 3/8
		CMFF4242P_	635	688	42	42	2 3/8
/		CMFF4248P_	678	732	42	48	2 3/8
		CMFF4254P_	734	788	42	54	2 3/8
		CMFF4260P_	770	823	42	60	2 3/8
		CMFF4266P_	889	995	42	66	2 3/8
		CMFF4272P_	937	1043	42	72	2 3/8
<i>a</i>	Powered Compile Single Segmented	CMFF4824P	488	519	48	24	2 3/8
	Fabric Panel Package - 48"	CMFF4830P	572	604	48	30	2 3/8
		CMFF4836P	633	695	48	36	23/8
/		CMFF4842P	695	758	48	42	2 3/8
		CMFF4848P	751	814	48	48	2 3/8
		CMFF4854P	787	850	48	54	2 3/8
		CMFF4860P_	832	894	48	60	2 3/8
a	Powered Compile Single Segmented	CMFF5424P	489	521	54	24	2 3/8
	Fabric Panel Package - 54"	CMFF5430P	572	605	54	30	2 3/8
		CMFF5436P	634	697	54	36	2 3/8
		CMFF5442P	696	761	54	42	2 3/8
		CMFF5448P	752	816	54	48	2 3/8
		CMFF5454P	788	851	54	54	2 3/8
		CMFF5460P_	833	896	54	60	2 3/8
	Powered Compile Single Segmented	CMFF6624P_	548	590	66	24	2 3/8
	Fabric Panel Package - 66"	CMFF6630P_	653	695	66	30	2 3/8
	-	CMFF6636P_	715	794	66	36	2 3/8
" 		CMFF6642P_	794	873	66	42	2 3/8
		CMFF6648P_	844	923	66	48	2 3/8
		CMFF6654P_	899	978	66	54	2 3/8
´ ,		CMFF6660P_	943	1022	66	60	2 3/8

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 – No Knockout Side 2

CMFMAXXYYN_ - NON-POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- · Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no uncharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are lightly tackable.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE			DIMENSIONS/INCHES		
			Gr1	Gr2	Н	W	D
	Non-Powered Compile Monolithic Acoustic	CMFMA4224N_	371	398	42	24	2 3/8
	Panel Package - 42"	CMFMA4230N_	417	444	42	30	2 3/8
		CMFMA4236N_	454	507	42	36	2 3/8
		CMFMA4242N_	500	554	42	42	2 3/8
		CMFMA4248N_	531	585	42	48	2 3/8
		CMFMA4254N_	587	641	42	54	2 3/8
		CMFMA4260N_	618	671	42	60	2 3/8
	Non-Powered Compile Monolithic Acoustic	CMFMA4824N_	387	419	48	24	2 3/8
	Panel Package - 48"	CMFMA4830N_	450	468	48	30	2 3/8
	·	CMFMA4836N_	482	547	48	36	2 3/8
″ 		CMFMA4842N_	539	604	48	42	2 3/8
		CMFMA4848N_	569	634	48	48	2 3/8
		CMFMA4854N_	611	677	48	54	2 3/8
		CMFMA4860N_	667	733	48	60	2 3/8
4	Non-Powered Compile Monolithic Acoustic	CMFMA5424N_	387	420	54	24	2 3/8
	Panel Package - 54"	CMFMA5430N_	450	469	54	30	2 3/8
	, and the second	CMFMA5436N_	482	547	54	36	2 3/8
/ II		CMFMA5442N_	539	604	54	42	2 3/8
		CMFMA5448N_	569	634	54	48	2 3/8
		CMFMA5454N_	612	677	54	54	2 3/8
		CMFMA5460N_	667	733	54	60	2 3/8
	Non-Powered Compile Monolithic Acoustic	CMFMA6624N_	433	476	66	24	2 3/8
	Panel Package - 66"	CMFMA6630N_	497	539	66	30	2 3/8
	•	CMFMA6636N_	567	646	66	36	2 3/8
		CMFMA6642N_	638	717	66	42	2 3/8
″ 		CMFMA6648N_	689	768	66	48	2 3/8
		CMFMA6654N_	765	845	66	54	2 3/8
		CMFMA6660N	840	919	66	60	2 3/8

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFMAXXYYP_ - POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no uncharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIM	ENSIONS/IN	ICHES
			Gr1	Gr2	Н	W	D
	Powered Compile Monolithic Acoustic	CMFMA4224P_	502	529	42	24	2 3/8
	Panel Package - 42"	CMFMA4230P_	594	620	42	30	2 3/8
	· ·	CMFMA4236P_	641	694	42	36	2 3/8
		CMFMA4242P_	690	743	42	42	2 3/8
		CMFMA4248P_	735	789	42	48	2 3/8
		CMFMA4254P_	792	845	42	54	2 3/8
		CMFMA4260P_	823	876	42	60	2 3/8
	Powered Compile Monolithic Acoustic	CMFMA4824P	517	549	48	24	2 3/8
	Panel Package - 48"	CMFMA4830P	612	644	48	30	2 3/8
	.	CMFMA4836P	668	733	48	36	2 3/8
		CMFMA4842P	728	793	48	42	2 3/8
		CMFMA4848P	773	837	48	48	2 3/8
		CMFMA4854P	817	882	48	54	2 3/8
		CMFMA4860P_	873	938	48	60	2 3/8
	Powered Compile Monolithic Acoustic	CMFMA5424P_	519	551	54	24	2 3/8
	Panel Package - 54"	CMFMA5430P_	613	646	54	30	2 3/8
	-	CMFMA5436P_	668	734	54	36	2 3/8
/ II		CMFMA5442P_	729	795	54	42	2 3/8
		CMFMA5448P_	773	838	54	48	2 3/8
		CMFMA5454P_	817	883	54	54	2 3/8
		CMFMA5460P_	874	939	54	60	2 3/8
	Powered Compile Monolithic Acoustic	CMFMA6624P_	565	606	66	24	2 3/8
	Panel Package - 66"	CMFMA6630P_	674	716	66	30	2 3/8
		CMFMA6636P_	753	833	66	36	2 3/8
		CMFMA6642P_	825	906	66	42	2 3/8
		CMFMA6648P_	893	972	66	48	2 3/8
		CMFMA6654P_	970	1050	66	54	2 3/8
		CMFMA6660P_	1045	1124	66	60	2 3/8
·							

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

CMLFMXXYYN_ - MONOLITHIC LAMINATE SINGLE SIDED PANEL - NON-POWERED

- Individual modules, one in fabric and one in laminate, incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- · Panels are not tackable.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Note: Trim is not required at a straight connection between two panels of the same height.

	DESCRIPTION	PRODUCT CODE	LIST Gr1	PRICE Gr2	DIM H	ENSIONS/IN W	CHES D
<u>a</u>	Non-Powered Compile Monolithic	CMLFM3024N_	379	392	30	24	2 3/8
	Single Sided Panel Package - 30"	CMLFM3030N_	440	449	30	30	2 3/8
af l	Single Sided Faller Fackage - 50	CMLFM3036N	501	513	30	36	2 3/8
		CMLFM3042N_	569	579	30	42	2 3/8
		CMLFM3048N	620	632	30	48	2 3/8
Ť		CMLFM3054N_	684	698	30	54	2 3/8
		CMLFM3060N	751	765	30	60	2 3/8
		CIVILFIVISUOUIV_	751	700	30	00	2 3/0
	Non-Powered Compile Monolithic	CMLFM4224N_	448	460	42	24	2 3/8
	Single Sided Panel Package - 42"	CMLFM4230N_	525	538	42	30	2 3/8
		CMLFM4236N_	600	618	42	36	2 3/8
		CMLFM4242N_	680	698	42	42	23/8
		CMLFM4248N_	741	762	42	48	23/8
"		CMLFM4254N_	820	844	42	54	23/8
		CMLFM4260N_	900	926	42	60	2 3/8
	Non-Powered Compile Monolithic	CMLFM4824N_	530	552	48	24	2 3/8
ا ا	Single Sided Panel Package - 48"	CMLFM4830N_	622	638	48	30	2 3/8
		CMLFM4836N_	714	734	48	36	2 3/8
		CMLFM4842N_	809	833	48	42	2 3/8
		CMLFM4848N_	883	909	48	48	2 3/8
•		CMLFM4854N_	982	1011	48	54	2 3/8
		CMLFM4860N_	1078	1110	48	60	2 3/8
	Non-Powered Compile Monolithic	CMLFM5424N_	531	547	54	24	2 3/8
	Single Sided Panel Package - 54"	CMLFM5430N	622	642	54 54	30	2 3/8
71	Siligle Sided Faller Fackage - 54	CMLFM5436N	714	733	54 54	36	23/8
		CMLFM5442N	810	834	54	42	2 3/8
		CMLFM5448N	883	910	54 54	48	2 3/8
		CMLFM5454N	982	1010	54 54	40 54	2 3/8
		CMLFM5460N_	1078	1110	54 54	60	2 3/8
		CIVILFIVIS400IV_	1076	1110	34	00	2 3/0
	Non-Powered Compile Monolithic	CMLFM6624N_	655	676	66	24	2 3/8
	Single Sided Panel Package - 66"	CMLFM6630N_	767	791	66	30	2 3/8
1 I	<u> </u>	CMLFM6636N	885	911	66	36	2 3/8
		CMLFM6642N_	1007	1036	66	42	2 3/8
		CMLFM6648N	1095	1128	66	48	2 3/8
		CMLFM6654N_	1218	1254	66	54	23/8
		CMLFM6660N	1341	1382	66	60	23/8
		S.N.S. 31000014_	.511	.502	50	30	200

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMLFMXXYYP_ - MONOLITHIC LAMINATE SINGLE SIDED PANEL - POWERED

- Individual modules, one in fabric and one in laminate, incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- · Panels are not tackable.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h. panels.
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Note: Trim is not required at a straight connection between two panels of the same height.

	DESCRIPTION	PRODUCT CODE	LIST Gr1	PRICE Gr2	DIM H	ENSIONS/IN W	CHES D
	Non-Powered Compile Monolithic	CMLFM3024P_	510	524	30	24	2 3/8
	Single Sided Panel Package - 30"	CMLFM3030P_	616	676	30	30	2 3/8
		CMLFM3036P_	687	755	30	36	2 3/8
		CMLFM3042P_	759	834	30	42	2 3/8
		CMLFM3048P_	823	906	30	48	2 3/8
		CMLFM3054P_	889	982	30	54	2 3/8
		CMLFM3060P_	957	1056	30	60	2 3/8
	Non-Powered Compile Monolithic	CMLFM4224P_	579	642	42	24	2 3/8
	Single Sided Panel Package - 42"	CMLFM4230P	701	775	42	30	2 3/8
	origio ordea i arieri dekage 42	CMLFM4236P_	786	872	42	36	2 3/8
´		CMLFM4242P_	871	965	42	42	2 3/8
		CMLFM4248P_	946	1049	42	48	2 3/8
		CMLFM4254P	1026	1143	42	54	2 3/8
		CMLFM4260P_	1108	1236	42	60	2 3/8
		GIVILFIVI4Z00F_	1100	1230	42	00	2 3/0
	Non-Powered Compile Monolithic	CMLFM4824P_	662	675	48	24	2 3/8
	Single Sided Panel Package - 48"	CMLFM4830P_	799	817	48	30	2 3/8
		CMLFM4836P_	899	921	48	36	2 3/8
		CMLFM4842P_	998	1115	48	42	2 3/8
		CMLFM4848P_	1086	1114	48	48	2 3/8
		CMLFM4854P_	1186	1217	48	54	2 3/8
		CMLFM4860P_	1284	1440	48	60	2 3/8
	Non-Powered Compile Monolithic	CMLFM5424P	663	739	54	24	2 3/8
	Single Sided Panel Package - 54"	CMLFM5430P	799	889	54 54	30	2 3/8
	Single Sided Faller Lackage - 54	CMLFM5436P_	899	999	54 54	36	2 3/8
		CMLFM5442P_	998	1115	54	42	2 3/8
		CMLFM5448P	1086	1214	54 54	48	2 3/8
		CMLFM5454P	1187	1327	54 54	40 54	2 3/8
		_	1284	1440	54 54	60	2 3/8
·		CMLFM5460P_	1284	1440	54	Ьυ	2 3/8
	Non-Powered Compile Monolithic	CMLFM6624P_	788	883	66	24	2 3/8
	Single Sided Panel Package - 66"	CMLFM6630P_	943	1055	66	30	2 3/8
	-	CMLFM6636P_	1071	1197	66	36	2 3/8
		CMLFM6642P_	1195	1339	66	42	2 3/8
		CMLFM6648P_	1300	1457	66	48	2 3/8
		CMLFM6654P	1425	1600	66	54	2 3/8
 		CMLFM6660P_	1549	1741	66	60	2 3/8
			. 3 . 0			30	_ 40

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2



${\bf CMLLMXXYYN_-MONOLITHIC\,LAMINATE\,DOUBLE\,SIDED\,PANEL-NON-POWERED}$

- Individual laminate modules incorporated into an aluminum frame.
- · Modules have laminate on both sides.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h nanels
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Note: Trim is not required at a straight connection between two panels of the same height.

	DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIM H	ENSIONS/IN W	CHES D
	Non-Powered Compile Monolithic	CMLLM3024N	417	30	24	2 3/8
	Double Sided Laminate Panel Package - 30"	CMLLM3030N_	494	30	30	2 3/8
	Double Glada Lammato Famor Fabriage Go	CMLLM3036N	564	30	36	2 3/8
		CMLLM3042N_	643	30	42	2 3/8
		CMLLM3048N	719	30	48	2 3/8
		CMLLM3054N_	795	30	54	2 3/8
		CMLLM3060N_	858	30	60	2 3/8
4	New December Committee Manualistics	CNALLNAGOANI	404	40	0.4	2.20
	Non-Powered Compile Monolithic	CMLLM4224N_	494	42	24	2 3/8
	Double Sided Laminate Panel Package - 42"	CMLLM4230N_	581	42	30	2 3/8
		CMLLM4236N_	677	42	36	2 3/8
		CMLLM4242N_	770	42	42	2 3/8
		CMLLM4248N_	864	42	48	2 3/8
		CMLLM4254N_	951	42	54	2 3/8
		CMLLM4260N_	1033	42	60	2 3/8
	Non-Powered Compile Monolithic	CMLLM4824N_	601	48	24	2 3/8
	Double Sided Laminate Panel Package - 48"	CMLLM4830N_	713	48	30	2 3/8
		CMLLM4836N_	827	48	36	2 3/8
		CMLLM4842N_	945	48	42	2 3/8
		CMLLM4848N_	1063	48	48	2 3/8
		CMLLM4854N_	1170	48	54	2 3/8
		CMLLM4860N_	1237	48	60	2 3/8
	Non-Powered Compile Monolithic	CMLLM5424N_	601	54	24	2 3/8
	Double Sided Laminate Panel Package - 54"		713	54	30	2 3/8
	Bouble Slued Latillidle Fallet Fackage - 34	CMLLM5430N_ CMLLM5436N_	713 828	54 54	30 36	2 3/8
		CMLLM5442N	946	54 54	36 42	2 3/8
		CMLLM5448N_	1064	54 54	48	2 3/8
		CMLLM5454N	1170	54	54	2 3/8
		CMLLM5460N_	1237	54	60	2 3/8
	N D 10 1 M Fil	05.41.1.5.4000.451	700	00	0.4	0.00
	Non-Powered Compile Monolithic	CMLLM6624N_	739	66	24	2 3/8
	Double Sided Laminate Panel Package - 66"	CMLLM6630N_	874	66	30	2 3/8
		CMLLM6636N_	1014	66	36	2 3/8
		CMLLM6642N_	1161	66	42	2 3/8
		CMLLM6648N_	1302	66	48	2 3/8
		CMLLM6654N_	1437	66	54	2 3/8
		CMLLM6660N_	1569	66	60	2 3/8

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(0) No Knockouts Side 1 and Side 2

(1) Knockouts Side 1 - No Knockout Side 2

CMLLMXXYYP_ - MONOLITHIC LAMINATE DOUBLE SIDED PANEL - POWERED

- Individual laminate modules incorporated into an aluminum frame.
- · Modules have laminate on both sides.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels.
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Note: Trim is not required at a straight connection between two panels of the same height.

	DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMI H	ENSIONS/IN W	CHES D
	Powered Compile Monolithic	CMLLM3024P	546	30	24	2 3/8
	Double Sided Laminate Panel Package - 30"	CMLLM3030P	666	30	30	2 3/8
	Ç	CMLLM3036P	744	30	36	2 3/8
		CMLLM3042P	825	30	42	2 3/8
 		CMLLM3048P_	916	30	48	2 3/8
		CMLLM3054P_	994	30	54	2 3/8
		CMLLM3060P_	1059	30	60	2 3/8
<i>a</i>	Powered Compile Monolithic	CMILLMASSAD	C21	42	24	2.20
		CMLLM4224P_	621	42	24	2 3/8
	Double Sided Laminate Panel Package - 42"	CMLLM4230P_	753 957	42	30	2 3/8
		CMLLM4236P_	857	42	36 42	2 3/8
		CMLLM4242P_ CMLLM4248P	955	42 42	42	2 3/8 2 3/8
		_	1062		48 54	
		CMLLM4254P_	1150	42		2 3/8
•		CMLLM4260P_	1234	42	60	2 3/8
	Powered Compile Monolithic	CMLLM4824P_	733	48	24	2 3/8
	Double Sided Laminate Panel Package - 48"	CMLLM4830P_	889	48	30	2 3/8
		CMLLM4836P_	1014	48	36	2 3/8
		CMLLM4842P_	1135	48	42	2 3/8
		CMLLM4848P_	1267	48	48	2 3/8
l 🥒 🐪		CMLLM4854P_	1377	48	54	2 3/8
		CMLLM4860P_	1438	48	60	2 3/8
	Powered Compile Monolithic	CMLLM5424P_	733	54	24	2 3/8
	Double Sided Laminate Panel Package - 54"	CMLLM5430P_	890	54	30	2 3/8
	Double Sided Laminate Faller Fackage - 54	CMLLM5436P_	1014	54	36	2 3/8
		CMLLM5442P_	1135	54 54	42	2 3/8
		CMLLM5448P	1268	54 54	48	2 3/8
		CMLLM5454P	1378	54 54	40 54	2 3/8
		CMLLM5460P	1438	54 54	60	2 3/8
		CIVILLIVI34001	1430	54	00	2 3/0
	Powered Compile Monolithic	CMLLM6624P_	866	66	24	2 3/8
	Double Sided Laminate Panel Package - 66"	CMLLM6630P_	1047	66	30	2 3/8
		CMLLM6636P_	1194	66	36	2 3/8
		CMLLM6642P_	1345	66	42	2 3/8
		CMLLM6648P_	1500	66	48	2 3/8
		CMLLM6654P_	1636	66	54	2 3/8
		CMLLM6660P_	1770	66	60	2 3/8

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFLXXYYN_ - SEGMENTED LAMINATE SINGLE SIDED PANEL - NON-POWERED

- Individual fabric or laminate covered modules incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMI	CHES	
			Gr1	Gr2	Н	W	D
	Non-Powered Compile Single Segmented	CMFL4224N_	448	460	42	24	2 3/8
	Laminate Panel Package - 42"	CMFL4230N_	525	538	42	30	2 3/8
		CMFL4236N_	600	618	42	36	2 3/8
		CMFL4242N_	680	698	42	42	2 3/8
		CMFL4248N_	741	762	42	48	2 3/8
		CMFL4254N_	820	844	42	54	2 3/8
		CMFL4260N_	900	926	42	60	2 3/8
	Non-Powered Compile Single Segmented	CMFL4824N	530	546	48	24	2 3/8
	Laminate Panel Package - 48"	CMFL4830N_	622	638	48	30	2 3/8
		CMFL4836N	714	734	48	36	2 3/8
		CMFL4842N	809	834	48	42	2 3/8
		CMFL4848N	883	910	48	48	2 3/8
		CMFL4854N	982	1010	48	54	2 3/8
		CMFL4860N_	1078	1111	48	60	2 3/8
	Non-Powered Compile Single Segmented	CMFL5424N	531	547	54	24	2 3/8
	Laminate Panel Package - 54"	CMFL5430N	622	642	54	30	2 3/8
	zammata ramor rashago o r	CMFL5436N	714	733	54	36	2 3/8
		CMFL5442N	810	834	54	42	2 3/8
		CMFL5448N	883	910	54	48	2 3/8
		CMFL5454N	982	1010	54	54	2 3/8
		CMFL5460N_	1078	1110	54	60	2 3/8
<i>a</i>	Non-Powered Compile Single Segmented	CMFL6624N	655	676	66	24	2 3/8
	Lmainate Panel Package - 66"	CMFL6630N	767	791	66	30	2 3/8
	zmamato i unoi i dokago oo	CMFL6636N	885	911	66	36	23/8
		CMFL6642N	1007	1036	66	42	23/8
		CMFL6648N	1095	1128	66	48	23/8
		CMFL6654N	1218	1254	66	54	23/8
		CMFL6660N	1341	1382	66	60	23/8
		51VII E000014_	1541	1502	00	00	200

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFLXXYYP_ - SEGMENTED LAMINATE SINGLE SIDED PANEL - POWERED

- Individual fabric or laminate covered modules incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIMENSIONS/INCHES		CHES
			Gr1	Gr2	Н	W	D
	Powered Compile Single Segmented	CMFL4224P_	579	642	42	24	2 3/8
	Laminate Panel Package - 42"	CMFL4230P_	701	775	42	30	2 3/8
		CMFL4236P_	786	872	42	36	2 3/8
		CMFL4242P_	871	965	42	42	2 3/8
		CMFL4248P_	946	1049	42	48	2 3/8
		CMFL4254P_	1026	1143	42	54	2 3/8
		CMFL4260P_	1108	1236	42	60	2 3/8
	Powered Compile Single Segmented	CMFL4824P	662	740	48	24	2 3/8
	Laminate Panel Package - 48"	CMFL4830P	799	891	48	30	2 3/8
	Lammato Famor Fabriago	CMFL4836P	899	1001	48	36	2 3/8
		CMFL4842P	998	1116	48	42	2 3/8
		CMFL4848P	1086	1215	48	48	2 3/8
		CMFL4854P	1186	1328	48	54	2 3/8
		CMFL4860P	1284	1441	48	60	2 3/8
•							
	Powered Compile Single Segmented	CMFL5424P_	663	739	54	24	2 3/8
	Laminate Panel Package - 54"	CMFL5430P_	799	889	54	30	2 3/8
		CMFL5436P_	899	999	54	36	2 3/8
r ar a		CMFL5442P_	998	1115	54	42	2 3/8
		CMFL5448P_	1086	1214	54	48	2 3/8
		CMFL5454P_	1187	1327	54	54	2 3/8
		CMFL5460P_	1284	1440	54	60	2 3/8
4	Powered Compile Single Segmented	CMFL6624P	788	883	66	24	2 3/8
	Laminate Panel Package - 66"	CMFL6630P	788	883	66	30	2 3/8
	Lammate i allei i ackaye - 00	CMFL6636P	1038	003 1197	66	36	2 3/8
		CMFL6642P	1195	1339	66	42	23/8
		CMFL6648P	1300	1457	66	42	2 3/8
		CMFL6654P	1425	1600	66	40 54	2 3/8
		CMFL6660P_	1549	1741	66	60	2 3/8
		CIVII LUUUUI _	1343	1/41	00	UU	2 J/O

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

CMLLXXYYN_ - SEGMENTED LAMINATE DOUBLE SIDED PANEL - NON-POWERED

- Individual laminate covered modules incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Note: Trim is not required at a straight connection between two panels of the

same height.

- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/IN	CHES
			Gr1	Н	W	D
/	Non-Powered Compile Single Segmented	CMLL4224N_	509	42	24	2 3/8
	Double Sided Laminate Panel Package - 42"	CMLL4230N_	599	42	30	2 3/8
		CMLL4236N_	698	42	36	2 3/8
		CMLL4242N_	795	42	42	2 3/8
		CMLL4248N_	890	42	48	2 3/8
		CMLL4254N_	979	42	54	2 3/8
		CMLL4260N_	1065	42	60	2 3/8
	Non-Powered Compile Single Segmented	CMLL4824N_	601	48	24	2 3/8
	Double Sided Laminate Panel Package - 48"	CMLL4830N_	713	48	30	2 3/8
		CMLL4836N_	827	48	36	2 3/8
		CMLL4842N_	945	48	42	2 3/8
		CMLL4848N_	1063	48	48	2 3/8
		CMLL4854N_	1170	48	54	2 3/8
		CMLL4860N_	1273	48	60	2 3/8
	Non-Powered Compile Single Segmented	CMLL5424N_	601	54	24	2 3/8
	Double Sided Laminate Panel Package - 54"	CMLL5430N_	713	54	30	2 3/8
		CMLL5436N_	828	54	36	2 3/8
e je j		CMLL5442N_	946	54	42	2 3/8
		CMLL5448N_	1064	54	48	2 3/8
		CMLL5454N_	1170	54	54	2 3/8
		CMLL5460N_	1274	54	60	2 3/8
<u>/</u>	Non-Powered Compile Single Segmented	CMLL6624N_	762	66	24	2 3/8
	Double Sided Laminate Panel Package - 66"	CMLL6630N_	900	66	30	2 3/8
	•	CMLL6636N_	1044	66	36	2 3/8
		CMLL6642N_	1196	66	42	2 3/8
		CMLL6648N_	1341	66	48	2 3/8
		CMLL6654N_	1480	66	54	2 3/8
rje		CMLL6660N_	1617	66	60	2 3/8

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMLLXXYYP_ - SEGMENTED LAMINATE DOUBLE SIDED PANEL - POWERED

- Individual laminate covered modules incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels.
- 4 Panel connector brackets per side come standard with 66" panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/IN	CHES
			Gr1	Н	W	D
	Powered Compile Single Segmented	CMLL4224P_	641	42	24	2 3/8
	Double Sided Laminate Panel Package - 42"	CMLL4230P_	776	42	30	2 3/8
		CMLL4236P_	884	42	36	2 3/8
		CMLL4242P_	985	42	42	2 3/8
		CMLL4248P_	1094	42	48	2 3/8
		CMLL4254P_	1185	42	54	2 3/8
		CMLL4260P_	1271	42	60	2 3/8
	Powered Compile Single Segmented	CMLL4824P	733	48	24	2 3/8
	Double Sided Laminate Panel Package - 48"	CMLL4830P_	889	48	30	2 3/8
		CMLL4836P	1014	48	36	2 3/8
		CMLL4842P	1135	48	42	2 3/8
		CMLL4848P	1267	48	48	2 3/8
		CMLL4854P	1377	48	54	2 3/8
		CMLL4860P_	1481	48	60	2 3/8
	Powered Compile Single Segmented	CMLL5424P	733	54	24	2 3/8
	Double Sided Laminate Panel Package - 54"	CMLL5430P	890	54	30	2 3/8
	Bouble Glada Edillinate Fallot Fabrage 01	CMLL5436P	1014	54	36	2 3/8
		CMLL5442P	1135	54	42	2 3/8
		CMLL5448P	1268	54	48	2 3/8
		CMLL5454P_	1378	54	54	2 3/8
		CMLL5460P_	1481	54	60	2 3/8
a	Powered Compile Single Segmented	CMLL6624P	893	66	24	2 3/8
	Double Sided Laminate Panel Package - 66"	CMLL6630P	1078	66	30	2 3/8
	200210 Olded Editinate Fanoi Fackage - 00	CMLL6636P	1230	66	36	2 3/8
		CMLL6642P	1386	66	42	2 3/8
		CMLL6648P	1545	66	48	2 3/8
		CMLL6654P	1685	66	54	2 3/8
		CMLL6660P_	1824	66	60	2 3/8
		CIVIELUOUDI _	1024	00	00	230

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFWXXYYN_ - SEGMENTED WRITE BOARD SINGLE SIDED PANEL - NON-POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on one side and fabric on the other at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		CHES
			Gr1	Gr2	Н	W	D
_	Non-Powered Compile Write Board	CMFW4824N_	475	497	48	24	2 3/8
	Single Sided Panel Package - 48"	CMFW4830N_	574	600	48	30	2 3/8
	No punchouts	CMFW4836N_	636	666	48	36	2 3/8
		CMFW4842N_	717	600	48	42	2 3/8
WRITE		CMFW4848N_	807	846	48	48	2 3/8
		CMFW4854N_	897	928	48	54	2 3/8
		CMFW4860N_	987	1039	48	60	2 3/8
	Non-Powered Compile Write Board	CMFW5424N	476	494	54	24	2 3/8
	Single Sided Panel Package - 54"	CMFW5430N_	575	595	54	30	2 3/8
	· ·	CMFW5436N_	637	656	54	36	2 3/8
	omgro ordea i and i donago of	CMFW5442N_	718	743	54	42	2 3/8
MRATIL		CMFW5448N_	808	836	54	48	2 3/8
		CMFW5454N_	897	928	54	54	2 3/8
		CMFW5460N_	988	1039	54	60	2 3/8
	Non-Powered Compile Write Board	CMFW6624N_	582	601	66	24	2 3/8
	Single Sided Panel Package - 66"	CMFW6630N_	692	714	66	30	2 3/8
	· ·	CMFW6636N_	769	795	66	36	2 3/8
		CMFW6642N_	872	899	66	42	2 3/8
WRITE		CMFW6648N_	972	1005	66	48	2 3/8
		CMFW6654N_	1081	1115	66	54	2 3/8
		CMFW6660N_	1194	1232	66	60	2 3/8

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFWXXYYP_ - SEGMENTED WRITE BOARD SINGLE SIDED PANEL - POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on one side and fabric on the other at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

	DESCRIPTION	PRODUCT CODE		PRICE		ENSIONS/IN	
			Gr1	Gr2	Н	W	D
_	Powered Compile Write Board	CMFW4824P_	605	627	48	24	2 3/8
	Single Sided Panel Package - 48"	CMFW4830P_	751	777	48	30	2 3/8
ا اه	Punchouts on one side	CMFW4836P_	821	851	48	36	2 3/8
		CMFW4842P_	906	943	48	42	2 3/8
" [』		CMFW4848P_	1011	1049	48	48	2 3/8
		CMFW4854P_	1103	1132	48	54	2 3/8
	D 10 3 W 2 D 1	CMFW4860P_	1194	1245	48	60	2 3⁄8
_	Powered Compile Write Board	CMFW5424P_	607	625	54	24	2 3/8
	Single Sided Panel Package - 54"	CMFW5430P_	752	772	54	30	2 3/8
ه ا		CMFW5436P_	821	841	54	36	2 3/8
	· ·	CMFW5442P_	907	932	54	42	2 3/8
		CMFW5448P_	1011	1039	54	48	2 3/8
]		CMFW5454P_	1104	1133	54	54	2 3/8
		CMFW5460P_	1194	1229	54	60	2 3/8
	Powered Compile Write Board	CMFW6624P_	710	729	66	24	2 3/8
	Single Sided Panel Package - 66"	CMFW6630P_	864	886	66	30	2 3/8
		CMFW6636P_	951	976	66	36	2 3/8
11		CMFW6642P_	1055	1083	66	42	2 3/8
		CMFW6648P_	1171	1202	66	48	2 3/8
Jr J		CMFW6654P_	1280	1315	66	54	2 3/8
		CMFW6660P_	1394	1434	66	60	2 3/8

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMWWXXYYN_ - SEGMENTED WRITE BOARD DOUBLE SIDED PANEL - NON-POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on two sides at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.

	DESCRIPTION	PRODUCT CODE LIST PR			PRICE DIMENSIONS/IN		
			Gr1	Gr2	Н	W	D
	Non-Powered Compile Write Board	CMWW4824N_	520	533	48	24	2 3/8
	Single Segmented Panel Package - 48"	CMWW4830N_	647	664	48	30	2 3/8
WRITE	No Punchouts	CMWW4836N_	700	723	48	36	2 3/8
		CMWW4842N_	794	818	48	42	2 3/8
VRTE VRTE		CMWW4848N_	930	957	48	48	2 3/8
		CMWW4854N_	1032	1063	48	54	2 3/8
		CMWW4860N_	1137	1169	48	60	2 3/8
_	Non-Powered Compile Write Board	CMWW5424N_	521	547	54	24	2 3/8
	Single Segmented Panel Package - 54"	CMWW5430N_	647	675	54	30	2 3/8
WRITE		CMWW5436N_	700	754	54	36	2 3/8
	Single Segmented Panel Package - 48" No Punchouts Non-Powered Compile Write Board	CMWW5442N_	795	847	54	42	2 3/8
		CMWW5448N_	930	983	54	48	2 3/8
		CMWW5454N_	1033	1085	54	54	2 3/8
		CMWW5460N_	1137	1191	54	60	2 3/8
	Non-Powered Compile Write Board	CMWW6624N_	643	670	66	24	2 3/8
	Single Segmented Panel Package - 66"	CMWW6630N_	788	814	66	30	2 3/8
		CMWW6636N_	794	846	66	36	2 3/8
WRITE		CMWW6642N_	975	1029	66	42	2 3/8
WRITE		CMWW6648N_	1121	1173	66	48	2 3/8
~~~  <b> </b>		CMWW6654N_	1251	1305	66	54	2 3/8
		CMWW6660N_	1380	1433	66	60	2 3/8

#### **Raceway Cover Options (1) Shown**

# RACEWAY COVER OPTIONS (Suffix)

(0) No Knockouts Side 1 and Side 2

(1) Knockouts Side 1 - No Knockout Side 2

#### CMWWXXYYP_ - SEGMENTED WRITE BOARD DOUBLE SIDED PANEL - POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on two sides at the top and fabric on two sides at the hottom
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

	DESCRIPTION	DESCRIPTION PRODUCT CODE		LIST PRICE		DIMENSIONS/INCHES		CHES
			Gr1	Gr2	Н	W	D	
	Powered Compile Write Board	CMWW4824P	651	665	48	24	2 3/8	
	Single Segmented Panel Package - 48"	CMWW4830P_	823	840	48	30	2 3/8	
WRITE	Punchouts on one side	CMWW4836P_	886	908	48	36	2 3/8	
		CMWW4842P_	984	1007	48	42	2 3/8	
WRITE		CMWW4848P_	1133	1161	48	48	2 3/8	
		CMWW4854P_	1237	1268	48	54	2 3/8	
		CMWW4860P_	1344	1374	48	60	2 3/8	
_	Powered Compile Write Board	CMWW5424P_	651	678	54	24	2 3/8	
	Single Segmented Panel Package - 54"	CMWW5430P_	823	851	54	30	2 3/8	
WRITE		CMWW5436P_	886	939	54	36	2 3/8	
	•	CMWW5442P_	985	1038	54	42	2 3/8	
WRITE		CMWW5448P_	1133	1187	54	48	2 3/8	
		CMWW5454P_	1238	1291	54	54	2 3/8	
		CMWW5460P_	1344	1396	54	60	2 3/8	
	Powered Compile Write Board	CMWW6624P_	773	800	66	24	2 3/8	
	Single Segmented Panel Package - 66"	CMWW6630P_	964	992	66	30	2 3/8	
		CMWW6636P_	1045	1098	66	36	2 3/8	
WRITE		CMWW6642P_	1164	1217	66	42	2 3/8	
WRITE		CMWW6648P_	1326	1380	66	48	2 3/8	
		CMWW6654P_	1457	1510	66	54	2 3/8	
		CMWW6660P_	1586	1638	66	60	2 3/8	

# **Raceway Cover Options (1) Shown**

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

#### CMFOXXYYN_ - COMPILE SINGLE SEGMENTED OPEN BOTTOM PANEL PACKAGE - NON-POWERED

- · Non powered.
- Includes one panel and two raceways covers with no punchouts and a integrated aluminum top cap.
- Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIMI	ENSIONS/IN	CHES
			Gr1	Gr2	Н	W	D
	Non-Powered Compile Single Segmented	CMF04224N_	303	316	42	24	2 3/8
	Open Bottom Panel Package - 42"	CMF04230N_	340	350	42	30	2 3/8
		CMF04236N_	361	381	42	36	2 3/8
		CMF04242N_	413	433	42	42	2 3/8
		CMF04248N_	439	460	42	48	2 3/8
		CMF04254N_	490	517	42	54	2 3/8
		CMF04260N_	523	544	42	60	2 3/8
	Non-Powered Compile Single Segmented	CMF04824N_	328	345	48	24	2 3/8
ا ا	Open Bottom Panel Package -48"	CMF04830N_	367	382	48	30	2 3/8
		CMF04836N_	413	429	48	36	2 3/8
		CMF04842N_	468	499	48	42	2 3/8
		CMF04848N_	505	537	48	48	2 3/8
		CMF04854N_	537	569	48	54	2 3/8
		CMF04860N_	578	610	48	60	2 3/8
	Non-Powered Compile Single Segmented	CMF05424N_	329	346	54	24	2 3/8
	Open Bottom Panel Package -54"	CMF05430N_	367	383	54	30	2 3/8
	,	CMF05436N_	414	430	54	36	2 3/8
'IP J		CMF05442N_	468	500	54	42	2 3/8
/1 <b>//</b> /		CMF05448N_	505	538	54	48	2 3/8
		CMF05454N_	537	570	54	54	2 3/8
		CMF05460N_	579	612	54	60	2 3/8
	Non-Powered Compile Single Segmented	CMF06624N_	385	412	66	24	2 3/8
	Open Bottom Panel Package - 66"	CMF06630N_	442	468	66	30	2 3/8
		CMF06636N_	491	538	66	36	2 3/8
″ I <b>I</b> /		CMF06642N_	559	606	66	42	2 3/8
		CMF06648N_	592	640	66	48	2 3/8
		CMF06654N_	643	690	66	54	2 3/8
		CMF06660N_	682	728	66	60	2 3/8

#### Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

#### CMFOXXYYP_ - COMPILE SINGLE SEGMENTED - OPEN BOTTOM PANEL PACKAGE - POWERED

- · With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout, one raceway cover without punchout and a integrated aluminum top cap.
- Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- 24" wide panels have one punchout, 30" wide panels or wider have two punchouts.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMI	CHES	
			Gr1	Gr2	Н	W	D
	Powered Compile Single Segmented	CMF04224P_	423	437	42	24	2 3/8
	Open Bottom Panel Package - 42"	CMF04230P_	503	517	42	30	2 3/8
		CMF04236P_	531	553	42	36	2 3/8
		CMF04242P_	586	607	42	42	2 3/8
		CMF04248P_	625	647	42	48	2 3/8
		CMF04254P_	678	689	42	54	2 3/8
		CMF04260P_	713	734	42	60	2 3/8
	Powered Compile Single Segmented	CMF04824P_	450	467	48	24	2 3⁄8
	Open Bottom Panel Package -48"	CMF04830P	528	544	48	30	2 3/8
		CMF04836P	585	601	48	36	2 3/8
		CMF04842P	642	674	48	42	2 3/8
		CMF04848P	693	725	48	48	2 3/8
		CMF04854P	726	758	48	54	2 3/8
		CMF04860P_	768	799	48	60	2 3/8
a	Powered Compile Single Segmented	CMF05424P	450	467	54	24	2 3⁄8
	Open Bottom Panel Package -54"	CMF05430P_	530	546	54	30	2 3/8
	Open bottom raner rackage -34	CMF05436P_	585	602	54	36	2 3/8
		CMF05442P_	643	676	54	42	2 3/8
		CMF05448P	695	728	54	48	2 3/8
		CMF05454P	728	761	54	54	2 3/8
		CMF05460P_	768	800	54	60	2 3/8
		01 450000 4D	500	500	00		0.00
	Powered Compile Single Segmented	CMF06624P_	506	532	66	24	2 3/8
	Open Bottom Panel Package - 66"	CMF06630P_	603	629	6	30	2 3/8
		CMF06636P_	662	710	66	36	2 3/8
		CMF06642P_	733	779	66	42	2 3/8
		CMF06648P_	778	826	66	48	2 3/8
		CMF06654P_	832	878	66	54	2 3/8
		CMF06660P_	873	921	66	60	2 3/8

#### Raceway Cover Options (1) Shown

#### • RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

# CMFGXXYYN_ - COMPILE GLAZED PANEL PACKAGE - NON-POWERED

- · Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered module in lower position incorporated into a solid steel frame
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.

- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance.
- PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	Н	W	D
<b>1</b>	Non-Powered Compile Glazed	CMFG4224N_	411	424	42	24	2 3/8
	Panel Package - 42"	CMFG4230N_	468	484	42	30	2 3/8
		CMFG4236N_	524	544	42	36	2 3/8
		CMFG4242N_	585	607	42	42	2 3/8
		CMFG4248N_	641	665	42	48	2 3/8
		CMFG4254N_	720	746	42	54	2 3/8
		CMFG4260N_	794	823	42	60	2 3/8
	Non-Powered Compile Glazed	CMFG4824N_	442	457	48	24	2 3/8
	Panel Package - 48"	CMFG4830N_	517	534	48	30	2 3/8
	-	CMFG4836N_	588	609	48	36	2 3/8
		CMFG4842N_	660	682	48	42	2 3/8
		CMFG4848N_	719	744	48	48	2 3/8
		CMFG4854N_	838	866	48	54	2 3/8
		CMFG4860N_	948	981	48	60	2 3/8
a	Non-Powered Compile Glazed	CMFG5424N_	443	458	54	24	2 3/8
	Panel Package - 54"	CMFG5430N_	519	536	54	30	2 3/8
	· ·	CMFG5436N_	588	609	54	36	2 3/8
		CMFG5442N_	662	684	54	42	2 3/8
		CMFG5448N	720	745	54	48	2 3/8
/   <b> </b> //		CMFG5454N_	839	866	54	54	2 3/8
		CMFG5460N_	949	982	54	60	2 3/8
	Non-Powered Compile Glazed	CMFG6624N_	555	576	66	24	2 3/8
1	Panel Package - 66"	CMFG6630N_	645	671	66	30	2 3/8
. (	ŭ	CMFG6636N_	735	763	66	36	2 3/8
		CMFG6642N_	828	864	66	42	2 3/8
		CMFG6648N	898	937	66	48	2 3/8
		CMFG6654N_	1039	1081	66	54	2 3/8
		CMFG6660N_	1173	1217	66	60	2 3/8

# **Raceway Cover Options (1) Shown**

# RACEWAY COVER OPTIONS (Suffix)

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

# CMFGXXYYP_ - COMPILE GLAZED PANEL PACKAGE - POWERED

- · With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same

- height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance
- · PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIM	ENSIONS/IN	CHES
			Gr1	Gr2	Н	W	D
	Powered Compile Glazed	CMFG4224P_	541	555	42	24	2 3/8
	Panel Package - 42"	CMFG4230P_	645	661	42	30	2 3/8
		CMFG4236P_	710	729	42	36	2 3/8
		CMFG4242P_	773	797	42	42	2 3/8
		CMFG4248P_	844	869	42	48	2 3/8
		CMFG4254P_	924	951	42	54	2 3/8
		CMFG4260P_	999	1031	42	60	2 3/8
<b>/1</b>	Powered Compile Glazed	CMFG4824P	572	588	48	24	2 3⁄8
	Panel Package - 48"	CMFG4830P	693	710	48	30	2 3/8
		CMFG4836P	773	794	48	36	2 3/8
		CMFG4842P	850	871	48	42	2 3/8
		CMFG4848P	922	948	48	48	2 3/8
		CMFG4854P_	1042	1070	48	54	2 3/8
		CMFG4860P_	1154	1186	48	60	2 3/8
<b>/1</b>	Powered Compile Glazed	CMFG5424P	572	588	54	24	2 3⁄8
	Panel Package - 54"	CMFG5430P	695	713	54	30	2 3/8
		CMFG5436P	773	795	54	36	2 3/8
		CMFG5442P	850	872	54	42	2 3/8
		CMFG5448P	923	949	54	48	2 3/8
		CMFG5454P_	1043	1071	54	54	2 3/8
		CMFG5460P_	1155	1188	54	60	2 3/8
	Powered Compile Glazed	CMFG6624P_	686	707	66	24	2 3⁄8
	Panel Package - 66"	CMFG6630P_	821	847	66	30	2 3/8
		CMFG6636P_	921	949	66	36	2 3/8
		CMFG6642P	1017	1053	66	42	2 3/8
		CMFG6648P_	1104	1141	66	48	2 3/8
		CMFG6654P_	1243	1285	66	54	2 3/8
		CMFG6660P_	1382	1426	66	60	2 3/8

# Raceway Cover Options (1) Shown

# • RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 – No Knockout Side 2

(2) Knockouts Side 1 and Side 2

# CMPGXXYYN_ - COMPILE PARTLY GLAZED PANEL PACKAGE - NON-POWERED

- · Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered module in lower position incorporated into a solid steel frame
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.

- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 10% upcharge. Please note the smoked glass has 51% light transmittance
- PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE		PRICE	DIMENSIONS/INCHES		
			Gr1	Gr2	Н	W	D
<b>/1</b>	Non-Powered Compile Partly Glazed	CMPG4824N_	471	506	48	24	2 3/8
	Panel Package - 48"	CMPG4830N_	543	589	48	30	2 3/8
		CMPG4836N_	605	652	48	36	2 3/8
		CMPG4842N_	674	733	48	42	2 3/8
		CMPG4848N_	744	814	48	48	2 3/8
		CMPG4854N_	821	893	48	54	2 3/8
		CMPG4860N_	893	973	48	60	2 3/8
a	Non-Powered Compile Partly Glazed	CMPG5424N_	471	507	54	24	2 3/8
	Panel Package - 54"	CMPG5430N_	543	589	54	30	2 3/8
	· ·	CMPG5436N_	607	654	54	36	2 3/8
		CMPG5442N_	675	733	54	42	2 3/8
		CMPG5448N_	744	814	54	48	2 3/8
		CMPG5454N_	821	894	54	54	2 3/8
		CMPG5460N_	894	974	54	60	2 3/8
<b>/1</b>	Non-Powered Compile Partly Glazed	CMPG6624N_	517	555	66	24	2 3/8
	Panel Package - 66"	CMPG6630N_	593	640	66	30	2 3/8
	-	CMPG6636N_	665	786	66	36	2 3/8
		CMPG6642N_	740	798	66	42	2 3/8
		CMPG6648N_	818	887	66	48	2 3/8
		CMPG6654N_	901	972	66	54	2 3/8
		CMPG6660N_	982	1059	66	60	2 3/8

# Raceway Cover Options (1) Shown

# RACEWAY COVER OPTIONS (Suffix)

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

# CMPGXXYYP_ - COMPILE PARTLY GLAZED PANEL PACKAGE - POWERED

- · With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.

- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 15% upcharge. Please note the smoked glass has 51% light transmittance
- PVC glass retainer in matching paint color.

	DESCRIPTION	PRODUCT CODE		LIST PRICE		DIMENSIONS/INCHES	
			Gr1	Gr2	Н	W	D
<b>/</b> 1	Powered Compile Partly Glazed	CMPG4824P_	603	638	48	24	2 3/8
	Panel Package - 48"	CMPG4830P_	720	766	48	2 3/8	
		CMPG4836P_	791	838	48	36	2 3/8
		CMPG4842P_	864	921	48	42	2 3/8
		CMPG4848P_	949	1018	48	48	2 3/8
		CMPG4854P_	1026	1099	48	54	2 3/8
		CMPG4860P_	1099	1180	48	60	2 3/8
	Powered Compile Partly Glazed	CMPG5424P_	603	640	54	24	2 3/8
	Panel Package - 54"	CMPG5430P_	721	767	54	30	2 3/8
		CMPG5436P_	792	839	54	36	2 3/8
		CMPG5442P_	864	922	54	42	2 3/8
		CMPG5448P_	950	1019	54	48	2 3/8
		CMPG5454P_	1027	1099	54	54	2 3/8
		CMPG5460P_	1099	1180	54	60	2 3/8
	Powered Compile Partly Glazed	CMPG6624P_	647	686	66	24	2 3/8
	Panel Package - 66"	CMPG6630P_	769	816	66	30	2 3/8
		CMPG6636P_	850	971	66	36	2 3/8
		CMPG6642P_	930	988	66	42	2 3/8
		CMPG6648P_	1021	1090	66	48	2 3/8
		CMPG6654P_	1108	1178	66	54	2 3/8
		CMPG6660P_	1188	1265	66	60	2 3/8

# Raceway Cover Options (1) Shown

# • RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

(2) Knockouts Side 1 and Side 2

# CMPLGXXYYN_ - SINGLE 12" GLAZED AT TOP PANEL - NON-POWERED

- Individual fabric-covered module in lower position with 12" H glazed module in upper position incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h

panels.

- 4 Panel connector brackets per side come standard with 66"h. panels.
- Standard clear (CLR) plexi.
- Optional smoked (SMK) plexi-glass or frosted (FRST) plexi.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Glazing is 12" nominal from the top of the panel.

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIMI	ENSIONS/IN	CHES
			Gr1	Gr2	Н	W	D
<b>/1</b>	Non-Powered Compile 12" Top Glazed	CMPLG4224N_	451	467	42	24	2 3/8
	Single Segmented Panel Package - 42"	CMPLG4230N_	528	543	42	30	2 3/8
		CMPLG4236N_	605	636	42	36	2 3/8
		CMPLG4242N_	674	703	42	42	2 3/8
		CMPLG4248N_	733	764	42	48	2 3/8
		CMPLG4254N_	818	849	42	54	2 3/8
		CMPLG4260N_	898	929	42	60	2 3/8
<b>/1</b>	Non-Powered Compile 12" Top Glazed	CMPLG4824N_	462	476	48	24	2 3/8
	Single Segmented Panel Package - 48"	CMPLG4830N_	532	547	48	30	2 3/8
		CMPLG4836N_	594	624	48	36	2 3/8
		CMPLG4842N_	660	690	48	42	2 3/8
		CMPLG4848N_	722	752	48	48	2 3/8
		CMPLG4854N_	807	835	48	54	2 3/8
		CMPLG4860N_	876	906	48	60	2 3/8
<b>A</b> 1	Non-Powered Compile 12" Top Glazed	CMPLG5424N_	464	479	54	24	2 3/8
	Single Segmented Panel Package - 54"	CMPLG5430N_	532	547	54	30	2 3/8
		CMPLG5436N_	596	625	54	36	2 3/8
		CMPLG5442N_	662	692	54	42	2 3/8
		CMPLG5448N_	732	763	54	48	2 3/8
		CMPLG5454N_	808	839	54	54	2 3/8
		CMPLG5460N_	877	908	54	60	2 3/8
	Non-Powered Compile 12" Top Glazed	CMPLG6624N_	505	536	66	24	2 3/8
	Single Segmented Panel Package - 66"	CMPLG6630N_	581	612	66	30	2 3/8
		CMPLG6636N_	652	714	66	36	2 3/8
		CMPLG6642N_	726	789	66	42	2 3/8
<b>//</b>		CMPLG6648N_	803	865	66	48	2 3/8
		CMPLG6654N_	885	949	66	54	2 3/8
		CMPLG6660N_	963	1026	66	60	2 3/8

#### Raceway Cover Options (1) Shown

#### • RACEWAY COVER OPTIONS (Suffix)

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

# CMPLGXXYYP_ - SINGLE 12" GLAZED AT TOP PANEL - POWERED

- Individual fabric-covered module in lower position with 12" H glazed module in upper position incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.

- · Standard clear (CLR) plexi.
- · Optional smoked (SMK) plexi-glass or frosted (FRST) plexi.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.
- Please specify duplex receptacles separately.
- Glazing is 12" nominal from the top of the panel.

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIM	ENSIONS/IN	CHES
			Gr1	Gr2	Н	W	D
	Powered Compile 12" Top Glazed	CMPLG4224P_	583	599	42	24	2 3/8
	Single Segmented Panel Package - 42"	CMPLG4230P_	704	721	42	30	2 3/8
		CMPLG4236P_	791	821	42	36	2 3/8
		CMPLG4242P_	863	894	42	42	2 3/8
		CMPLG4248P_	937	967	42	48	2 3/8
		CMPLG4254P_	1023	1053	42	54	2 3/8
		CMPLG4260P_	1106	1136	42	60	2 3/8
<b>/1</b>	Powered Compile 12" Top Glazed	CMPLG4824P_	593	610	48	24	2 3/8
	Single Segmented Panel Package - 48"	CMPLG4830P	709	723	48	30	2 3/8
	Single obgineriou i and i adiage 40	CMPLG4836P	781	810	48	36	2 3/8
		CMPLG4842P	850	878	48	42	2 3/8
		CMPLG4848P	919	948	48	48	2 3/8
		CMPLG4854P	1012	1041	48	54	2 3/8
		CMPLG4860P_	1084	1113	48	60	2 3/8
<b>/1</b>	Powered Compile 12" Top Glazed	CMPLG5424P	594	610	54	24	2 3/8
	Single Segmented Panel Package - 54"	CMPLG5430P	710	725	54	30	2 3/8
	omgre oogmented i dier i dekage o i	CMPLG5436P	781	812	54	36	2 3/8
		CMPLG5442P	850	880	54	42	2 3/8
		CMPLG5448P_	935	966	54	48	2 3/8
		CMPLG5454P	1012	1043	54	54	2 3/8
		CMPLG5460P_	1084	1115	54	60	2 3/8
<i>a</i>	Powered Compile 12" Top Glazed	CMPLG6624P	638	668	66	24	2 3/8
	Single Segmented Panel Package - 66"	CMPLG6630P_	759	790	66	30	2 3/8
	omgre ocymented i aner i ackage - oo	CMPLG6636P	839	900	66	36	2 3/8
		CMPLG6642P	916	978	66	42	2 3/8
		CMPLG6648P	1008	1071	66	48	2 3/8
		CMPLG6654P	1000	1153	66	54	2 3/8
		CMPLG6660P	1169	1232	66	60	2 3/8
		OWN EGOOODI _	1100	1202	00	00	200

#### Raceway Cover Options (1) Shown

# • RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

(2) Knockouts Side 1 and Side 2

**PANELS** PRIVACY GLASS

# **CMPSXX - COMPILE PRIVACY GLASS**

- Attaches on top of Compile Panels to add privacy or divide space.
- Standard in clear (CLR) or frosted (FRST) glass.
- Clamps available in satin chrome finish only.
- · Width dimensions given are width of glass only.

- Attachment hardware is provided for attaching to panels.
- Please note Privacy Glass in 24" 54" widths includes 2 clamps and a Privacy Glass in 60" width includes 3 clamps.
- Square profile on clamps and glass corners.

	DESCRIPTION	PRODUCT CODE	LIST F			ENSIONS/INC	
			CLR	FRST	Н	W	D
1	Compile Privacy Glass	CMPS24	252	305	12	24	6
		CMPS30	267	307	12	30	6
		CMPS36	283	311	12	36	6
		CMPS42	292	340	12	42	6
		CMPS48	300	365	12	48	6
12" H		CMPS54	308	387	12	54	6
		CMPS60	321	417	12	60	6
4		CMPS0924	252	305	9	24	6
		CMPS0930	267	307	9	30	6
		CMPS0936	283	311	9	36	6
		CMPS0942	292	340	9	42	6
		CMPS0948	300	365	9	48	6
9" H		CMPS0954	308	387	9	54	6
		CMPS0960	321	417	9	60	6
		CMPS0624	252	305	6	24	6
_		CMPS0630	267	307	6	30	6
		CMPS0636	283	311	6	36	6
		CMPS0642	292	340	6	42	6
		CMPS0648	300	365	6	48	6
		CMPS0654	308	387	6	54	6
6" H		CMPS0660	321	417	6	60	6

# **CMPSEGXX - COMPILE PRIVACY GLASS PANEL WIDTH**

- Attaches on top of Compile Panels to add privacy or divide space.
- Standard in clear (CLR) or frosted (FRST) glass.

- Width dimensions given are width of glass only.
- Attachment hardware is provided for attaching to panels.

DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIM	ENSIONS/IN	CHES
		CLR	FRST	Н	W	D
Compile Privacy Glass	CMPSEG0624	226	275	6	24	2.41
	CMPSEG0630	246	281	6	30	2.41
	CMPSEG0636	262	286	6	36	2.41
	CMPSEG0642	273	317	6	42	2.41
	CMPSEG0648	290	346	6	48	2.41
	CMPSEG0654	301	372	6	54	2.41
	CMPSEG0660	308	403	6	60	2.41
	CMPSEG0924	226	275	9	24	2.41
	CMPSEG0930	246	281	9	30	2.41
	CMPSEG0936	262	275	9	36	2.41
	CMPSEG0942	273	317	9	42	2.41
	CMPSEG0948	290	346	9	48	2.41
	CMPSEG0954	301	372	9	54	2.41
	CMPSEG0960	308	403	9	60	2.41
	CMPSEG1224	226	275	12	24	2.41
	CMPSEG1230	246	281	12	30	2.41
	CMPSEG1236	262	286	12	36	2.41
	CMPSEG1242	273	317	12	42	2.41
	CMPSEG1248	290	346	12	48	2.41
	CMPSEG1254	301	372	12	54	2.41
	CMPSEG1260	308	403	12	60	2.41

# **CMPSEF - EMBEDDED FELT DIVIDER OVER PANEL**

- Privacy felt panel intergrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.

- Felt and attachment hardware to ship seperaretly
- 9mm Felt material is tackable and comes in 12 different colors. Please specify color.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/IN	CHES
				Н	W	D
	6" Integrated Felt Divider, Panel Width	CMPSEF0624	91	6	24	2.41
		CMPSEF0630	105	6	30	2.41
		CMPSEF0636	126	6	36	2.41
		CMPSEF0642	139	6	42	2.41
<b>3</b> 4		CMPSEF0648	208	6	48	2.41
		CMPSEF0654	225	6	54	2.41
		CMPSEF0660	244	6	60	2.41
	9" Integrated Felt Divider, Panel Width	CMPSEF0924	91	9	24	2.41
		CMPSEF0930	105	9	30	2.41
		CMPSEF0936	126	9	36	2.41
		CMPSEF0942	139	9	42	2.41
		CMPSEF0948	208	9	48	2.41
		CMPSEF0954	225	9	54	2.41
		CMPSEF0960	244	9	60	2.41
	12" Integrated Felt Divider, Panel Width					
	· ·	CMPSEF1224	91	12	24	2.41
		CMPSEF1230	105	12	30	2.41
		CMPSEF1236	126	12	36	2.41
		CMPSEF1242	139	12	42	2.41
		CMPSEF1248	208	12	48	2.41
		CMPSEF1254	225	12	54	2.41
		CMPSEF1260	244	12	60	2.41

#### **CMOF - COMPILE FABRIC OVER PANEL**

- Fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIMI	ENSIONS/IN	CHES
			Gr1	Gr2	Н	W	D
	Compile Fabric Over Panel	CM0F1224	175	196	12	24	2.3
	·	CM0F1230	205	226	12	30	2.3
		CM0F1236	228	250	12	36	2.3
		CM0F1242	258	280	12	42	2.3
		CM0F1248	299	321	12	48	2.3
<b>\</b>		CM0F1254	310	332	12	54	2.3
		CM0F1260	367	388	12	60	2.3
		CM0F1624	204	229	16	24	2.3
		CMOF1630	237	263	16	30	2.3
		CMOF1636	251	276	16	36	2.3
		CMOF1642	300	326	16	42	2.3
		CMOF1648	343	369	16	48	2.3
		CMOF1654	359	384	16	54	2.3
		CMOF1660	420	446	16	60	2.3
		CM0F2424	264	300	24	24	2.3
		CMOF2430	304	340	24	30	2.3
		CMOF2436	340	376	24	36	2.3
		CMOF2442	382	418	24	42	2.3
		CMOF2448	412	448	24	48	2.3
		CMOF2454	457	493	24	54	2.3
		CMOF2460	526	562	24	60	2.3

**PANELS** OVER PANEL

# CMOLF - COMPILE LAMINATE ONE SIDE, FABRIC ONE SIDE OVER PANEL

- One side in fabric and one side in laminate, incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- · Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIMI	ENSIONS/IN	CHES
		Gr1	Gr2	Н	W	D
Compile Laminate One Side,	CMOLF1224	196	209	12	24	2.3
Fabric One Side Over Panel	CM0LF1230	231	244	12	30	2.3
	CMOLF1236	262	273	12	36	2.3
	CMOLF1242	297	308	12	42	2.3
	CMOLF1248	341	352	12	48	2.3
	CMOLF1254	360	371	12	54	2.3
	CMOLF1260	421	432	12	60	2.3
	CMOLF1624	234	249	16	24	2.3
	CMOLF1630	281	295	16	30	2.3
	CMOLF1636	310	325	16	36	2.3
	CMOLF1642	351	366	16	42	2.3
	CMOLF1648	401	415	16	48	2.3
	CMOLF1654	424	439	16	54	2.3
	CMOLF1660	493	507	16	60	2.3
	CMOLF2424	307	326	24	24	2.3
	CMOLF2430	367	385	24	30	2.3
	CMOLF2436	407	425	24	36	2.3
	CMOLF2442	458	477	24	42	2.3
	CMOLF2448	499	518	24	48	2.3
	CMOLF2454	556	574	24	54	2.3
	CMOLF2460	635	653	24	60	2.3

# **CMOLL - COMPILE LAMINATE TWO SIDES OVER PANEL**

- Laminate modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES
			Н	W	D
Compile Laminate Two Sides Over Panel	CMOLL1224	217	12	24	2.3
	CMOLL1230	247	12	30	2.3
	CMOLL1236	292	12	36	2.3
	CMOLL1242	332	12	42	2.3
	CMOLL1248	382	12	48	2.3
	CMOLL1254	405	12	54	2.3
	CMOLL1260	471	12	60	2.3
	CMOLL1624	261	16	24	2.3
	CMOLL1630	307	16	30	2.3
	CMOLL1636	350	16	36	2.3
	CMOLL1642	398	16	42	2.3
	CMOLL1648	455	16	48	2.3
	CMOLL1654	484	16	54	2.3
	CMOLL1660	559	16	60	2.3
	CMOLL2424	337	24	24	2.3
	CMOLL2430	410	24	30	2.3
	CMOLL2436	467	24	36	2.3
	CMOLL2442	530	24	42	2.3
	CMOLL2448	579	24	48	2.3
	CMOLL2454	645	24	54	2.3
	CMOLL2460	734	24	60	2.3

# **CMOG - COMPILE GLAZED OVER PANEL**

- Glazed module incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIM	ENSIONS/IN	CHES
		CLR	FRST	Н	W	D
Compile Glazed Over Panel	CM0G1224	156	163	12	24	2.3
	CM0G1230	182	189	12	30	2.3
	CMOG1236	203	211	12	36	2.3
	CM0G1242	227	235	12	42	2.3
	CM0G1248	261	270	12	48	2.3
	CMOG1254	271	281	12	54	2.3
	CMOG1260	325	336	12	60	2.3
CM0G1624	182	189	16	24	2.3	
	CM0G1630	206	214	16	30	2.3
	CM0G1636	234	243	16	36	2.3
	CM0G1642	262	271	16	42	2.3
	CM0G1648	301	311	16	48	2.3
	CMOG1654	311	322	16	54	2.3
	CMOG1660	367	380	16	60	2.3
	CM0G2424	233	242	24	24	2.3
	CM0G2430	251	260	24	30	2.3
	CM0G2436	296	306	24	36	2.3
	CM0G2442	332	343	24	42	2.3
	CM0G2448	354	367	24	48	2.3
	CM0G2454	392	406	24	54	2.3
	CMOG2460	454	469	24	60	2.3

#### CMOFW - COMPILE ONE SIDE WRITE BOARD OVER PANEL

- Fabric or write board covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

	DESCRIPTION	PRODUCT CODE	LIST	PRICE	DIMI	ENSIONS/IN	CHES
			Gr1	Gr2	Н	W	D
	Compile Fabric or Write Board Over Panel	CM0FW1224	220	231	12	24	2.3
	•	CMOFW1230	262	273	12	30	2.3
		CMOFW1236	297	308	12	36	2.3
		CMOFW1242	338	349	12	42	2.3
		CMOFW1248	374	385	12	48	2.3
		CMOFW1254	413	424	12	54	2.3
		CMOFW1260	481	492	12	60	2.3
		CMOFW1624	266	281	16	24	2.3
		CMOFW1630	313	328	16	30	2.3
		CMOFW1636	358	372	16	36	2.3
		CMOFW1642	407	421	16	42	2.3
		CMOFW1648	466	481	16	48	2.3
		CMOFW1654	497	511	16	54	2.3
		CMOFW1660	571	585	16	60	2.3
		CM0FW2424	343	362	24	24	2.3
		CMOFW2430	396	414	24	30	2.3
		CMOFW2436	484	502	24	36	2.3
		CM0FW2442	542	561	24	42	2.3
		CMOFW2448	570	588	24	48	2.3
		CMOFW2454	682	700	24	54	2.3
		CM0FW2460	757	775	24	60	2.3

**PANELS** OVER PANEL

# **CMOWW - COMPILE WRITE BOARD TWO SIDES OVER PANEL**

- Write board covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES
				Н	W	D
	Compile Write Board Over Panel	CMOWW1224	268	12	24	2.3
	•	CM0WW1230	311	12	30	2.3
		CM0WW1236	369	12	36	2.3
		CM0WW1242	413	12	42	2.3
		CM0WW1248	484	12	48	2.3
<b>\</b>		CM0WW1254	510	12	54	2.3
		CMOWW1260	590	12	60	2.3
		CMOWW1624	329	16	24	2.3
		CM0WW1630	393	16	30	2.3
		CM0WW1636	453	16	36	2.3
		CM0WW1642	519	16	42	2.3
		CM0WW1648	592	16	48	2.3
		CM0WW1654	640	16	54	2.3
		CMOWW1660	731	16	60	2.3
		CMOWW2424	450	24	24	2.3
		CM0WW2430	537	24	30	2.3
		CM0WW2436	621	24	36	2.3
		CM0WW2442	710	24	42	2.3
		CM0WW2448	785	24	48	2.3
		CM0WW2454	877	24	54	2.3
		CM0WW2460	993	24	60	2.3

# **CHSD - SLIDER KIT FOR OVER PANEL**

- One kit required for installation of each Over Panel
- Included with each NEW Over Panel Kit

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEI H	NSIONS/INCH W	ES D
One kit required for installation of each Over Panel	CHSDKIT	4	.09	2.28	.43

#### **CMLEPXXXXNC - END OF RUN GALLERY PANEL WITH NO END CONNECTION**

- · Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form a T configuration.
- No connections at both ends, connection is at the center interior face.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				Н	W	D
	End of Run Gallery Panel	CMLEP4251NC	676	42	50.30	1
		CMLEP4263NC	785	42	62.30	1
		CMLEP4851NC	743	48	50.30	1
B		CMLEP4863NC	863	48	62.30	1
l,		CMLEP5451NC	810	54	50.30	1
8		CMLEP5463NC	942	54	62.30	1

#### CMLMPXXXXNC - MIDDLE OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support in the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form an X configuration.
- . No connections at both ends, connection is at center on both faces.
- Includes all attachment hardware and glides.
- · Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- . If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC W	HES D
	Middle of Run Gallery Panel	CMLMP4251NC	786	42	50.30	1
	Wildlie of Hulf dallery Faller	CMLMP4263NC	895	42	62.30	1
		CMLMP4851NC	853	48	50.30	1
<b>1 1</b>		CMLMP4863NC	973	48	62.30	1
<b>\</b> ,		CMLMP5451NC	920	54	50.30	1
		CMLMP5463NC	1052	54	62.30	1

#### CMLSEPLXXXXNC - SINGLE END OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form an L configuration.
- No connections at both ends, connection is at center on both faces.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodate two 24" deep surface while the 33" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				Н	W	D	
	Single End of Run Gallery Panel	CMLSEPL4227NC	515	42	26.30	1	
	·	CMLSEPR4227NC	515	42	26.30	1	
8		CMLSEPL4827NC	563	48	26.30	1	
		CMLSEPR4827NC	563	48	26.30	1	
k		CMLSEPL5427NC	611	54	26.30	1	
		CMLSEPR5427NC	611	54	26.30	1	
		CMLSEPL4233NC	531	42	32.33	1	
		CMLSEPR4233NC	531	42	32.33	1	
		CMLSEPL4833NC	580	48	32.33	1	
		CMLSEPR4833NC	580	48	32.33	1	
4		CMLSEPL5433NC	629	54	32.33	1	
N. B		CMLSEPR5433NC	629	54	32.33	1	

**PANELS** GALLERY PANEL

#### CMLSMPXXXXNC - SINGLE MIDDLE OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support at the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form a T configuration.
- No connections at the exposed end, connection is at both the interior and exterior face near the opposite end.
- Includes all attachment hardware and glides.

- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				Н	W	D
	Single Middle of Run Gallery Panel	CMLSMP4227NC	625	42	26.30	1
		CMLSMP4827NC	673	48	26.30	1
		CMLSMP5427NC	721	54	26.30	1
		CMLSMP4233NC	644	42	32.30	1
4		CMLSMP4833NC	692	48	32.30	1
<b>L.</b>		CMLSMP5433NC	742	54	32.30	1

#### CMLEPXXXX - END OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form a T configuration.
- Connections at both ends as well as the center on the interior face.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- · Please specify LP laminate finish and PVC edge finish.
- . If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				Н	W	D	
	End of Run Gallery Panel	CMLEP4251	703	42	50.30	1	
	•	CMLEP4263	811	42	62.30	1	
		CMLEP4851	769	48	50.30	1	
Q		CMLEP4863	889	48	62.30	1	
		CMLEP5451	836	54	50.30	1	
		CMLEP5463	968	54	62.30	1	

#### **CMLMPXXXX - MIDDLE OF RUN GALLERY PANEL WITH END CONNECTIONS**

- Provides floor standing support in the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form an X configuration.
- Connections at both ends as well as the center on the interior face.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				Н	W	D	
	Middle of Run Gallery Panel	CMLMP4251	791	42	50.30	1	
		CMLMP4263	899	42	62.30	1	
		CMLMP4851	858	48	50.30	1	
		CMLMP4863	978	48	62.30	1	
<i>ا</i>		CMLMP5451	924	54	50.30	1	
		CMLMP5463	1058	54	62.30	1	

#### **CMLSEPLXXXX - SINGLE END PANEL WITH END CONNECTIONS**

- · Provides floor standing support while enclosing the end of a panel run.
- · Attached at the end of a straight panel run with connectors to form an L configuration.
- · Connections are at the exposed end on one side and near the end on the other interior face.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIN	IMENSIONS/INCHES	
				Н	W	D
	Single End of Run Gallery Panel	CMLSEPL4227	527	42	26.30	1
	,	CMLSEPR4227	527	42	26.30	1
B		CMLSEPL4827	576	48	26.30	1
		CMLSEPR4827	576	48	26.30	1
		CMLSEPL5427	623	54	26.30	1
		CMLSEPR5427	623	54	26.30	1
		CMLSEPL4233	544	42	32.33	1
		CMLSEPR4233	544	42	32.33	1
1		CMLSEPL4833	592	48	32.33	1
l b		CMLSEPR4833	592	48	32.33	1
		CMLSEPL5433	642	54	32.33	1
		CMLSEPR5433	642	54	32.33	1

#### CMLSMPXXXX - SINGLE MIDDLE OF RUN GALLERY PANEL WITH END CONNECTIONS

- · Provides floor standing support at the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form a T configuration
- Connections are at the exposed end and at the interior and exterior near the opposite end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC W	HES D
Single Middle of Run Gallery Panel	CMLSMP4227 CMLSMP4827 CMLSMP5427 CMLSMP4233 CMLSMP4833 CMLSMP5433	637 686 733 657 706 755	42 48 54 42 48 54	26.30 26.30 26.30 32.30 32.30 32.30	1 1 1 1 1

#### CML2PLXXXX - LEFT TWO WAY RETURN END OF RUN GALLERY PANEL WITH END CONNECTIONS

- · Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a gallery panel with connectors to form an L configuration.
- · Connections are at one exposed end.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 25" wide gallery panel accommodates a 24" deep surface while the 31" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- . If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				Н	W	D	
	Two Way Return	CML2PL4225	417	42	25	1	
	End of Run Gallery Panel	CML2PL4231	429	42	31	1	
		CML2PL4825	465	48	25	1	
		CML2PL4831	478	48	31	1	
		CML2PL5425	512	54	25	1	
		CML2PL5431	527	54	31	1	

**PANELS** GALLERY PANEL

#### CML2PRXXXX - RIGHT TWO WAY RETURN END OF RUN GALLERY PANEL WITH END CONNECTIONS

- · Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a gallery panel with connectors to form an L configuration.
- · Connections are at one exposed end.
- · Includes all attachment hardware and glides.
- · Total height is inclusive of panel glides extended to their full height.
- 25" wide gallery panel accommodates a 24" deep surface while the 31" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Н	W	D
Two Way Return	CML2PR4225	417	42	25	1
End of Run Gallery Panel	CML2PR4231	429	42	31	1
	CML2PR4825	465	48	25	1
	CML2PR4831	478	48	31	1
	CML2PR5425	512	54	25	1
	CML2PR5431	527	54	31	1

#### CML3PLXXXX - LEFT THREE WAY RETURN END OF RUN GALLERY PANEL

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel with connectors to form a T configuration.
- There are no connections at the exposed ends. Connection is at the center of the interior face.
- Connects to CMLXPLxxxx or CMLSEPLxxxx.
- Includes all attachment hardware and glides.
- · Total height is inclusive of panel glides extended to their full height.
- 49" wide gallery panel accommodates two 24" deep surface while the 61" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- . If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				Н	W	D
	Three Way Return	CML3PL4249	579	42	49	1
	End of Run Gallery Panel	CML3PL4261	687	42	61	1
		CML3PL4849	646	48	49	1
•		CML3PL4861	766	48	61	1
		CML3PL5449	711	54	49	1
, i		CML3PL5461	844	54	61	1

#### CML3PRXXXX - RIGHT THREE WAY RETURN END OF RUN GALLERY PANEL

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel with connectors to form a T configuration.
- There are no connections at the exposed ends. Connection is at the center of the interior face.
- · Connects to CMLXPRxxxx or CMLSEPRxxxx.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 49" wide gallery panel accommodates two 24" deep surface while the 61" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	MENSIONS/INCHES	
				Н	W	D
	Three Way Return	CML3PR4249	579	42	49	1
	End of Run Gallery Pane	CML3PR4261	687	42	61	1
		CML3PR4849	646	48	49	1
		CML3PR4861	766	48	61	1
•		CML3PR5449	711	54	49	1
\		CML3PR5461	844	54	61	1

# CMLXPLXXXX - LEFT EXTENSION END OF RUN RETURN GALLERY PANEL WITH END CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a panel to allow for extending the gallery panel run.
- Connections at both exposed ends, one to connect to the panel and one to connect to another gallery panel.
- Includes all attachment hardware and glides.

- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edged and self edges on edge connecting to panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		CHES	
				Н	W	D	
	Extension End of Run	CMLXPL4224	677	42	24	1	
	Return Gallery Panel	CMLXPL4230	406	42	30	1	
Ī		CMLXPL4236	468	42	35	1	
		CMLXPL4242	588	42	42	1	
		CMLXPL4248	604	42	48	1	
<b>.</b>		CMLXPL4824	358	48	24	1	
		CMLXPL4830	420	48	30	1	
<b>J</b>		CMLXPL4836	481	48	36	1	
		CMLXPL4842	604	48	42	1	
		CMLXPL4848	623	48	48	1	
		CMLXPL5424	382	54	24	1	
		CMLXPL5430	448	54	30	1	
		CMLXPL5436	515	54	36	1	
		CMLXPL5442	581	54	42	1	
		CMLXPL5448	714	54	48	1	

# CMLXPRXXXX - RIGHT EXTENSION END OF RUN RETURN GALLERY PANEL WITH END CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a panel to allow for extending the gallery panel run.
- Connections at both exposed ends, one to connect to the panel and one to connect to another gallery panel.
- Includes all attachment hardware and glides.

- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edged and self edges on edge connecting to panel.

DESCRIPTION	PRODUCT CODE	PRODUCT CODE LIST PRICE			CHES	
			Н	W	D	
Extension End of Run	CMLXPR4224	677	42	24	1	
Return Gallery Panel	CMLXPR4230	406	42	30	1	
	CMLXPR4236	468	42	35	1	
	CMLXPR4242	588	42	42	1	
	CMLXPR4248	604	42	48	1	
	CMLXPR4824	358	48	24	1	
	CMLXPR4830	420	48	30	1	
	CMLXPR4836	481	48	36	1	
	CMLXPR4842	604	48	42	1	
	CMLXPR4848	623	48	48	1	
	CMLXPR5424	382	54	24	1	
	CMLXPR5430	448	54	30	1	
	CMLXPR5436	515	54	36	1	
	CMLXPR5442	581	54	42	1	
	CMLXPR5448	714	54	48	1	
	Extension End of Run	Extension End of Run CMLXPR4224 Return Gallery Panel CMLXPR4230 CMLXPR4236 CMLXPR4242 CMLXPR4242 CMLXPR4248 CMLXPR4824 CMLXPR4830 CMLXPR4836 CMLXPR4842 CMLXPR4842 CMLXPR4842 CMLXPR4842 CMLXPR4846 CMLXPR5424 CMLXPR5424 CMLXPR5424 CMLXPR5436 CMLXPR5436 CMLXPR5436 CMLXPR5442	Extension End of Run Return Gallery Panel  CMLXPR4230  CMLXPR4236  CMLXPR4236  CMLXPR4242  588  CMLXPR4248  CMLXPR4248  CMLXPR4248  CMLXPR4248  CMLXPR4830  420  CMLXPR4836  481  CMLXPR4836  CMLXPR4842  CMLXPR4842  CMLXPR4848  623  CMLXPR4848  623  CMLXPR5430  CMLXPR5430  CMLXPR5430  CMLXPR5430  CMLXPR5430  CMLXPR5430  CMLXPR5430  CMLXPR5430  CMLXPR5430  CMLXPR5436  CMLXPR5436  CMLXPR5436  CMLXPR5442  S81	H	Extension End of Run CMLXPR4224 677 42 24 Return Gallery Panel CMLXPR4230 406 42 30 CMLXPR4236 468 42 35 CMLXPR4242 588 42 42 CMLXPR4242 588 42 42 CMLXPR4248 604 42 48 CMLXPR4248 358 48 24 CMLXPR4824 358 48 24 CMLXPR4830 420 48 30 CMLXPR4836 481 48 36 CMLXPR4842 604 48 42 CMLXPR4842 604 48 42 CMLXPR4842 604 48 42 CMLXPR4848 623 48 48 CMLXPR4848 623 48 48 CMLXPR5424 382 54 24 CMLXPR5436 448 54 30 CMLXPR5436 515 54 36 CMLXPR5436 515 54 36 CMLXPR5436 515 54 36	Extension End of Run CMLXPR4224 677 42 24 1 Return Gallery Panel CMLXPR4230 406 42 30 1 CMLXPR4236 468 42 35 1 CMLXPR4242 588 42 42 1 CMLXPR4242 588 42 42 1 CMLXPR4248 604 42 48 1 CMLXPR4248 604 42 48 1 CMLXPR4248 358 48 24 1 CMLXPR4830 420 48 30 1 CMLXPR4836 481 48 36 1 CMLXPR4836 481 48 36 1 CMLXPR4842 604 48 42 1 CMLXPR4848 623 48 48 1 CMLXPR5430 448 54 30 1 CMLXPR5430 448 54 30 1 CMLXPR5430 448 54 30 1 CMLXPR5436 515 54 36 1 CMLXPR5436 515 54 36 1 CMLXPR5436 515 54 36 1 CMLXPR5442 581 54 42 1

**PANELS GALLERY PANEL** 

# CMLXPLXXXXNC - EXTENSION END OF RUN, LEFT, NO CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel to extend the gallery panel run.
- Connections only at one exposed end.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- · Please specify LP laminate finish and PVC edge finish.
- . If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			Н	W	D	
Extension End of Run Gallery Panel	CMLXPL4224NC	345	42	24	1	
,	CMLXPL4230NC	404	42	30	1	
	CMLXPL4236NC	465	42	35	1	
	CMLXPL4242NC	585	42	42	1	
	CMLXPL4248NC	602	42	48	1	
	CMLXPL4824NC	355	48	24	1	
	CMLXPL4830NC	417	48	30	1	
	CMLXPL4836NC	478	48	36	1	
	CMLXPL4842NC	602	48	42	1	
	CMLXPL4848NC	621	48	48	1	
	CMLXPL5424NC	380	54	24	1	
	CMLXPL5430NC	446	54	30	1	
	CMLXPL5436NC	512	54	36	1	
	CMLXPL5442NC	579	54	42	1	
	CMLXPL5448NC	711	54	48	1	

#### CMLXPLXXXXNC • EXTENSION END OF RUN, RIGHT, NO CONNECTION

- · Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel to extend the gallery panel run.
- Connections only at one exposed end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- · Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES				
				Н	W	D		
	Extension End of Run Gallery Panel	CMLXPR4224NC	345	42	24	1		
		CMLXPR4230NC	404	42	30	1		
		CMLXPR4236NC	465	42	35	1		
		CMLXPR4242NC	585	42	42	1		
		CMLXPR4248NC	602	42	48	1		
		CMLXPR4824NC	355	48	24	1		
		CMLXPR4830NC	417	48	30	1		
		CMLXPR4836NC	478	48	36	1		
		CMLXPR4842NC	602	48	42	1		
		CMLXPR4848NC	621	48	48	1		
		CMLXPR5424NC	380	54	24	1		
		CMLXPR5430NC	446	54	30	1		
		CMLXPR5436NC	512	54	36	1		
		CMLXPR5442NC	579	54	42	1		
		CMLXPR5448NC	711	54	48	1		

# CMHLPBB01 - GALLERY PANEL BRACKET

- Gallery panel bottom bracket connects two gallery end panels at bottom with screws.
- · Available in standard paint colors.
- Screws are included with the bracket.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS H	SIONS/INCHE W	ES D
Bracket	CMHLPBB01	38	1.5	8	1

- **CMHLPCB01 GALLERY PANEL CORNER BRACKET** Gallery panel corner bottom bracket connects two laminate panels at 90 degrees.
- · Screws are included with the bracket.

• Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/INCI W	HES D
Corner Bracket	CMHLPCB01	37	1.5	4	4



#### CMPDSL/R - SLIDING PRIVACY DOOR

- Sliding Privacy Door attaches to Compile Panels using standard connectors to add privacy. Brackets that attach to Connectors are included.
- This door must mount on panels of equal width. It is also intended to be used for openings of equal width.
- Left (L) or right-handedness (R) is determined by the direction of door movement (from compressed to expanded position), while facing the door on the panel mounted side.
- Painted frame may match any Compile Standard Paint Finish. The door interior is standard with a louvered acrylic finish.
- STL paint on Compile sliding doors is a smooth finish paint comparable to the standard STL paint offering."
- Telescoping arms eliminate the need for thresholds, wheels or casters.
- Thickness of louvered acrylic is 6 mm.

DESCRIPTION PRODUCT CODE LIST PI				DIMENSIONS/INCHI			
			Н	W	D		
Sliding Privacy Door - 66" High	CMPDSL6636R CMPDSL6636L	2684 2684	66 66	36 36			
	CMPDSL6642R	2755	66	42			
	CMPDSL6642L	2755	66	42			

#### CMFMA - MINI PANEL KIT

- Compile's Mini Panel Kits are now available to our dealers and their sales staff.
   The Compile mini panel is an excellent sales tool featuring two panel and samples of various hardware and electrical components and consists of the following:
- One Monolithic Mini Panel (Laminate side one / Acoustic side two).
- · One Segmented Glazed Mini panel.
- · One 2-way Universal Corner Post Kit.
- Two 24" Raceway Cover with Punch Out.
- Two 24" Raceway Cover with out Punch Out.
- One Raceway Cut Out Cover.

- One 3-way Post Base Cover.
- · One End of Run Trim.
- One Pair of Corner Brackets.
- One Mid span Worksurface Support Bracket.
- One Duplex.
- One Power Distribution Harness.
- One Mesh jumper.
- One Carry Bag.

	î 🔍	
		Ì
		l
Į		Ш

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Н	W	D
Mini Panel Kit	CMFMA2418KIT1	2086	30	24	2 7/8

# **CHP POST PACKAGE**

- Universal Post with all "Quick-Connection" clips.
- Post trim(s)

Post base and top cap

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN(	CHEC	
	DESCRIPTION	PRODUCT CODE	LIST PRICE	Н	ENSIONS/INC W	D	
M	2 - Way Post	CHP30-2	98	30	2.3	2.3	
<b>III</b>		CHP42-2	98	42	2.3	2.3	
<b>III</b>		CHP46-2	142	46	2.3	2.3	
<b>III</b>		CHP54-2	121	54	2.3	2.3	
<b>III</b>		CHP58-2	179	58	2.3	2.3	
<b>III</b>		CHP60-2	179	60	2.3	2.3	
<b>III</b>		CHP64-2	211	64	2.3	2.3	
<b>III</b>		CHP66-2 CHP70-2	142	66	2.3	2.3	
<b>U</b>		CHP70-2 CHP72-2	206 206	70 72	2.3	2.3	
Ф		CHP78-2	206	72 78	2.3 2.3	2.3 2.3	
		CHP82-2	234 246	78 82	2.3	2.3	
		CHP90-2	246	90	2.3	2.3	
		GПГ90-Z	240	90	2.3	2.3	
Ĥ	3 - Way Post	CHP30-3	85	30	2.3	2.3	
		CHP42-3	85	42	2.3	2.3	
		CHP46-3	129	46	2.3	2.3	
		CHP54-3	107	54	2.3	2.3	
		CHP58-3	161	58	2.3	2.3	
		CHP60-3	161	60	2.3	2.3	
		CHP64-3	171	64	2.3	2.3	
		CHP66-3	129	66	2.3	2.3	
III		CHP70-3	185	70	2.3	2.3	
$\mathfrak{q}$		CHP72-3	185	72	2.3	2.3	
		CHP78-3	211	78	2.3	2.3	
		CHP82-3	220	82	2.3	2.3	
		CHP90-3	245	90	2.3	2.3	
m	4 - Way Post	CHP30-4	69	30	2.3	2.3	
<b>III</b>	*No trim or base. Includes top cap only.	CHP42-4	69	42	2.3	2.3	
<b>III</b>		CHP46-4	117	46	2.3	2.3	
		CHP54-4	90	54	2.3	2.3	
<b>III</b>		CHP58-4	132	58	2.3	2.3	
<b>III</b>		CHP60-4	132	60	2.3	2.3	
<b>III</b>		CHP64-4	139	64	2.3	2.3	
<b>III</b>		CHP66-4	107	66	2.3	2.3	
<b>III</b>		CHP70-4	153	70	2.3	2.3	
W		CHP72-4	153	72	2.3	2.3	
· <b>w</b> ·		CHP78-4	174	78	2.3	2.3	
		CHP82-4	182	82	2.3	2.3	
		CHP90-4	203	90	2.3	2.3	

# **CHPXW - 90 DEGREE CORNER POST KIT FOR OVER PANELS**

- Specify the corner post height that matches the height of the over panel
- 2-way kits include 2 trims (CMETPxx), 2 way post base (CMPCxx) and post cap (CMPC).
- 3-way kits include 2 trim (CMETPxx), 3 way post base (CMPCxx) and post cap (CMPC).

• 4-way kits include post cap (CMPC) only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	CHES	
				Н	W	D
r <b>ê</b> n	90 Degree Corner Post Kit for Over Panels	CH0P12-2	64	12	2.3	2.3
		CHOP12-3	54	12	2.3	2.3
		CHOP12-4	37	12	2.3	2.3
		CHOP16-2	64	16	2.3	2.3
		CH0P16-3	64	16	2.3	2.3
		CHOP16-4	54	16	2.3	2.3
		CH0P24-2	71	24	2.3	2.3
		CH0P24-3	64	24	2.3	2.3
		CH0P24-4	53	24	2.3	2.3

# **CHPXW - 60 DEGREE POST PACKAGE**

- Universal Post with all "Quick-Connection" clips.
- Post trim is incorporated into 2 Way aluminum post extrusion.
- · Post top cap

- Outer part of the post is the full panel height and the inner part of the post is 6" shorter.
- 3 Way post is 6" shorter than panel height to accommodate electric and base.
- PVC post trims can not be added to 60 degree posts.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES
				Н	W	D
	2 - Way - 60 Degree Post Package	CHP2W30	69	30	2.3	2.3
	, , , , , , , , , , , , , , , , , , , ,	CHP2W42	69	42	2.3	2.3
		CHP2W46	90	46	2.3	2.3
		CHP2W54	90	54	2.3	2.3
		CHP2W58	123	58	2.3	2.3
		CHP2W60	135	60	2.3	2.3
		CHP2W64	147	64	2.3	2.3
		CHP2W66	107	66	2.3	2.3
		CHP2W70	156	70	2.3	2.3
		CHP2W72	156	72	2.3	2.3
		CHP2W78	174	78	2.3	2.3
		CHP2W82	182	82	2.3	2.3
		CHP2W90	200	90	2.3	2.3
₽ .	3 - Way - 60 Degree Post Package	CHP3W30	69	30	2.3	2.3
		CHP3W42	69	42	2.3	2.3
		CHP3W46	99	46	2.3	2.3
		CHP3W54	90	54	2.3	2.3
		CHP3W58	123	58	2.3	2.3
		CHP3W60	135	60	2.3	2.3
		CHP3W64	147	64	2.3	2.3
		CHP3W66	107	66	2.3	2.3
		CHP3W70	156	70	2.3	2.3
		CHP3W72	156	72	2.3	2.3
U .		CHP3W78	174	78	2.3	2.3
		CHP3W82	182	82	2.3	2.3
		CHP3W90	200	90	2.3	2.3

# **CMRCXXNP - COMPILE RACEWAY COVER - WITHOUT KNOCKOUTS**

- · No electrical knockouts included.
- Note: Made of reinforced aluminum.

DESCRIPTION		LIST PRICE	DIMENSIONS/INCHES		
			Н	W	D
Compile Raceway Cover	CMRC24NP	15		24	
Without Knockouts	CMRC30NP	18		30	
	CMRC36NP	20		36	
	CMRC42NP	22		42	
	CMRC48NP	25		48	
	CMRC54NP	31		54	
	CMRC60NP	33		60	

#### **CMRCXXPO - COMPILE RACEWAY COVER - WITH KNOCKOUTS**

- Contains one knockout for 24"w and three knockouts for 30"w+.
- Raceway Knockout Cover must be added to openings where duplex receptacles are not used.
- Note: Made of reinforced aluminum.

DESCRIPTION		LIST PRICE	DIMENSIONS/INCHES H W D		CHES D
			Н	VV	U
Compile Raceway Cover	CMRC24PO	15		24	
With Knockouts	CMRC30PO	18		30	
	CMRC36PO	20		36	
	CMRC42PO	22		42	
	CMRC48PO	25		48	
	CMRC54PO	31		54	
	CMRC60PO	33		60	

# **CMRCB01 - COMPILE RACEWAY KNOCKOUT COVER**

- Fills knockout when duplex is not used.
- Available in Black, White, Nevada, and Tungsten (Steel)
- Note: Knockout covers are made of plastic.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H W D		n	
Compile Raceway Knockout Cover	CMRCB01	14				

**PANELS** TRIM INSERTS

# **CHP - 90-DEGREE UNIVERSAL CORNER POST**

- Available in 42", 54" and 66"h.
- · Standard Compile paint options.
- Specify the corner post height that matches the tallest or smallest panel connection.
- Can be used for any variation of 90-degree connections: 2-way, 3-way or 4-way.
- Requires post trim inserts to finish off post where there are no panel connections.
   Post trim inserts are specified separately.
- 6" shorter than panel height to accommodate electric in base.
- Requires a post basecover to finish off post at the base (for 2- or 3-way). Refer to CMPC.
- See Panel Configuration Tips for application.
- Made of aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INCHE W	S D
90-Degree Universal Corner Post	CHP30 CHP42 CHP54 CHP66	65 65 84 103	30 36 48 60		

#### **CMET - END OF RUN TRIM INSERT FOR PANEL**

- Trim inserts are not included with panels.
- Cannot be used for a universal post application.
- Used at the end of each panel run and cannot be used to attach a panel run to a fixed wall
- Vertical trims must be specified separately. Trim snaps in the panel at the end of run.
- Standard Compile paint options.
- See Panel Configuration Tips for application.
- Trims are PVC.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	DIMENSIONS/INCHES	
				Н	W	D
4	End of Run Trim Insert for Panel	CMET16	15	16	2.3	0.5
		CMET30	17	30	2.3	0.5
		CMET42	17	42	2.3	0.5
		CMET46	18	46	2.3	0.5
		CMET48	20	48	2.3	0.5
		CMET54	20	54	2.3	0.5
		CMET58	21	58	2.3	0.5
		CMET60	21	60	2.3	0.5
		CMET64	22	64	2.3	0.5
		CMET66	22	66	2.3	0.5
		CMET70	24	70	2.3	0.5
		CMET72	24	72	2.3	0.5
V		CMET78	26	78	2.3	0.5
		CMET82	27	82	2.3	0.5
		CMET90	32	90	2.3	0.5

**PANELS** TRIM INSERTS

# **CMETP - TRIM INSERT FOR UNIVERSAL CORNER POST**

- Does not come with a post.
- Trim installs on all exposed sides of a Universal Corner Post.
- · Specify to equal post height.
- Trims must be specified separately. Trim snaps in the post.

- Available in standard Compile paint options.
- 6" shorter than Universal Corner Post to accommodate Post Base Cover (must be specified separate)
- See Panel Configuration Tips for application.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	DIMENSIONS/INCHES		
				Н	W	D	
	Trim Insert for Universal Corner Post	CMETP30 CMETP42 CMETP46 CMETP48 CMETP54 CMETP58	14 14 18 11 15	30 42 46 48 54	2.3 2.3 2.3 2.3 2.3 2.3	0.5 0.5 0.5 0.5 0.5 0.5	
		CMETP60 CMETP64	21 22	60 64	2.3 2.3	0.5 0.5	
		CMETP66 CMETP70	16 25	66 70	2.3 2.3	0.5 0.5	
		CMETP72 CMETP78	25 26	72 78	2.3	0.5 0.5	
معرا <u>ا</u>		CMETP82 CMETP90	28 32	82 90	2.3 2.3	0.5 0.5	

# **CMET - TRIM INSERT FOR STEP DOWN**

- Does not come with a post. Trim inserts are not included with Universal Corner Posts.
- Specify to meet the taller post.
- Trim snaps in the post or end of run at a change in height.

- Available in standard Compile paint options.
- Can not be applied to 60 degree posts.
- See Panel Configuration Tips for application.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	DIMENSIONS/INCHES		
				Н	W	D	
	Trim Insert for Step Down	CMET06	9	6			
		CMET12	11	12			
		CMET18	15	18			
		CMET24	19	24			
		CMET36	24	36			
$lue{lue}$							

#### **CHWAXX - WALL ADAPTER**

- Same profile as vertical extrusion.
- · Wall attachment hardware not provided.
- Made of aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	DIMENSIONS/INCHES		
			Н	W	D	
Wall Adapter	CHWA30 CHWA42 CHWA46 CHWA48 CHWA54 CHWA58 CHWA60 CHWA60 CHWA64 CHWA70 CHWA72 CHWA78 CHWA82	39 54 54 54 68 68 80 80 80 92 92 103 116	30 42 46 48 54 58 60 64 66 70 72 78 82	2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36	.79 .79 .79 .79 .79 .79 .79 .79 .79 .79	
	CHWA90	127	90	2.36	.79	

**PANELS** POST COVERS

#### **CWMA - VERTICAL CHANNEL**

- Used to attach system components to fixed wall.
- · Panel frame finish.
- · Comes in 60" length only.
- Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material. Sold in pairs.
- Failure to do this may result in collapse of the unit and subsequent possible personal injury.
- Compile vertical channels cannot be shared.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INCHI W	ES D
Vertical Channel	CWMA60	33	60	0.6	0.7

#### **CMPC - UNIVERSAL POST CAP**

- · Comes standard with universal post.
- · Specified separately for reconfiguration purposes.

- Available in standard Compile paint options.
- · Made of PVC.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS H	SIONS/INCHES W	S D
Universal Post Cap	CMPC	6	2 3/8		

# **CMPC - POST BASE COVER**

- Post Base Covers are not included with Universal Corner Posts.
- Base trim for universal post. These are connected with screws at the base and the trims at the post will slide to meet.
- Available for 2-way and 3-way configurations.
- Finish is smooth plastic.
- Available in standard Compile paint options.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/INCHES W	D
Post Base Cover - 3-Way Connection	CMPC1	10	6		
Post Base Cover - 2-Way Connection	CMPC2	11	6		
					1

**PANELS** POST SEPARATOR

# **CMHLPF - FLAT LEG FOR FREESTANDING PANELS**

- · Not intended to add to a run of panels in conjunction with Leveling Glides.
- · Kit will contains one legs and all attachment hardware.
- For the installation the customer will have to remove the existing levelers on the

panel and replace it with the legs.

· Please specify paint finish.



# **CMHLPF - FLAT LEG FOR FREESTANDING PANELS**

- Double kit for freestanding applications.
- · Kit will contains two legs and all attachment hardware.
- For the installation the customer will have to remove the existing levelers on the panel and replace it with the legs.
- · Please specify paint finish.
- Note: Leg is on available for freestanding panels 42" to 60" wide.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	ISIONS/INCH W	ES D
Double Flat Leg	CMHLPF02	213	.31	21	3

# **CMHLLP01 - LOW PROFILE FOOT**

- · Provides added support to a panel under load.
- · Adjustable glides and connectors included.

Made of powder coated steel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/INO W	CHES D
Low Profile Foot	CMHLLP01	159	12	11	1.1

# **CMHLLP02 - LOW PROFILE FOOT**

- · Provides added support to a panel under load.
- · Adjustable glides and connectors included.

- Made of powder coated steel.
- Set includes 2 complete legs.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	ENSIONS/ING W	CHES D
กิ	Double Low Profile Foot	CMHLLP02	317	12	11	1.1



# electrical

#### STEP-BY-STEP SPECIFICATION - 8-WIRE ELECTRICAL SYSTEM





#### Determine the location of the source power entering the Panel Run.

1. At the base of the Panel.

- (a) Use CE8FR1 Reversible Floor Power Entry (default to CE8FR1). (b) Select the Panel to which the Floor Power Entry will be attached.
- (c) Select the side of the Panel and the receptacle outlet to which the Floor Power Entry is to be attached.

Note: When using Pass Through Connectors in conditions other than a straight line, you must use a CE8CI-1 I-Connector along with a CE8CP17 Flexible Mesh Jumper Cable through the corner post.

Step



#### Determine which Panels are to be powered.

Use CE8PD Power Distribution Housing that corresponds with the width of the Panel

(

#### 3 Connect power to the powered Panels.

- Use CE8CP17 Flexible Mesh Jumper Cable between two adjacent powered Panels.
- 2. Use CE8CP17 Flexible Mesh Jumper Cable between two adjacent powered Panels separated by a post.
- 3. Use CE8CP17 Flexible Mesh cable (to turn the post) and a CE8Cl-1 "I" Connector to attach the CE8CP Pass Through Cable.
  (a) The length of the Pass-Through Cable is calculated by adding together the widths of the non-powered Panels that separate the two powered Panels and applying an additional 16" to the total. (CE8PD Power Distribution Housing is positioned 8" in from the ends of the powered Panel.)
  (b) An additional 3" must be added to the Pass-Through Cable for each post that the cable passes through.
  (c) Subtract 17" from the total length to find the pass through cable.
- (c) Subtract 17" from the total length to find the pass through cable length required.
- From the price list, select the CE8CP Pass-Through Cable that matches
  the calculated length. If the length is between listed sizes, use the next
  size un

Step



#### Determine the location and circuitry of the receptacles.

- Each powered Panel has four (4) potential locations for CE8RD Duplex
   Receptacles 2 per side. (Exception: 24" wide Panel has only two
   potential locations 1 per side.)
- At each receptacle location there is a choice of four circuit options.Select a circuit option for each location. Circuits one & two are utility circuits; circuits A & B are dedicated circuits.

#### **COMPILE'S 8-WIRE ELECTRICAL SYSTEM**

Flectrical

This modification allows for the integration of the commonly required "2+2" configuration (2 utility circuits, 2 dedicated circuits) found in the source power of most of today's North American buildings.

0.50

1.00

#### This system is rated for connection to:

1. A grounded 120/240V, single phase, 20 A, 60Hz

Pencil Sharpener .....

2. A 120/208V, 3 phase, 20 A, 60Hz branch circuit

#### **EQUIPMENT AMPERAGE**

Calculator.........
Electric Fraser

'	
Radio	0.05
Paper Shredder	4.40 - 13.00
Electric Typewriter	1.20
Personal Computer	2.00 - 4.00
Video Display Terminal	0.08
Draft / Letter Quality Printer	1.20 - 3.00
Laser Printer	5.00 - 8.00
Processor / Disk Unit	1.00 - 10.00

#### Data/Comm

Compile's duplex receptacle openings (1.345 x 2.80) will conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.38 +/- .035 x 2.71 +/- .04

 Desk Top Plotter
 1.50

 Fan
 1.00

 Heater
 8.50 - 12.50

 Coffee Pot
 15.00


 Task Light
 1.00


 Slide Projector
 2.00 - 6.00

Since some equipment, such as large copiers, printers, plotters, heaters and coffee makers would occupy most of the circuit capacity, it is recommended that such devices be supplied with the power directly from the wall or building receptacle.

ELECTRICAL WIRING SCHEMATIC

#### **Wiring Schematic**





Defining "2 + 2" Wiring Configurations

# 2 + 2 Configuration (8 wire, 4 circuit)

Two Utility Circuits [Compile's new #1 & #2 circuits] share one neutral wire and one ground wire. (2 hot [circuit] wires + 1 neutral wire*** + 1 green ground wire* = 4 wires)

Two Dedicated Circuits [Compile's new "A" & "B" circuits] share one neutral wire and one ground wire. (2 hot [circuit] wires + 1 neutral wire *** + 1 green/yellow ground wire** = 4 wires)

#### Note

It is the ground wire that makes the difference between "Utility" and "Dedicated" circuits. Refer to Wiring Schematics found above.

- * A Green ground wire is a "system" ground. This means it could be grounded to any piece of metal, including the Panel.
- ** A Green/Yellow ground wire is isolated, within the wiring conduit, all the way back to the box at the source (building ground).
- *** All Neutral Wires are 10 gauge rather than 12 gauge meaning they are larger than normal, allowing greater protection against "noise" or interference on the circuit.

**ELECTRICAL** CONFIGURATION

This page provides an exploded view of a sample configuration highlighting each Electrical component required when specifying this configuration.

# Components

**A.** CE8PD36 Power Distribution Housing

Note: 8 wire, 4 circuits, 2+2 configuration

**B.** CE8CP17 Flexible Mesh Jumper Cable (connects two panels side by side or separated by a post)


**C.** CE8RD Duplex Receptacle

**D.** CE8CI-1 "I" Connector

**E.** CE8CP Pass-Through Cable

Note: Must run in a straight line application only

Note: Pass-Through Extension Cable (CE8CPF154) available — extends power capability beyond 208".



# **ELECTRICAL**

# **E8PD - POWER DISTRIBUTION HOUSING**


- Power housing is specified per panel size (e.g. CE8PD36 is for use in a 36" panel).
- 8 wire, 4 circuits (4th circuit dedicated).
- Power distribution housing is required for each powered panel, the power distribution housing should equal the width of the panel that it is specified in.
- Provides two duplex receptacle ports per panel side on all panel widths except the 24" wide panel.
- 24" wide panel allows for only one (1) duplex receptacle on one panel side.
- Each power distribution housing supports 15-20 amps.
- Must specify Raceway Cover with Knockouts on panels, where Power Distribution Housings will be utilized.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H W D
Power Distribution Housing	CE8PD24 CE8PD30 CE8PD36 CE8PD42	132 179 187 191	6 1/4 11 1/2 17 1/2 23 1/2
	CE8PD48 CE8PD54 CE8PD60	206 207 208	29 1/2 39 1/4 41 1/2
	CE8PD66 CE8PD72	224 237	51 1/4 57 1/4

# **CE8CP17 - FLEXIBLE MESH JUMPER CABLE**

- 17" mesh jumper.
- Jumper cable is used to pass through a post or connect two panels together.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	DIMENSIONS/INCHES	
			Н	W	D
Flexible Mesh Jumper Cable	CE8CP17	102		17	



# **ELECTRICAL**

# **CE8CP - PASS THROUGH CABLE**

- Flexible metal conduit is used to distribute electrical power through non-powered panels.
- Metal conduit pass through cables should be in used in a straight runs. Metal conduit pass through cables cannot pass through a post.
- Flexible conduit is required to turn a post. This only comes as 17"w. If panels at
  the posts do not all have power distribution housings, they must be added even if
  duplexes are not specified.
- To calculate the length of a Pass-Through Cable, add the widths of the non-powered panels separating the powered panels (panels with distribution housing attached).
   To this add 16" (distance from the edge of the panel to the distribution housing x 2).
- Add additional 3" when passing through a corner post. See the Tips at the beginning of the section for more details.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES
				H W D
M	Pass Through Cable	CE8CP28	135	28 1/2
H. Ammunit.	· ·	CE8CP40	142	40 1/2
( ) · I		CE8CP46	147	46 1/2
		CE8CP52	151	52 1/2
· Mille		CE8CP58	160	58 1/2
		CE8CP64	168	64 1/2
		CE8CP70	172	70 1/2
		CE8CP76	175	76 1/2
		CE8CP82	182	82 1/2
		CE8CP88	187	88 1/2
		CE8CP94	192	94 1/2
		CE8CP100	198	100 1/2
		CE8CP106	208	106 1/2
		CE8CP118	218	118 1/2
		CE8CP130	240	130 1/2
		CE8CP142	250	142 1/2
		CE8CP154	263	154 1/2
		CE8CP172	281	172 1/2
		CE8CP190	296	190 1/2
		CE8CP208	305	208 1/2
	Pass Through Extension Cable	CE8CPF154	263	154 1/2

# CE8CI-1 - "I" CONNECTOR

- Female Female connector connects two Pass-Through Cables.
- Connects 17" Flexible Jumper Cable or ceiling feeds to pass through cables.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES
				Н	W	D
	"I" Connector	CE8CI-1	75			
€ The state of th						

# **ELECTRICAL**

# **CE8RD - DUPLEX RECEPTACLE**

- Up to 3 receptacles per circuit
- Up to 6 receptacles per circuit (24 per infeed), not to exceed total of 15 Amps per circuit
- Duplex Receptacles standard in Black (BLK).

- CE8RD1 = Circuit #1 (utility circuit)
- CE8RD2 = Circuit #2 (utility circuit)
- CE8RDA = Circuit A (dedicated)
- CE8RDB = Circuit B (dedicated)
- CE8RD1 and CE8RD2 (#1 and #2 share common ground)
- CE8RDA and CE8RDB (A and B share common ground)

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES
			Н	W	D
Duplex Receptacle	CE8RD1	28			
	CE8RD2	28			
	CE8RDA	28			
	CE8RDB	28			

# **CE8RDXCA - CALIFORNIA CONTROLLED DUPLEX RECEPTACLE**

- California Title 24 meets federal and LEED certification guidelines
- Allows circuit to be controlled or switched off when utility is not in use.
- Duplex receptacles are rated for 15 Amps.
- CE8RD1CA = Circuit #1 (utility circuit)
- CE8RD2CA = Circuit #2 (utility circuit)
- CE8RDACA = Circuit A (dedicated)
- CE8RDBCA = Circuit B (dedicated)

# NOTE:

- CE8RD1CA and CE8RD2CA (#1 and #2 share common ground)
- CE8RDACA and CE8RDBCA (A and B share common ground)
- Up to 6 receptacles per circuit (24 per infeed), not to exceed total of 15 Amps per circuit.
- · Available in BLK finish only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Н	W	D
Duplex Receptacle	CE8RD1CA	32	2	4 5⁄8	1 1/4
	CE8RD2CA	32	2	4 5⁄8	1 1/4
	CE8RDACA	32	2	4 5⁄8	1 1/4
	CE8RDBCA	32	2	4 5/8	1 1/4

# **CE8FR1 - REVERSIBLE FLOOR POWER ENTRY**

- Takes the place of a duplex receptable by snapping into the base power way.
- Includes 72" long flexible metal conduit.
- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"

# **CE8FR2 - REVERSIBLE FLOOR POWER ENTRY**

- Takes the place of a duplex receptable by snapping into the base power way.
- Includes 144" long flexible metal conduit.
- Must be hard wired to source power by a licensed electrician.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	ISIONS/INCH W	ES D
Reversible Floor Power Entry	CE8FR1 CE8FR2	297 383		72 144	

#### **CE8F - FLOOR POWER ENTRY**

- · Snaps in end of power distribution housing.
- · Includes flexible vinyl conduit.

- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS H	IONS/INCHES L D
Reversible Floor Power Entry	CE8F1 CE8F2	305 395		72 144

#### CMEB01 - ELECTRICAL BOX - CHICAGO

- Can be retrofitted in any size of panel at the receptacle location.
- Gives access from one side only at each location.
- Customer to supply conduit, wiring, receptacle, and face plate.
- 2 per panel ,except 24" panel only one
- Note: A licensed electrician must provide hardware connection with the junction box.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Н	W	D
Electrical Box - Chicago	CMEB01	85			

# CMEB02NY - ELECTRICAL BOX - NEW YORK

- · Shipped assembled.
- · Comes with pig tail electric.
- Use with 30" wide Panel of larger

- Post extension cable capacities: without electric, 30 with electric, 20
- Includes ceiling bezel and screws.



# **CEPEXX - POST EXTENSION**

- · Same profile as post.
- Includes two post extension brackets, four screws and four trim inserts.
- · Includes ceiling bezel and screws.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	ISIONS/INCHE W	ES D
Post Extension	CEPE64 CEPE82	164 206	64 82		

# **CE8ECX - CEILING FEED**

- Snaps into the end of a Power Distribution Housing.
- Flexible metal conduit extends into the ceiling through a corner post and post
- Must be hard wired to source power by a licensed electrician.
- 4" junction box included.
- · Post extension ordered separately

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI H	ENSIONS/INC W	CHES D
A Comment	Ceiling Feed	CE8EC1 CE8EC2 CE8EC3	228 401 453	132 144 180		

# **CMECC - CABLE COVER**

- Attaches to panels vertically between modules to provide enclosures for power
   Available in Steel (STL), Black (BLK), Nevada (NEV) only. or data cords.

• Available in 21" and 36" lengths, 6 per pack.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/INCH W	ES D
Cord Cover	CMECC21 CMECC36	27 42	21 36	0.5 0.5	1

#### **EVLEDES - STARTER LED TASK LIGHT**

- Undercabinet slim profile LED linear light fixture with lens and On/Off switch.
- May be used as stand-alone or extended with add-on section below (EVLEDES_DSC).
- Plug-in power supply with 72" cord length plus 78" DC cable.
- Includes magnet mounting bracket with optional adhesive metal plate.
- Light enclosure in clear anodizing finish. Color temperature cool white 4000K.
- Lifespan rated 30,000 hours.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	IENSIONS/INC W	CHES D
Led Task Light	CMLEDES24 CMLEDES30 CMLEDES36	229 264 294	1 1 1	22.9 33.5 45.5	1 1 1

#### **EVLEDES - ADD-ON LED TASK LIGHT**

- Undercabinet slim profile LED linear add-on light fixture with lens.
- Daisy chain unit with 39" linking cable, no power supply.
- Add-on units can only be linked up to a total of 48 watts per power supply; this is
  equivalent to 10 feet of nominal length of light per power supply.
- Includes magnet mounting bracket with optional adhesive metal plate. Light enclosure in clear anodizing finish. Color temperature cool white 4000K. Lifespan rated 30,000 hours.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INI W	CHES D
Led Task Light	CMLEDES24DSC CMLEDES36DSC CMLEDES48DSC	189 222 252	1 1 1	24 36 48	39 39 39

#### **EVLEDESOS - OCCUPANCY SENSOR**

• Inline add-on controller for dimming and occupancy sensor.


Sensor bypass switch.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME! H	NSIONS/INCH W	ES D
E S	Occupancy Sensor	CMLEDESOS	94	6	2.4	2


# worksurfaces

#### The information listed below provides you with basic features of Compile Worksurfaces.

- Compile thermally fused Worksurfaces are 1" thick and are finished with 3 mm PVC edging on all sides.
- Worksurfaces are predrilled to enable proper alignment with worksurface supports.
- Standard laminate offerings are available in thermally-fused (T). See laminate listings for details.
- Wood grain laminates on corner Worksurfaces up to 42" available in laminate run diagonally for an upcharge. Otherwise, standard horizontal application of laminate will be used.
- Most wood grain laminate Worksurfaces will have matching woodgrain trim unless specified otherwise.
- Depth of the Worksurface scoops are 1 1/8" when measured from the Panel the Worksurface is attached to.
- All Worksurfaces require support items. These are priced separately within this section.
- Grain Direction for Worksurfaces are as follows:



• Communication and electrical wires are routed through a cable scoop located at the back of the Worksurface. When specifying a Straight Worksurface (CWS) or a Curvilinear Worksurface (CWVL), note that the number of cable scoops depends upon the width of the Worksurface. All other Worksurface shapes have one scoop on Panel edges.



**WORKSURFACES** CONFIGURATION

This page provides a three dimensional view of a sample configuration highlighting each Worksurface component required when specifying this configuration.

#### Components


**A.** CWVL2436 Curvilinear Worksurface – Left

Note: When deepest end equals 24", opposite depth is 18"

When deepest end equals 30", opposite depth is 24"

**B.** CWCC3618 Corner Curved Worksurface

C. CWVR2436 Curvilinear Worksurface – Right



# **WORKSURFACES**

# **CWS - RECTANGULAR WORKSURFACES**

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
- All surfaces over 48" will have two scoops, all others have one.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		ENSIONS/INCHES W
				D	VV
W	Rectangular Worksurfaces - 24" Deep	CWS2424P	118	24	24
<b>VV</b>		CWS2430P	127	24	30
		CWS2436P	142	24	36
		CWS2442P	183	24	42
		CWS2448P	220	24	48
D ~		CWS2454P	257	24	54
_		CWS2460P	290	24	60
		CWS2466P	302	24	66
		CWS2472P	314	24	72
		CWS2478P	505	24	78
		CWS2484P	511	24	84
		CWS2490P	536	24	90
		CWS2496P	572	24	96
	Rectangular Worksurfaces - 30" Deep	CWS3024P	139	30	24
		CWS3030P	148	30	30
		CWS3036P	175	30	36
		CWS3042P	246	30	42
		CWS3048P	257	30	48
		CWS3054P	283	30	54
		CWS3060P	302	30	60
		CWS3066P	313	30	66
		CWS3072P	332	30	72
		CWS3078P	629	30	78
		CWS3084P	641	30	84

# **WORKSURFACES**

# **CWSNSC - STRAIGHT WORKSURFACE NO SCOOP**

- There is no scoop on this worksurface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Bridges II or Princeton style legs.
- Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/INCHES
	DESCRIPTION	THODOCT CODE	LISTTINGL	D	W
	Straight Worksurface No Scoops - 24" Deep	CWS2424NSC	118	24	24
W		CWS2430NSC	127	24	30
		CWS2436NSC	142	24	36
		CWS2442NSC	183	24	42
		CWS2448NSC	220	24	48
D		CWS2454NSC	257	24	54
		CWS2460NSC	290	24	60
		CWS2466NSC	302	24	66
		CWS2472NSC	314	24	72
		CWS2478NSC	505	24	78
		CWS2484NSC	511	24	84
		CWS2490NSC	601	24	90
		CWS2496NSC	572	24	96
	Straight Worksurface No Scoops - 30" Deep	CWS3024NSC	139	30	24
		CWS3030NSC	148	30	30
		CWS3036NSC	175	30	36
		CWS3042NSC	246	30	42
		CWS3048NSC	257	30	48
		CWS3054MSC	283	30	54
		CWS3060NSC	302	30	60
		CWS3066NSC	313	30	66
		CWS3072NSC	332	30	72
		CWS3078NSC	629	30	78
		CWS3084NSC	641	30	84

#### **CWSWNSC - WEDGE WORKSURFACE NO SCOOP**

- There is no scoop on this worksurface.
- · Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Bridges II or Princeton style legs.
- · Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
D2	Straight Wedge Worksurface No Scoops - Left	CWSW241848NSC	307	24	18	48
w/		CWSW241854NSC	347	24	18	54
		CWSW241860NSC	382	24	18	36
		CWSW241866NSC	423	24	18	42
		CWSW241872NSC	461	24	18	48
D1		CWSW302448NSC	382	30	24	60
		CWSW302454NSC	432	30	24	66
		CWSW302460NSC	480	30	24	72
		CWSW302466NSC	527	30	24	78
		CWSW302472NSC	577	30	24	84
ur D1	Straight Wedge Worksurface No Scoops - Right	CWSW182448NSC	307	24	18	24
W	Chargin Woage Womeanage No cocope might	CWSW182454NSC	347	24	18	30
		CWSW182460NSC	382	24	18	36
		CWSW182466NSC	423	24	18	42
D2		CWSW182472NSC	461	24	18	48
		CWSW243048NSC	382	30	24	60
		CWSW243054NSC	432	30	24	66
		CWSW243060NSC	480	30	24	72
		CWSW243066NSC	527	30	24	78
		CWSW243072NSC	577	30	24	84

# **CWSP - RECTANGULAR WORKSURFACES - SPAN A POST**

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

Rectangular Worksurfaces - 24" Deep Span a Post  Rectangular Worksurfaces - 24" Deep Span a Post  CWSP2432P  CWSP2432P  CWSP2438P  CWSP2444P  CWSP2450P  CWSP2450P  CWSP2450P  CWSP2450P  CWSP2462P  CWSP2468P  CWSP2468P  CWSP2468P  CWSP2468P  CWSP2474P  A43  CWSP2480P  CWSP2080P  Span a Post  CWSP3032P  CWSP3032P  CWSP3032P  CWSP3038P  CWSP3030P  CWSP304P  CWSP3050P  Span a Post  CWSP306P  CWSP306P  Span a Post  Span a Post  Span a Post  CWSP306P  Span a Post  Sp		DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM D	ENSIONS/INCHES W	
CWSP2432P 171 24 32 CWSP2438P 200 24 38 CWSP2444P 226 24 44 CWSP2450P 255 24 50 CWSP2450P 283 24 56 CWSP2450P 283 24 62 CWSP2462P 374 24 68 CWSP2468P 407 24 68 CWSP2474P 443 24 74 CWSP2474P 476 24 80 CWSP2480P 476 24 80 CWSP2480P 543 24 86  Rectangular Worksurfaces - 30" Deep CWSP3026P 179 30 26 Span a Post CWSP3032P 214 30 32 CWSP3038P 253 30 38 CWSP3034P 283 30 44 CWSP3050P 319 30 50 CWSP3050P 319 30 56 CWSP3060P 354 30 56 CWSP3060P 354 30 62 CWSP3060P 509 30 68 CWSP3060P 509 30 68 CWSP3060P 509 30 68 CWSP3060P 509 30 68 CWSP3060P 553 30 74 CWSP3060P 553 30 74 CWSP3060P 594 30 80		Rectangular Worksurfaces - 24" Deep	CWSP2426P	142	24	26	
CWSP2438P 200 24 38 CWSP2444P 226 24 44 CWSP2450P 255 24 50 CWSP2450P 255 24 56 CWSP2456P 283 24 56 CWSP2462P 374 24 62 CWSP2468P 407 24 68 CWSP2474P 443 24 74 CWSP2480P 476 24 80 CWSP2480P 476 24 80 CWSP2486P 543 24 86  Rectangular Worksurfaces - 30" Deep CWSP3026P 179 30 26 Span a Post CWSP3032P 214 30 32 CWSP3038P 253 30 38 CWSP304P 283 30 44 CWSP304P 283 30 44 CWSP3050P 319 30 50 CWSP3050P 319 30 50 CWSP3050P 354 30 56 CWSP3050P 354 30 62 CWSP3050P 359 30 68 CWSP3050P 593 30 68 CWSP306P 509 30 68 CWSP3074P 553 30 74 CWSP3074P 553 30 74 CWSP3074P 553 30 74 CWSP3074P 553 30 74	W /						
CWSP2444P 226 24 44 CWSP2450P 255 24 50 CWSP2456P 283 24 56 CWSP2462P 374 24 62 CWSP2468P 407 24 68 CWSP2474P 443 24 74 CWSP2480P 476 24 80 CWSP2480P 476 24 86 CWSP2486P 543 24 86  Rectangular Worksurfaces - 30" Deep CWSP3026P 179 30 26 Span a Post CWSP3032P 214 30 32 CWSP3038P 253 30 38 CWSP3044P 283 30 44 CWSP304P 283 30 44 CWSP3050P 319 30 50 CWSP3050P 319 30 56 CWSP3050P 354 30 56 CWSP3050P 354 30 56 CWSP3050P 509 30 68 CWSP3068P 509 30 68 CWSP3074P 553 30 74 CWSP3074P 553 30 74 CWSP3074P 553 30 74 CWSP3074P 553 30 74		•	CWSP2438P	200			
CWSP2450P 255 24 50 CWSP2456P 283 24 56 CWSP2462P 374 24 62 CWSP2468P 407 24 68 CWSP2474P 443 24 74 CWSP2480P 476 24 80 CWSP2480P 543 24 86  Rectangular Worksurfaces - 30" Deep CWSP3026P 543 24 86  Span a Post CWSP3032P 214 30 32 CWSP3038P 253 30 38 CWSP3044P 283 30 44 CWSP3050P 319 30 50 CWSP3050P 319 30 50 CWSP3050P 319 30 50 CWSP3050P 319 30 50 CWSP3050P 366 CWSP3060P 467 30 62 CWSP3060P 509 30 68 CWSP3060P 509 30 68 CWSP3074P 553 30 74 CWSP3060P 594 30 80			CWSP2444P	226	24		
CWSP2456P 283 24 56 CWSP2462P 374 24 62 CWSP2468P 407 24 68 CWSP2474P 443 24 74 CWSP2480P 476 24 80 CWSP2486P 543 24 86  Rectangular Worksurfaces - 30" Deep CWSP3026P 179 30 26 Span a Post CWSP3032P 214 30 32 CWSP3038P 253 30 38 CWSP3044P 283 30 44 CWSP3050P 319 30 50 CWSP3056P 354 30 56 CWSP3062P 467 30 62 CWSP3062P 467 30 62 CWSP3062P 467 30 62 CWSP3062P 553 30 74 CWSP3064P 553 30 74			CWSP2450P		24	50	
CWSP2462P 374 24 62 CWSP2468P 407 24 68 CWSP2474P 443 24 74 CWSP2480P 476 24 80 CWSP2486P 543 24 86  Rectangular Worksurfaces - 30" Deep CWSP3026P 179 30 26 Span a Post CWSP3032P 214 30 32 CWSP3038P 253 30 38 CWSP3044P 283 30 44 CWSP3050P 319 30 50 CWSP3050P 319 30 50 CWSP3062P 467 30 62 CWSP3062P 467 30 62 CWSP3062P 509 30 68 CWSP3064P 553 30 74 CWSP3064P 553 30 74 CWSP3064P 553 30 74 CWSP3064P 559 30 74	D ~		CWSP2456P		24	56	
CWSP2474P 443 24 74 CWSP2480P 476 24 80 CWSP2486P 543 24 86  Rectangular Worksurfaces - 30" Deep CWSP3026P 179 30 26 Span a Post CWSP3032P 214 30 32 CWSP3038P 253 30 38 CWSP3044P 283 30 44 CWSP3050P 319 30 50 CWSP3056P 354 30 56 CWSP3062P 467 30 62 CWSP3062P 467 30 62 CWSP3068P 509 30 68 CWSP3074P 553 30 74 CWSP3074P 553 30 74 CWSP3080P 594 30 80			CWSP2462P	374	24		
CWSP2480P 476 24 80 CWSP2486P 543 24 86  Rectangular Worksurfaces - 30" Deep CWSP3026P 179 30 26 Span a Post CWSP3032P 214 30 32 CWSP3038P 253 30 38 CWSP3044P 283 30 44 CWSP3050P 319 30 50 CWSP3056P 354 30 56 CWSP3062P 467 30 62 CWSP3062P 467 30 62 CWSP3068P 509 30 68 CWSP3074P 553 30 74 CWSP3074P 553 30 74 CWSP3080P 594 30 80			CWSP2468P	407	24	68	
CWSP2486P 543 24 86  Rectangular Worksurfaces - 30" Deep CWSP3026P 179 30 26  Span a Post CWSP3032P 214 30 32  CWSP3038P 253 30 38  CWSP3044P 283 30 44  CWSP3050P 319 30 50  CWSP3056P 354 30 56  CWSP3062P 467 30 62  CWSP3062P 509 30 68  CWSP3064P 553 30 74  CWSP3074P 553 30 74  CWSP3080P 594 30 80			CWSP2474P	443	24	74	
Rectangular Worksurfaces - 30" Deep CWSP3026P 179 30 26 Span a Post CWSP3032P 214 30 32 CWSP3038P 253 30 38 CWSP3044P 283 30 44 CWSP3050P 319 30 50 CWSP3056P 354 30 56 CWSP3062P 467 30 62 CWSP3062P 467 30 62 CWSP3068P 509 30 68 CWSP3074P 553 30 74 CWSP3080P 594 30 80		Rectangular Worksurfaces - 30" Deep	CWSP2480P	476	24	80	
Span a Post         CWSP3032P         214         30         32           CWSP3038P         253         30         38           CWSP3044P         283         30         44           CWSP3050P         319         30         50           CWSP3066P         354         30         56           CWSP3062P         467         30         62           CWSP3068P         509         30         68           CWSP3074P         553         30         74           CWSP3080P         594         30         80			CWSP2486P	543	24	86	
CWSP3038P 253 30 38 CWSP3044P 283 30 44 CWSP3050P 319 30 50 CWSP3056P 354 30 56 CWSP3062P 467 30 62 CWSP3068P 509 30 68 CWSP3074P 553 30 74 CWSP3080P 594 30 80			CWSP3026P	179	30	26	
CWSP3044P 283 30 44 CWSP3050P 319 30 50 CWSP3056P 354 30 56 CWSP3062P 467 30 62 CWSP3068P 509 30 68 CWSP3074P 553 30 74 CWSP3080P 594 30 80		Span a Post	CWSP3032P	214	30	32	
CWSP3050P 319 30 50 CWSP3056P 354 30 56 CWSP3062P 467 30 62 CWSP3068P 509 30 68 CWSP3074P 553 30 74 CWSP3080P 594 30 80			CWSP3038P	253	30	38	
CWSP3056P 354 30 56 CWSP3062P 467 30 62 CWSP3068P 509 30 68 CWSP3074P 553 30 74 CWSP3080P 594 30 80			CWSP3044P	283	30	44	
CWSP3062P 467 30 62 CWSP3068P 509 30 68 CWSP3074P 553 30 74 CWSP3080P 594 30 80			CWSP3050P	319	30	50	
CWSP3068P 509 30 68 CWSP3074P 553 30 74 CWSP3080P 594 30 80			CWSP3056P	354	30	56	
CWSP3074P 553 30 74 CWSP3080P 594 30 80			CWSP3062P	467	30	62	
CWSP3080P 594 30 80			CWSP3068P	509	30	68	
			CWSP3074P	553	30	74	
CWSP3086P 678 30 86			CWSP3080P	594	30	80	
0.101.0000.			CWSP3086P	678	30	86	

# WORKSURFACES

# **CWVR - CURVILINEAR WORKSURFACES - RIGHT**

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24". the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI D	ENSIONS/INCHES W
n	Curvilinear Worksurfaces - 24" Deep	CWVR2424P	152	24	24
D W	Carrimodi Wandanassa 21 Boop	CWVR2430P	158	24	30
		CWVR2436P	190	24	36
		CWVR2442P	220	24	42
		CWVR2448P	252	24	48
		CWVR2454P	283	24	54
		CWVR2460P	306	24	60
		CWVR2466P	339	24	66
		CWVR2472P	365	24	72
		CWVR2478P	505	24	78
		CWVR2484P	511	24	84
	Curvilinear Worksurfaces - 30" Deep	CWVR3024P	158	30	24
		CWVR3030P	167	30	30
		CWVR3036P	198	30	36
		CWVR3042P	271	30	42
		CWVR3048P	283	30	48
		CWVR3054P	313	30	54
		CWVR3060P	339	30	60
		CWVR3066P	365	30	66
		CWVR3072P	387	30	72
		CWVR3078P	629	30	78
		CWVR3084P	641	30	84

#### **CWVL - CURVILINEAR WORKSURFACES - LEFT**

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24". the opposite depth is 18". When deepest end
- equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/INCHES	
				D	W	
D . W	Curvilinear Worksurfaces - 24" Deep	CWVL2424P	152	24	24	
$D \longrightarrow W$		CWVL2430P	158	24	30	
		CWVL2436P	190	24	36	
		CWVL2442P	220	24	42	
		CWVL2448P	252	24	48	
		CWVL2454P	283	24	54	
~		CWVL2460P	306	24	60	
		CWVL2466P	339	24	66	
		CWVL2472P	365	24	72	
		CWVL2478P	505	24	78	
	Curvilinear Worksurfaces - 30" Deep	CWVL2484P	511	24	84	
		CWVL3024P	158	30	24	
		CWVL3030P	167	30	30	
		CWVL3036P	198	30	36	
		CWVL3042P	271	30	42	
		CWVL3048P	283	30	48	
		CWVL3054P	313	30	54	
		CWVL3060P	339	30	60	
		CWVL3066P	365	30	66	
		CWVL3072P	387	30	72	
		CWVL3078P	629	30	78	
		CWVL3084P	641	30	84	

#### **CWCC - CORNER CURVED WORKSURFACES**

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS D	IONS/INCHES W
W	Corner Curved Worksurfaces - 36"	CWCC3618P CWCC3624P	399 437	18 24	36 36
	Corner Curved Worksurfaces - 42"	CWCC4224P CWCC4230P	590 642	24 30	42 42
	Corner Curved Worksurfaces - 48"	CWCC4824P CWCC4830P	690 723	24 30	48 48

#### **CWCF - FIVE SIDED WORKSURFACES**

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- · Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN: D	SIONS/INCHES W
W	Five Sided Worksurface - 36"	CWCF3618P CWCF3624P	395 437	18 24	36 36
	Five Sided Worksurface - 42"	CWCF4224P CWCF4230P	590 642	24 30	42 42
	Five Sided Worksurface - 48"	CWCF4824P CWCF4830P	690 723	24 30	48 48

# CWC6 - CURVED CORNER WORKSURFACE FOR 60° POST

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (36") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE TF	DIME D	ENSIONS/INCHES W	
	Curved Corner Worksurface for 60° Post - 24"	CWC62424P	372	24	24	
$\mathbf{W}$		CWC62430P	662	24	30	
<b>**</b> 5		CWC62436P	744	24	36	
		CWC62442P	1137	24	42	
D		CWC62448P	1240	24	48	
D	Curved Corner Worksurface for 60° Post - 30"	CWC63024P	372	30	24	
		CWC63030P	662	30	30	
		CWC63036P	744	30	36	
		CWC63042P	1137	30	42	
		CWC63048P	1240	30	48	

#### **CWCEL - EXTENDED CURVED CORNER - LEFT**

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners

	DESCRIPTION	PRODUCT CODE	LIST PRICE		ENSIONS/IN	
				D1	D2	W
^ B4	Extended Curved Corner - 36" x 24"	CWCEL362448P	539	36	24	48
W D1		CWCEL362460P	588	36	24	60
• • • • • • • • • • • • • • • • • • • •		CWCEL362466P	646	36	24	66
<i>/</i>		CWCEL362472P	715	36	24	72
<b>D2</b>		CWCEL362478P	764	36	24	78
D2		CWCEL362484P	821	36	24	84
	Extended Curved Corner - 42" x 24"	CWCEL422460P	619	42	24	60
		CWCEL422466P	679	42	24	66
		CWCEL422472P	753	42	24	72
		CWCEL422478P	803	42	24	78
		CWCEL422484P	867	42	24	84
	Extended Curved Corner - 42" x 30"	CWCEL423060P	697	42	30	60
		CWCEL423066P	764	42	30	66
		CWCEL423072P	835	42	30	72
		CWCEL423078P	895	42	30	78
		CWCEL423084P	953	42	30	84
	Extended Curved Corner - 48" x 24"	CWCEL482460P	733	48	24	60
		CWCEL482466P	792	48	24	66
		CWCEL482472P	850	48	24	72
		CWCEL482478P	935	48	24	78
		CWCEL482484P	972	48	24	84
	Extended Curved Corner - 48" x 30"	CWCEL483060P	775	48	30	60
		CWCEL483066P	844	48	30	66
		CWCEL483072P	916	48	30	72
		CWCEL483078P	985	48	30	78
		CWCEL483084P	1029	48	30	84

# **WORKSURFACES**

price list

# **CWCER - EXTENDED CURVED CORNER - RIGHT**

- There are three cable scoops on this worksurface
- Worksurfaces greater than 48" wide require additional structural support. • Support hardware must be ordered separately. See listing in this section of the
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES
				D1	D2	W
<b>D2</b>	Extended Curved Corner - 36" x 24"	CWCER362448P	539	36	24	48
W S		CWCER362460P	588	36	24	60
7		CWCER362466P	646	36	24	66
		CWCER362472P	715	36	24	72
		CWCER362478P	764	36	24	78
D1 D2		CWCER362484P	821	36	24	84
	Extended Curved Corner - 42" x 24"	CWCER422460P	619	42	24	60
		CWCER422466P	679	42	24	66
		CWCER422472P	753	42	24	72
		CWCER422478P	803	42	24	78
		CWCER422484P	867	42	24	84
	Extended Curved Corner - 42" x 30"	CWCER423060P	697	42	30	60
		CWCER423066P	764	42	30	66
		CWCER423072P	835	42	30	72
		CWCER423078P	895	42	30	78
		CWCER423084P	953	42	30	84
	Extended Curved Corner - 48" x 24"	CWCER482460P	733	48	24	60
		CWCER482466P	792	48	24	66
		CWCER482472P	850	48	24	72
		CWCER482478P	935	48	24	78
		CWCER482484P	972	48	24	84
	Extended Curved Corner - 48" x 30"	CWCER483060P	775	48	30	60
		CWCER483066P	844	48	30	66
		CWCER483072P	916	48	30	72
		CWCER483078P	985	48	30	78
		CWCER483084P	1029	48	30	84

#### CWD - "D" WORKSURFACE

- Support hardware must be ordered separately. See listing in this section of the price list
- · Monoleg is included

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/INCHES	
				D	W	
	"D" Worksurface - 24"	CWD2442P	442	24	42	
		CWD2448P	453	24	48	
		CWD2460P	476	24	60	
		CWD2472P	509	24	72	
	"D" Worksurface - 30"	CWD3042P	479	30	42	
•		CWD3048P	484	30	48	
		CWD3060P	509	30	60	
		CWD3072P	565	30	72	

# WORKSURFACES

# **CWH - HATCHET WORKSURFACE (LEFT SHOWN)**

- Cable scoop is in the center of the 36" wide edge.
- Support hardware must be ordered separately. See listing in this section of the price list
- · Monoleg is included

- · Must be specified either left or right handed.
- Note: Wood Grain Laminates do not run diagonally on Hatchet Corners
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS D1	SIONS/INCHE D2	S W
Hatchet Worksurface - Left	CWHL3672P	971	36	30	72
Hatchet Worksurface - Right	CWHR3672P	971	36	30	72

#### Right Shown

#### **CWSW - STRAIGHT WEDGE WORKSURFACES**

- Support hardware must be ordered separately. See the listings in this section.
- Must be specified either left or right handed.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN	SIONS/INCHI	ES
				D1	D2	W
Do	Straight Wedge Worksurface - Left	CWSW241848P	307	24	18	48
D2		CWSW241854P	347	24	18	54
		CWSW241860P	382	24	18	60
		CWSW241866P	423	24	18	66
D1 W		CWSW241872P	461	24	18	72
וע		CWSW302448P	382	30	24	48
		CWSW302454P	432	30	24	54
		CWSW302460P	480	30	24	60
		CWSW302466P	527	30	24	66
		CWSW302472P	577	30	24	72
	Straight Wedge Worksurface - Right	CWSW182448P	307	18	24	48
		CWSW182454P	347	18	24	54
		CWSW182460P	382	18	24	60
		CWSW182466P	423	18	24	66
		CWSW182472P	461	18	24	72
		CWSW243048P	382	24	30	48
		CWSW243054P	432	24	30	54
		CWSW243060P	480	24	30	60
		CWSW243066P	527	24	30	66
		CWSW243072P	577	24	30	72

#### **CWOR - QUARTER ROUND PANEL WORKSURFACE**

- The worksurface edge running along the panel is a slightly different length than that of the worksurface end, causing the surface to be handed.
- · Left hand surface shown.
- Support hardware must be ordered separately. See the listings in this section.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI D	ENSIONS/INCHES W	
Quarter Round Panel Worksurface - Left	CWQRL2424 CWQRL3030	183 242	24 30	24 30	
Quarter Round Panel Worksurface - Right	CWQRR2424 CWQRR3030	183 242	24 30	24 30	

# CWQRC - QUARTER ROUND PANEL CORNER WORKSURFACE

- Wraps around a 90° corner post.
- Support hardware must be ordered separately. See the listing in this section.
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS D	SIONS/INCHES W
Quarter Round Panel Corner Worksurface	CWQRC2424 CWQRC3030	219 270	24 30	24 30

#### **CWT - STRAIGHT TRANSACTION WORKSURFACE**

- Support hardware must be ordered separately. See the listings in this section.
- Compile worksurfaces feature a 3mm edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME D	ENSIONS/INCHES W	
W	Straight Transaction Worksurface	CWT1512 CWT1518 CWT1524 CWT1530 CWT1536 CWT1542 CWT1548 CWT1554 CWT1560 CWT1560 CWT1572 CWT1572	54 72 85 103 117 132 150 163 181 194 211 226 241	15 15 15 15 15 15 15 15 15 15	12 18 24 30 36 42 48 54 60 66 72 78	

# **CWTE - END TRANSACTION SURFACE**

- Support hardware must be ordered separately. See the listings in this section.
- Extends 1.5" past end of run.
- Compile worksurfaces feature a 3mm edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	End Transaction Surface	CWTE1512	72	15	14
W		CWTE1518	85	15	20
		CWTE1524	103	15	26
		CWTE1530	117	15	32
		CWTE1536	132	15	38
		CWTE1542	150	15	44
D 🤝		CWTE1548	163	15	50
		CWTE1554	181	15	56
		CWTE1560	194	15	62
		CWTE1566	211	15	68
		CWTE1572	226	15	74

#### **CWTCL - "L" CORNER TRANSACTION SURFACE**

- Support hardware must be ordered separately. See the listings in this section.
- When specifying this item along with a straight surface, deduct 12" from each return side.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN D	SIONS/INCHES W
W W D	"L" Corner Transaction Surface	CWTCL90	153	15	21

#### **CW9T - CORNER TRANSACTION SURFACE FOR 90° POST**

• Support hardware must be ordered separately. See the listing in this section.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME D	ENSIONS/INCHES W
Corner Transaction Surface for 90° Post	CW9T1524 CW9T1530 CW9T1536 CW9T1542 CW9T1548	209 250 289 328 371	15 15 15 15 15	32.861 38.861 44.861 50.861 56.861

#### **CHCB2 - CORNER BRACKET**

- Attaches the corner of any worksurface to a panel connector.
- Priced and shipped in pairs.
- Available in standard paint colors.

- Cannot be used off modular.
- Can be used when a panel is the same depth as the worksurface in the front and back application.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN:	SIONS/INCHES W
0000	Corner Bracket	CHCB2	18	2.5	

#### **CHWB1 - MID SPAN SUPPORT BRACKET**

- Does not need to be on module.
- Used when a panel exceeds the depth of the adjacent worksurface.
- Can only be used with a Segmented Panel.
- Comes in unfinished zinc.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS D	SIONS/INCHES W
Mid Span Support Bracket	CHWB1	11		

#### **CHC15 & CHC22- CANTILEVER**

- Attaches a worksurface to a panel.
- Use one cantilever to support two convergent worksurfaces when specified with 3 Flat Brackets or two cantilevers with one flat bracket to support two convergent worksurfaces.
- Does not include Flat Brackets.

- · Priced individually
- · Specify handedness of each cantilever
- · Available in standard paint colors.
- · Right and left Cantilever needs to be specified unless flat brackets are also specified.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN D	SIONS/INCHES W
Cantilever - 15"	CHC15L CHC15R	42 42	15 15	6 6
Cantilever - 22"	CHC22L CHC22R	66 66	22 22	6 6

#### **CMHC - WORKSURFACE SUPPORT CHANNEL**

- Support channel attaches to underside of worksurface with screws
- Support channel should be 14" shorter than top length.
- · Screws are included.

- · Only available in Black.
- Tops with post legs should be specified with support channel for structural reinforcement.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME!	NSIONS/INCHES D
Worksurface Support Channel	CMHC40 - for 54" wide table CMHC46 - for 60" wide table CMHC52 - for 66" wide table CMHC58 - for 72" wide table CMHC64 - for 78" wide table CMHC70 - for 84" wide table	71 77 85 97 105	40 46 52 58 64 70	5 5 5 5 5

#### **CHFB1 - FLAT BRACKET**

- Use in conjunction with Cantilever to make it a shared Cantilever to support convergent worksurfaces.
- Available in Black only.
- Used at the front of 2 convergent worksurfaces to keep worksurfaces flush at seams.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI D	ENSIONS/INCHES W	
Flat Bracket	CHFB1	17	3	4	

#### **CHTB2 - TRANSACTION TOP BRACKETS**

- Securely attaches a transaction surface to the top of a panel.
- One pair must be on each side of transaction surface.

- · Priced and shipped in pairs.
- · Available in Anodized Aluminum only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES D W	
$\overline{}$	Flat Bracket	CHTB2	18	2.5	



#### **CHEP - END PANEL**

- Supports the worksurface and enhances the stability of connected panels.
- Provides solid support at the end of a run of worksurfaces.
- Finished in thermally-fused laminate.

- · Includes flat brackets and hardware.
- End panel height is inclusive of panel glides extended to their fullest height.
- · If wood grains is selected, grain runs vertically.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS D	IONS/INCHES W
End Panel - 28"High	CHEP2924 CHEP2930	226 266	28 28	24 30

#### **CHMSL - MID SUPPORT LEG**

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- · Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
$\Diamond$	Mid Support Leg - Round	CHMSL1	77	28
	Mid Support Leg - Square	CHMSL2	77	28

#### **CMHCL & CHHCL - CORNER LEG WITH LEVELER**

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and attachment plate.
- 1.5" diameter

- Available in standard paint colors.
- Legs can be used in the corner of a single worksurface or be rotated 45 degrees to support the corners of two worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H	
	Corner Leg Round Corner Leg Square	CMHCL1 CMHCL2	108 108	28 28	_

#### **CHWS - 5" SURFACE TO STORAGE SUPPORT LEG**

- Provides support for a worksurface.
- $\bullet~$  Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- · Available in standard paint colors.

		DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
		5" Surface to Storage Support Leg - Round	CHWSRL01	43	4.5
		5" Surface to Storage Support Leg - Square	CHWSSL01	43	4.5
Round	Square				

#### **CHMEGR - METAL END GABLE - RIGHT**

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.

Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	NSIONS/INI D	CHES W
Metal End Gable - Right	CHMEG18R CHMEG24R CHMEG30R	228 244 256	28 28 28	17 23 29	4 4 4

#### **CHMEGL - METAL END GABLE - LEFT**

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/IN W	ICHES D	
Metal End Gable - Left	CHMEG18L CHMEG24L CHMEG30L	228 244 256	28 28 28	17 23 29	4 4 4	

#### **CHMSL - METAL SUPPORT LEG**

- Supports two adjoining worksurfaces and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.
- Flat brackets recommended to ensure alignment of neighboring surface.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN: H	SIONS/INO W	CHES D
Metal Support Leg	CHMSL12	204	28	11	4

# PEDESTAL FILLER BRACKET

· Screws to back of pedestal

• Fills the gap between the pedestal and panel when wing pnael is not used.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN D	USIONS/INCHES W
Pedestal Filler Bracket-	CHPBF	48	26.875	1.375



# storage

#### **LATERAL FILE FEATURES**

#### DRAWERS/SHELVES

- · Drawer interlocking system
- Three-stage, anti-bounceback suspension
- · Pre-installed, side-to-side file bars for letter, legal and A4
- Front-to-back file bars optional
- Full-height dividers optional
- · Angled full pull

#### CONSTRUCTION

- · Top stiffener bar
- · Corner gussets
- Four (4) ganging drill points are marked to ensure correct positioning
- · Cam lock included
- · Leveling glides
- · Counterweights are included in 2, 3 and 4 drawer cabinets. BIFMA does not require counterweight in 5 drawer cabinets.

#### PEDESTAL FEATURES

#### DRAWERS/SHELVES

- All drawer fronts feature a recessed, angled full pull.
- Drawers feature ball bearing suspension.

#### CONSTRUCTION

- Central Core removable cam locks.
- · Pedestals are 15" wide.
- Counterweight is standard on all Freestanding models.
- · Worksurfaces supporting models have holes drilled in top to attach underneath a worksurface.

#### STANDARD PAINT COLORS

BLACK BLK
DESIGNER WHITE DWT
NEVADA NEV
STEEL STL

#### **TEXTURED PAINT COLORS**

Only available on Compile Storage.

BLIZZARD BZD STONE DUST SDT

# **GENERAL WARRANTY INFORMATION**

· Evolve warrants all components of metal storage and filing for the lifetime of the product to the original purchaser.

**STORAGE** CONFIGURATION


This page provides a three dimensional view of a sample configuration highlighting each storage component required when specifying this configuration.

#### Components

A. CSOF13XX KD Overhead

B. CSSL13XX Low-Profile Shelf

**C.** CM19XXBBF Worksurface Supporting Box, Box, File Pedestal



#### CS19XXBBF - WORKSURFACE SUPPORTING BOX/BOX/FILE 15" PEDESTAL

- · Worksurface supporting, with predrilled holes in the top.
- · Also available as freestanding with finished top.
- · All drawer fronts feature a recessed, angled full pull.

- · Pedestal height shown includes glide.
- · Pencil tray and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC D	HES W
Worksurface Supporting Box/Box/File 15" Pedestal	CS1919BBF CS1923BBF CS1929BBF	449 462 524	27 5/8 27 5/8 27 5/8	18 5/8 22 5/8 29 5/8	15 15 15

#### CS19XXFF - WORKSURFACE SUPPORTING FILE/FILE 15" PEDESTAL

- · Worksurface supporting, with predrilled holes in the top.
- · Also available as freestanding with finished top.
- All drawer fronts feature a recessed, angled full pull.

- Pedestal height shown includes glide.
- · Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC D	HES W
Worksurface Supporting File/File 15" Pedestal	CS1919FF CS1923FF CS1929FF	449 462 524	27 5⁄8 27 5⁄8 27 5⁄8	18 5/8 22 5/8 29 5/8	15 15 15

#### CS19FXXBBF - FREESTANDING BOX/BOX/FILE 15" PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- Finished top.

- Counterweight, Pencil tray and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC D	HES W
Freestanding Box/Box/File 15" Pedestal	CS19F19BBF CS19F23BBF CS19F29BBF	462 476 536	27 5⁄8 27 5⁄8 27 5⁄8	18 5/8 22 5/8 29 5/8	15 15 15

#### CS19FXXFF - FREESTANDING FILE/FILE 15" PEDESTAL

- · All drawer fronts feature a recessed, angled full pull.
- · Pedestal height shown includes glide.
- Finished top.

- Counterweight and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC D	HES W	
Freestanding File/File 15" Pedestal	CS19F19FF CS19F23FF CS19F29FF	462 476 536	27 5/8 27 5/8 27 5/8	18 5/8 22 5/8 29 5/8	15 15 15	

# CS19MPXXBBF - MOBILE BOX/BOX/FILE PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- · Finished top.

- · Counterweight, Pencil tray, and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	ENSIONS/INCH D	IES W
Mobile Box/Box/File Pedestal	CS19MP19BBF CS19MP23BBF	612 644	27 5⁄8 27 5⁄8	18 5⁄8 22 5⁄8	15 15

#### CS19MPXXFF - MOBILE FILE/FILE PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- · Finished top.

- Counterweight and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$15.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC D	HES W
Mobile File/File Pedestal	CS19MP19FF CS19MP23FF	612 644	27 5/8 27 5/8	18 5/8 22 5/8	15 15

#### **CSMCPXXBFNC - MOBILE BOX/FILE PEDESTAL WITH 60MM CASTERS**

- Mobile pedestal that includes one pencil tray and one divider.
- Includes factory installed counterweight.
- · Lock is standard.

- 60mm high castors.
- For use with pedestal seat cushion. See model below.
- · Casters do not lock.

DIMENSIONS/INCHES H D W					
	18.5/8 22.5/8	15 15			
	3.7/8 3.7/8				

5

# **CSCUSH15 - PEDESTAL SEAT CUSHIONS**

- · Cushions will have single stitching at the seams.
- Velcro included for quick attachment to pedestal file.
- 1" Cushion will have a rectilinear design on all sides.

- 2" Cushion will have waterfall edges Front and Back,
- Cushions are for use on CSMCPXXBFNC Mobile Pedestals.
- Please choose a fabric from the standard cushion textiles on pages 94-96

DESCRIPTION	PRODUCT CODE	1	2	3	4	5	6	LIST 7	ICE/G 9		12	13	14	15	16	17	DII H		CH \	YRDS
Pedestal Seat Cushions - 1" Thick	CSCUSH15X18-5/8X1 CSCUSH15X22-5/8X1							373 394										18.625 22.625		1
Pedestal Seat Cushions - 2" Thick	CSCUSH15X18-5/8X2 CSCUSH15X22-5/8X2							391 462				1088	1241				_		5 15 5 15	_

#### **CSSL13 - LOW PROFILE SHELF**

- 13" deep panel-mounted storage shelf with backlip.
- · Mounting brackets are included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/IN	CHES
				Н	D	W
<u> </u>	Low Profile Shelf - 13"	CSSL1324	110	5	13	24
		CSSL1330	122	5	13	30
		CSSL1336	133	5	13	36
		CSSL1342	143	5	13	42
		CSSL1348	150	5	13	48
		CSSL1354	156	5	13	54
		CSSL1360	162	5	13	60

#### **CSOF13 - KD OVERHEAD**

- Mounting brackets are included.
- Door retracts up and over the cabinet
- · Ready for quick assembly on site.
- Quality steel construction.

- 60" unit is reinforced for proper weight distribution.
- Inside dimensions: 12" h x 12.75" d

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME	DIMENSIONS/INCHES	
				Н	D	W
	KD Overhead - 13"	CSOF1324	291	14.5	13	24
		CSOF1330	320	14.5	13	30
		CSOF1336	353	14.5	13	36
		CSOF1342	373	14.5	13	42
/		CSOF1348	395	14.5	13	48
		CSOF1354	447	14.5	13	54
<u> </u>		CSOF1360	483	14.5	13	60

# CMSLK13 - LOCK FOR KD OVERHEAD

· Must be specificed seperately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME!	DIMENSIONS/INCHES H D			
Lock for KD Overhead	CMSLK13	36					



#### **CSLOCKKET -CORE AND KET**

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	ISIONS/INC D	CHES W
LOCKKEY - Core and Key	CSLOCKKEY	34			

#### CNEK93 - EXTRA KEY

• Must be specificed at time of order.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INCH D	IES W
Extra Key	CMEK93	36			

#### **CMDAOHXX - CENTER MOUNT OVERHEAD**

- Inside dimensions 13" high x 13" deep.
- · Laminate Overhead. No doors.
- Available in standard Compile laminate finishes.


- · Top mount on panels.
- · Overhead Support Brackets are included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/INC	CHES	
			Н	D	W	
Center Mount Overhead - 13"	CMDAOH36	961	15	13	36	
	CMDA0H42	1042	15	13	42	
	CMDA0H48	1091	15	13	48	
	CMDA0H54	1173	15	13	54	
	CMDA0H60	1219	15	13	60	

#### **CMADAXXPM - ADA COMPLIANT OVERHEAD STORAGE UNIT**

- Panel Mounted Overhead Storage with metal sides and opaque door that retracts on top of the unit
- Meets CSA B651 Barrier Free Design & ADA (American Disabilities Act).
- 16" high units accept standard and A4 binders.
- · All shelves are reinforced for proper weight distribution.

- Inside dimensions: 14.25" high x 12" deep.
- Unit includes attachment hardware, lock and mounting brackets. Back not included.
- Shipped partially assembled.
- Available in standard Compile paint colors only. Door made of opaque plastic.
   **add 10% upcharge for Tungsten



# **CWMA - VERTICAL CHANNEL**

- · Used to attach system components to fixed wall.
- · Panel frame finish.
- · Comes in 60" length only.
- · Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material. Sold in pairs.
- Failure to do this may result in collapse of the unit and subsequent possible personal injury.
- · Compile vertical channels cannot be shared.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN: H	SIONS/INCHI W	ES D
Vertical Channel	CWMA60	33	60	0.6	0.7

#### CS19XX-1X1FH - ONE 1/2 HEIGHT FIXED FRONT & ONE 12" FIXED FRONT LATERAL FILE

- 1/2 Height Box Drawer.
- 1 Fixed Drawer Front.
- Includes Lock.

- Lateral File Top is required when not installed under a worksurface.
- Counterweights must be specified on lateral files with pull out drawers, unless worksurface supporting, ganged together or anchored to the floor or wall.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC D	HES W
One 1/2 Height Fixed Front & One 12" Fixed Front Lateral File	CS1930P-1X1FH CS1936P-1X1FH CS1942P-1X1FH	1016 1084 1152	21.75 21.75 21.75	19.25 19.25 19.25	30 36 42
	000.2		20	10:20	

#### CS19XX-1XSND - ONE 1/2 HEIGHT OPEN SHELF & ONE 12" OPEN SHELF LATERAL CABINET

- 1/2 Height Open Shelf.
- Bottom Open Shelf.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC D	HES W
One 1/2 Height Open Shelf & One 12" Open Shelf Lateral Cabinet	CS1930-1XSND CS1936-1XSND CS1942-1XSND	509 578 644	21.75 21.75 21.75	19.25 19.25 19.25	30 36 42



# **CSCUSH19 - LATERAL SEAT CUSHIONS**

- · Cushions will have single stitching at the seams,
- Velcro included for quick attachment to lateral file.
- 1" Cushion will have a rectilinear design on all sides.

- 2" Cushion will have waterfall edges Front and Back.
- Please choose a fabric from the standard cushion textiles on pages 244-246.

DESCRIPTION	PRODUCT CODE							LIS	T PR	ICE/G	RAD	ES							DIN	/I./IN	ICH	YRDS
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	Н	D	W	
Lateral Seat Cushions - 1" Thick	CSCUSH19-25X30X1 CSCUSH19-25X36X1 CSCUSH19-25X47X1	332	369	399	444	509	538	597	687	760	839	1001	1173	1224	1377	1487	1756	2018 2028 1981	1	19	30 36 42	1 1
Lateral Seat Cushions - 2" Thick	CSCUSH19-25X30X2 CSCUSH19-25X36X2 CSCUSH19-25X42X2	355 365	394 404	423 433	467 478	533 542	561 573	620 631	710 721	783 793	862 873	1024 1034	1197 1207	1182 1192	1335 1344	1451 1459	1719 1727	1991 1998 2005	2 2 2	19	30 36 42	2 2 2

#### **CWFT - LATERAL FILE TOPS**

• Available in standard Compile finishes.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	IENSIONS/INC	HES
			LP	Н	D	W
	Lateral File Tops	CWFT1930	139	1	19.25	30
		CWFT1936	142	1	19.25	36
		CWFT1942	183	1	19.25	42
	2 Lateral Files SBS Top	CWFT1960	290	1	19.25	60
		CWFT1972	314	1	19.25	72
		CWFT1984	511	1	19.25	84
<b>V</b>	4 Lateral File BTB Top	CWFT3860	576	1	38.75	60
		CWFT3872	655	1	38.75	72
		CWFT3884	777	1	38.75	84

#### CS19XXP - 2F12 - LATERAL FILES - 2 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Two fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.

- File cannot be used to store standard three ring binders.
- Lock included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/INC	HES	
			Н	D	W	
Lateral Files - 2 Drawers with Counterweight	CS1930P-2F12 CS1936P-2F12 CS1942P-2F12	806 868 902	27.14 27.14	19.25 19.25 19.25	30 36	
	CS1942F-2F12	902	27.14	19.25	42	

#### CS19XXP - 3F12 - LATERAL FILES - 3 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Three fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.

- File cannot be used to store standard three ring binders.
- · Lock included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC D	HES W
 Lateral Files - 3 Drawers	CS1930P-3F12	1003	39.52	19.25	30
with Counterweight	CS1936P-3F12 CS1942P-3F12	1057 1104	39.52 39.52	19.25 19.25	36 42
	CS 1942P-3F12	1104	39.52	19.25	42

#### CS19XXP - 4F12 - LATERAL FILES - 4 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Four fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.

- File cannot be used to store standard three ring binders.
- Posting shelf option NOT available.
- Lock included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM	ENSIONS/INC	CHES
			Н	D	W
Lateral Files - 4 Drawers	CS1930P-4F12	1281	51.89	19.25	30
with Counterweight	CS1936P-4F12	1342	51.89	19.25	36
	CS1942P-4F12	1444	51.89	19.25	42

# CS19XXP - 5F12 - LATERAL FILES - 5 DRAWERS

- $\bullet\,\,$  Four fixed front drawers plus top drawer with receding door and roll-out shelf.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.

- File cannot be used to store standard three ring binders.
- Posting shelf option NOT available.
- · Lock included.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMI	ENSIONS/INC	HES
			Н	D	W
Lateral Files - 5 Drawers	CS1930P-5F12 CS1936P-5F12 CS1942P-5F12	1525 1592 1680	66.39 66.39 66.39	19.25 19.25 19.25	30 36 42

#### **CSPT - STORAGE TOWERS**

- Model CSPT3-2BFL has wardrobe section on the left and drawers on the right.
- Model CSPT3-2BFR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

· Locking.



#### **CSPT - STORAGE TOWERS**

- Model CSPT3-2FL has wardrobe section on the left and drawers on the right.
- Model CSPT3-2FR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

Locking.

DESCRIPTION	PRODUCT CODE	No Match!	DIME H	NSIONS/INI D	CHES W
Storage Tower - 2 File Drawers	CSPT3-2FL CSPT3-2FR	2271 2271	39.52 39.52	24 24	24 24

#### **CSPT - STORAGE TOWERS**

- Model CSPT4-2BFL has wardrobe section on the left and drawers on the right.
- Model CSPT4-2BFR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

Locking.

DESCRIPTION	PRODUCT CODE	No Match!	DIMENSIONS/INCHES		CHES
			Н	D	W
Storage Tower - 2 Box/1 File Drawer	CSPT4-2BFL	2283	51.89	24	24
	CSPT4-2BFR	2283	51.89	24	24




# **CSPT - STORAGE TOWERS**

- Model CSPT4-2FL has wardrobe section on the left and drawers on the right.
- Model CSPT4-2FR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

Locking.



#### **CSPT - STORAGE TOWERS**

- . Model CSPT5-2BFL has wardrobe section on the left and drawers on the right.
- Model CSPT5-2BFR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

Locking.


DESCRIPTION	PRODUCT CODE	No Match!	DIMENS H	SIONS/INCHE D	ES W
Storage Tower - 2 Box/1 File Drawe	CSPT5-2BFL CSPT5-2BFR	2343 2343	66.39 66.39	24 24	24 24

#### **CSPT - STORAGE TOWERS**

- . Model CSPT5-2FL has wardrobe section on the left and drawers on the right.
- · Model CSPT5-2FR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker

compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.

Locking.



SO#	PO#	TAG#	Date

KEY#	SETS REQ'D								
401		431		461		491		521	
402		432		462		492		522	
403		433		463		493		523	
404		434		464		494		524	
405		435		465		495		525	
406		436		466		496		526	
407		437		467		497		527	
408		438		468		498		528	
409		439		469		499		529	
410		440		470		500		530	
411		441		471		501		531	
412		442		472		502		532	
413		443		473		503		533	
414		444		474		504		534	
415		445		475		505		535	
416		446		476		506		536	
417		447		477		507		537	
418		448		478		508		538	
419		449		479		509		539	
420		450		480		510		540	
421		451		481		511		541	
422		452		482		512		542	
423		453		483		513		543	
424		454		484		514		544	
425		455		485		515		545	
426		456		486		516		546	
427		457		487		517		547	
428		458		488		518		548	
429		459		489		519		549	
430		460		490		520		550	

401-430 =	431-460 =	461-490 =	491-520 =	521-550 =
•				

Total:

NOTE: If Key Alike Instructions are not submitted to EVOLVE with the Customer's Purchase Order, all components will be keyed randomly.

# **NOTES**

# accessories

# **CATB - TACK BOARD**

- Provide a tackable surface for notes and memos in a work area.
- Includes two pairs of panel-mounting brackets.
- Only fabric must be specified.

- 10" to be installed on 42"h panels.
- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overheads.

	DESCRIPTION	PRODUCT CODE	PRODUCT CODE LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	Н	W	D
_	Tack Board - 10" High	CATB1024	157	165	10	24	
		CATB1030	167	176	10	30	
		CATB1036	184	194	10	36	
		CATB1042	203	215	10	42	
		CATB1048	223	235	10	48	
		CATB1054	246	262	10	54	
		CATB1060	263	280	10	60	
	Tack Board - 21" High	CATB2124	227	235	21	24	
	Ü	CATB2130	247	256	21	30	
		CATB2136	281	290	21	36	
		CATB2142	321	332	21	42	
		CATB2148	359	370	21	48	
		CATB2154	393	411	21	54	
		CATB2160	432	449	21	60	
	Tack Board - 24" High	CATB2424	227	235	21	24	
	•	CATB2430	247	256	24	30	
		CATB2436	281	290	24	36	
		CATB2442	321	332	24	42	
		CATB2448	359	370	24	48	
		CATB2454	393	411	24	54	
		CATB2460	432	449	24	60	

#### **CAWB - WHITE MARKER BOARD**

- Provides a writing surface within a work area.
- Includes two pairs of panel-mounting brackets.
- 10" to be installed on 42"h panels.

- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overheads.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		CHES	
			Н	W	D	
White Marker Board - 10" High	CAWB1030	151	10	30		
	CAWB1036	170	10	36		
	CAWB1042	189	10	42		
	CAWB1048	217	10	48		
White Marker Board - 21" High	CAWB2130	264	21	30		
	CAWB2136	297	21	36		
	CAWB2142	334	21	42		
	CAWB2148	389	21	48		
White Marker Board - 24" High	CAWB2430	264	24	30		
Willte Marker Board - 24 Trigit	CAWB2436	297	24	36		
	CAWB2442	334	24	42		
	CAWB2448	389	24	48		

#### **CALB - LOAD BAR**

- Frame availabel in Steel (STL), Black (BLK), and Nevada (NEV) only.
- Mounting brackets and clear end caps are included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		CHES
			Н	W	D
Load Bar	CALB24	128	2.25	24	1
	CALB30	141	2.25	30	1
	CALB36	153	2.25	36	1
	CALB42	179	2.25	42	1
	CALB48	206	2.25	48	1
	CALB54	219	2.25	54	1
	CALB60	235	2.25	60	1

#### **CSABB01 - BINDER BIN**

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INC W	HES D
Binder Bin	CSABB01	68	9	4	10.25

#### **CSALT01 - LETTER TRAY**

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	NSIONS/INCH W	IES D
Letter Tray	CSALT01	58	2	13.5	9.25

# **CSASS01 - SLANT SORTER**

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Н	W	D
Slant Sorter	CSASS01L CSASS01R	43 43	9.5 9.5	5 5	10.25 10.25

#### **EVAMB01 - MEDIA BIN**

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	ISIONS/INCH W	IES D
Media Bin	CSAMB01	53	3	5.75	5.25

#### **CSAUT01 - UTILITY TRAY**

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	SIONS/INCH W	IES D
Utility Tray	CSAUT01	36	1	8.5	3.75

#### **CSAFS01 - FLIP SORTER**

• Must be ordered in conjunction with a load bar option.

in Introduction for complete list of offerings and conditions.

- · Comes with nickel plated wire.
- Available in standard and premium paint selections. See "Textile & Finish Listings"

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIME H	NSIONS/INC W	HES D
Flip Sorter	CSAFS01	50	9.25	2.75	9.25

#### **CSAPP01 - MAIL BOX**

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMEN H	ISIONS/INCI W	HES D
Mail Box	CSAPP01	85	9	12	2.75

#### **CSATH01 - TELEPHONE HOLDER**

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS H	IONS/INCHE W	ES D
Telephone Holder	CSATH01	82	2	9	10

#### **CPNP01 - NAME PLATE**

- Name Plate attached to 1" increment slots.
- Available in single sided (parallel to panel) or double sided (perpendicular to panel) for isle application displaying name on both sides.
- Injection molded frame and die cast base with black rubberized finish.
- Includes two slide-in name cards, steel brackets and fasteners.
- · Available in black only.
- Free template for additional slide-in name cards are available at http://www.evolvefurnituregroup.com/Product_Sheets.html

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H W D			
9	Name Plate	CPNP01	125	3.30	5.3	1.25	_

#### CMCH01 - COAT HOOK

- · Coat hook for Compile panels.
- Available in standard Compile paint finishes: DWT, BLK, STL, NEV.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIM H	ENSIONS/INC W	HES D
Coat Hook	CMCH01	53	5.5	0.65	1

#### **CATP91 - TOUCH-UP PAINT KIT**

- Available in standard paint colors to facilitate easy touch-ups.
- 1/2 fl. ounce bottle (spray not available).

· Specify color.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			Н	W	D	
Touch-Up Paint Kit	CATP91	42				



D

# **NOTES**

# textiles and finishes

## **Care and Cleaning**

The following guide encompasses the Compile System line.

The guide was compiled using information from our "raw" material suppliers and is relevant only to our standard offering finishes and textiles.

#### **FABRICS**

To extend the life of your upholstered panels, regularly dust the panel to prevent airborne particles from penetrating the fabric surface.

For light soiling, use a damp cloth and blot the spot with very slight pressure, taking care never to soak the fabric. Dry with a clean cloth by blotting - never rub fabric. More intense stains can be treated the same way, but with a mild detergent. Always test fabric first in an unseen area before using any cleaning method.

#### PANEL FRAMES

The panel frames are manufactured out of sturdy aluminum with a powder coated enamel paint finish. To clean the frames of the panels, and all hardware associated with the Evolve line, simply utilize a clean, damp cloth. For stubborn stains on the panel frames, you may consider adding a mild detergent.

#### **GLAZED PANELS**

Cleaning of the glazing in panels should only be done with a damp lint-free cloth. A mild detergent can be used if necessary. Do not use paper towels in combination with a window cleaner-this may cause scratches to the glazing.

#### WORKSURFACES

The worksurfaces are manufactured using primarily Nevamar Brand laminates as the exposed surface. To properly clean these areas, it is best to use a clean, damp cloth and circular motion to prevent streaks. For stubborn stains, you are able to add a mild detergent to the water. Be certain not to use an ammonia-based solution. It will react with the PVC, or wood edge trim, causing permanent damage to the contacted areas.

#### **ACCESSORIES**

The accessories sold with the Evolve product line can be simply cleaned with a clean, damp cloth. If they are really dirty, a mild, non-abrasive solution may be added. Wipe with a damp cloth after the solution, and finally, a dry cloth.

#### **LAMINATES – THERMALLY FUSED & HIGH PRESSURE**

HIGH PRESSURE	
Absolute Acajou*	ACJ
Asian Night*	ASN
Avant Cherry*	AWC
Avant Honey*	AWH
Black	BLK
Blizzard	BZD
Blizzard Matrix	BMX
Brushed Cobalt*	
Clear Maple*	CMB
Custom Grey	
Dark Espresso*	DES
Designer White	DWT
Grey Matrix	
Hayden Grey	
Hayden Linen	
Noce Biondo	
Noce Grigio	
Noce Leggero	
Noce Medio	
Quartered Mahogany*	
Stone Dust	
Stone Linen	
Storm Grey	
Studio White Matrix	
String	
Tiger Fruitwood*	TFW
Tiger Walnut*	
Walnut Heights*	
Willow Grey	
Winter Cherry	
White Chocolate*	WHC

Additional paint and laminates may be available. Contact Evolve Customer Care for details.

#### **PVC EDGE TRIM**

Absolute Acajou	AAF
Asian Night	
Avant Cherry	
Avant Honey	
Black	
Blizzard	
Brushed Cobalt	
Charcoal	
Clear Maple	
Dark Espresso*	
Designer White	
Nevada	NEV
Quartered Mahogany	
Shaker Cherry	SKE
Silver	SIL
Taupe	TPE
Tiger Fruitwood*	TFW
Tiger Maple*	
Tiger Walnut*	
Tungsten	TUN
Walnut Heights	
White Chocolate*	
Winter Cherry	WCR
•	

*1-7/16" HPW PVC Trim for Worksurfaces is not available in Dark Espresso (DES), Tiger Fruitwood (TFW), and Tiger Walnut (TWL).

#### **WOOD VENEER WORKSURFACES***

AMV	Almond Cherry
	Cocoa Walnut
CRV	Coral
DCV	Dark Cherry
EWV	Espresso Walnut
	Evening Oak
	Grey on Oak
	Hazelnut
SMV	Honey Maple
	Java
	Latte Walnut
MTV	Milestone
MCV	Mocha
	Natural Maple
	Red Cherry
VNV	Vintage Cherry
	Walnut
	Warm Cherry
	White Maple

All wood veneer worksurfaces are 1.38" thick.

#### **PAINT & FRAME COLORS**

(for application to trim, steel	
components, PVC, vertical and horizont	al
members)	
BlackBL	K
Designer White	T
Fog <b>FO</b>	G
NevadaNE	٧

#### **ACCENT PAINTED FINISHES**

Crystal Blue	CYB
Lime Green	
Orange Flame	
Steel Blue	
Vermilion Red	VLR

Accessory painted finishes are subject to 10% upcharge and minimum order of 50 pieces, orders under 50 pieces subject to \$500 net fee

^{*} Matching Wood Grain PVC edge available.

^{*}Note: Wood veneer options for worksurfaces are available at an upcharge and with an extended lead time. Contact Evolve Customer Care for details.

Recycled Polyester and	
-consumer Recycled Pol Birch	
Green Apple	
Lapis	
Straw	
Wolf	
Goose	
Angora	
Cumin	
Asteriod	
Geranium	
Thistle	
Graphite	
Slate	
Quarry Blue	
Onyx	
Pumpkin	
Red Delicious	
Sunshine	
Waterfall	AN5
Vanilla	
Vanilla	AN6
Cobalt	AN6
Cloud	AN6
<b>Aurora -</b> 100% Polyesto minimum Post-Consume Polyester	
Cloud	AU2
Seal	AU2
Fog	AU2
Pewter	AU2
Granite	
Oat	AU2
Coconut	
Latte	AU2

Chance - 63% Virgin Polyester, 3 Post-Consumer Recycled Polyeste Mist	r CN51 CN52
Island	CN53
Plaza	.CN54
Tranquil	CN55
Malt	. CN56
Navajo	. CN57
Prairie	CN58
Cinder	.CN59
Oasis	CN66
Linea - 100% Post Consumer Red Polyester Queue	•
Cord	
Twine	
Thread	
Contour	
Silhouette	
Cable	LN47
Route	
Loopy - 100% Recycled Polyeste Oyster	
Putty	LP61
Marble	LP62
Hazelnut	LP63
Latte	LP64
Bay	LP65
Wild Rice	<b>LP66</b>
Harbor	LP67
Malada 1000/ Daniel d Dalicari	
<b>Melody -</b> 100% Recycled Polyest Spray	
Pond	
Sand Bar	
Silt	
Pebble	
Lake	

Gravel ..... **ME46** Boulder...... ME47

Merge - 100% Polyester, 75%	
minimum Post-Consumer Recycle	d
Polyester Fawn	MG20
Marshmallow	
Driftwood	
Dove	
Graphite	
Slate	
Eucalyptus	
Fire Engine	
Mediterranean	
Midnight	
wiiuiiigiit	WIGZS
Pinpoint - 100% Post-Consumer	
Recycled Polyester	
Bliss	.PN11
Delight	.PN12
Dune	.PN13
Infusion	.PN14
Ebony	.PN15
Fresh	.PN16
Carrot	.PN17
Splash	.PN18
Vibe	.PN19
Gala	.PN20
Ctrook 1009/ Pagualad Palyanta	\r
Streak - 100% Recycled Polyeste	
Beach	. SR81
BeachShade	. SR81 . SR86
BeachShadeStretch	SR81 SR86 SR88
BeachShade StretchSprint	SR81 SR86 SR88 SR89
BeachShade StretchSprint	SR81 SR86 SR88 SR89
BeachShade StretchSprint	SR81 SR86 SR88 SR89 SR91 SR92
BeachShade Stretch SprintRoll Dart. Zoom	SR81 SR86 SR88 SR89 SR91 SR92 SR93
Beach	. SR81 . SR86 . SR88 . SR89 . SR91 . SR92 . SR93
Beach	. SR81 . SR86 . SR88 . SR89 . SR91 . SR92 . SR93 . SR94
Beach	. SR81 . SR86 . SR88 . SR89 . SR91 . SR92 . SR93 . SR94
Beach	. SR81 . SR86 . SR88 . SR89 . SR91 . SR92 . SR93 . SR94
Beach	. SR81 . SR86 . SR88 . SR89 . SR91 . SR92 . SR93 . SR94 . SR95 . SR96
Beach	. SR81 . SR88 . SR89 . SR91 . SR92 . SR93 . SR94 . SR95 . SR96
Beach	. SR81 . SR88 . SR89 . SR91 . SR92 . SR93 . SR94 . SR95 . SR96
Beach	. SR81 . SR88 . SR89 . SR91 . SR92 . SR93 . SR94 . SR95 . SR96
Beach	SR81 SR88 SR89 SR91 SR92 SR93 SR94 SR95 SR96
Beach	. SR81 . SR88 . SR89 . SR91 . SR92 . SR93 . SR94 . SR96 . TX60 TX61 TX62 TX64 TX64
Beach	. SR81 . SR88 . SR89 . SR91 . SR92 . SR93 . SR94 . SR95 . SR96 TX61 TX62 TX64 TX67 TX69
Beach	SR81 SR88 SR89 SR91 SR92 SR93 SR94 SR95 SR96 TX60 TX61 TX62 TX64 TX67 TX69
Beach	. SR81 . SR88 . SR89 . SR91 . SR92 . SR93 . SR94 . SR95 . SR96 TX60 TX61 TX62 TX64 TX67 TX69 TX71
Beach	SR81 SR88 SR89 SR91 SR92 SR93 SR94 SR95 SR96 TX60 TX61 TX62 TX64 TX67 TX69 TX71 TX72

<b>Terrace -</b> 100% Post-Consumer Recycled Polyeste	
Lotus	TC60
Tigerlily	TC61
Shadow	TC62
Cobble	TC63
Cherry Blossom	TC64
Bluebell	TC65
Apple	TC66
Haze	TC67
Cerise	TC68
Twilight	TC69
Wintergreen	TC70
Ironwork	TC71
Flirt	TC73
Echo	TC74
Glacier	TC75

Lake ......AU28  **TEXTILE & FINISHES** PANEL FABRICS

## PANEL FABRICS- GRADE 2

<b>Cyclone</b> - 56% post-consumer re polyester and 44% polyester.	cycled
Stove Pipe	. IM37
Stainless	. IM40
Polished Pewter	. IM41
Welded Steel	. IM43
Etched Bronze	. IM44
Fired Titanium	. IM46
Chrome	. IM49
Dark Annealed	. IM50
Karat	. IM54
Red Metal	. IM55
Oxidized Bronze	. IM56
Bright Ray	. IM57
Bismuth Crystal	
Gallium Blue	

Dashing -100% Post-Consumer	
Recycled Polyester	
Classic Silver	DS21
Refined Marble	DS22
Antique Sage	DS23
Polished Slate	DS24
Genteel Beige	DS25
Bespoke Tan	DS26
Danner Grey	DS27

Mesh - 100% Recycled Polyester	
Canyon	ВЗЗА
Napa Valley	B34A
Huntington	B36A
Huron	B37A
Heartland	B39A
Oat	B81A
Pepper	B82A
Limestone	B84A
7inc	B86A

Quadrille - 52.5% Polyester / 47.5%
Recycled Polyester
*Maximum panel width is 48'

QU30
QU31
QU32
QU33
QU34
QU35
QU36
QU37
QU38
QU39
QU40
QU41
QU42
QU43
QU44
QU45
QU46

## PET PANEL FABRICS

Graphite	GPH
Mist	MTS
Pewter	PWT
Harvest	HVT
Shamrock	SHR
Brick	BR
Denim	DEN
Black	BLK
White	WHT

GRADE 1	
<b>Dobby</b> - 96% Recycled Polyester	r / 4%
Virgin Polyester	
Snowcap	
Bonsai	
Cloud	
Sand	
Pewter	
Sante Fe Corfu	
Medium Taupe	
Charcoal	
Berry	
Royal	
Titanium	
Black	DB42
Fusion - 90% Virgin Polyester/ 1	
Post-Consumer Recycled Polyeste	
Tangerine	
Fresh	
Moss TomatoF	
Aqua	
Sandstone	
Granite	
Poppy	
Cadet	
Oasis	
Graphite	
Viola	
Cobalt	
Flax	FU84
Carbon	FU85
Hudson - 100% Post-Consumer	
Recycled Polyester	
Cordovan	HD02
Ruby	
Orange	HD04
Wheat	HD05
Meadow	
Coffee	
Grey	
Mocha	
Thyme	
Carbon	
Midnight	
Ocean Cerulean	
Gerulean	ПО 14
Illusion - 100% Virgin Polyester	
Cappuccino	
Paprika	
Tropic	
Wicker	II04
Hemp	
Cayenne	
Maui	
Dusk	
Smoke	
Currant	
Fiji	
Ozone	1112

Jenny - 100% Polyester	
Midnite	JN01
Ebony	
Slate	
Vermilion	
Admiral	
Charcoal	
Silver Lining	
Oatmeal	
Sunflower	
Cascade	
Harvest	
Mellon	
Berry	
Green Grass	.IN32
Roast	
Tioust	. 01100
Quilt - 100% Polyester	
Black	OI 10
Charcoal Grev	
Navy	
Wine	
Silver	
Feather	
Dune	
Meadow	
Cadet	
Geranium	
Daisy	
Quest	
Punch	
Tangerine	
Cocoa	
COCOa	4123
Terrace - 100% Post-Consumer	
Recycled Polyester	
Lotus	TC60
Tigerlily	
Shadow	
Cobble	
Cherry Blossom	
Bluebell	
Apple	
Haze	
Cerise	
Twilight	
Wintergreen	
Ironwork	
Pine Cone	
Flirt	
Echo	
EC110	10/4

Trak - 100% Recycled Polyester	
Taupe	TK40
Mustard	
Latte	
Cement	
Silver	
Copper	
Teal	
Apple	
Steel	
Merlot	
Midnight Sky	
Mocha	
Carbon	I K52
Urban - 62% Recycled Polyester Polyester Red Rose	UR10
Ocean Blue	
Blue Bayou	
Green Grass	
Sandcastle	
Beach Day	
Boardwalk Earth	
Brown Ridge	
White Sand	
Granite Rock	
Gravel RoadBlack Coal	
DIACK COAI	UNZZ
Waterfall - 60% Virgin Polyester	· /40%
Post - Consumer Recycled Polyest	
Trance	
Tryst	
Splash	
Victoria	
Imagine	
Sky	
Rainforest	
Rumble	
Prism	
Tranguility	
Grand	
Rushing	WΔ51
Majestic	
Pacific	
Dance	WA54
Waterfall - 60% Virgin Polyester	/40%
Post - Consumer Recycled Polyest	
Lime	
Mint	

GRADE 2 (FAI	BRIC)	
I <b>mprint -</b> Polyester	100%	Post-Consumer
		IM70
		IN170
		IN171
		IN172
		IM74
Januy Appie		IN174
		IM76
,		IM77
		IM78
		IM79
		IM80
		IM81
		IM82
		IM83
		IM84
<b>Match -</b> 100%	6 Recyled	Polvester
		MT20
		MT21
		MT22
		MT23
		MT24
		MT25
		MT26
		MT27
		MT28
		MT29
		MT30
		MT31
		MT32
4rctic		MT33

Mykonos......**WV05** Mesa ......**WV07** Plasma......WV08 Corfu......**WV13** 

#### **GRADE 2 (FABRIC) - CONTINUED**

Replay - 100% Post-Consumer Recycl	ed
Polyster	
TaupeRP	20
CaramelRP	21
Paprika RP	22
Wine <b>RP</b>	
Ocean RP	24
Navy RP	25
PistachioRP	26
MossRP	27
TurquoiseRP	28
TealRP	29
Autumn RP	30
Dark Chocolate RP	31
SlateRP	32
DoveRP	33
Coal RP	34

#### **Silhouette -** 100% Nylon with Teflon Designed to color coordinate with Cumulus and Oxygen fabrics. Asphalt ......SL20 Acorn ......SL21 Shiraz ......SL23 Verdant ......SL24 Jade ...... \$L27 Charcoal ......SL30 Claret ......SL32 Sapphire ...... **SL36**

#### **GRADE 2 (VINYL)**

For availability of chair series in Vinyl, please contact a Global Sales Representative.

<b>Allante FRee</b> - 100% Vinyl Face 100% Polyester Backing	e/
Illusion	A01F
Bright White	
White Crush	
lvory	A04F
lce	
Bleached Sand	A06F
Taupe Fawn	
Warm Smoke	
Autumn Rain	A09F
Cookie	A10F
Sierra Brick	A11F
Gibraltar	A12F
Chateau Grey	A13F
Golden Green	A14F
Oasis Green	A15F
Ink Black	A16F
Purple impulse	A17F
Italian Rose	A18F
Mountain Sky	A19F
Old Navy	
Galaxy	A21F
Red Truffle	A22F
Chocolate Sundae	A23F

Eclipse ......A25F

#### **GRADE 3 (RECYCLED)**

Couture - 100% Post-Consumer	
Polyester	
Champagne	CE70
Mocha	CE71
Pecan	CE72
Raspberry	CE73
Sapphire	CE74
Neptune	CE75
Lake	
Willow	
Sassy	CE78
Fudge	
Persimmon	CE80
Carbon	CE81
Sterling	CE82
Peat	CE83

## PANEL COM REQUEST FOR APPLICATION TEST

## SEND COMPLETED FORM AND FABRIC TO:

Compile Customer Service 565 Petrolia Road, Doors 1 & 2 Toronto, Ontario M3J2X8 Phone: 416.739.5000

Requested By:'		
Phone #:		Fax #:
Project Name		Dealer/Specifier
Dealer Contact:		Evolve CSR:
Phone #:		Fax #:
FABRIC INFORMATION		
Fabric Manufacturer:		
Color Name:		Color #:
Pattern Name:		Pattern #:
Content:		
Weight:		Width:
Repeat Horizontal:		Repeat Vertical:
Other Comments:		
REQUEST FOR APPLICATION TES	T (THIS REQUIRES 2 YARDS OF FABRI	IC)
Compile Panel	Compile Tackboard	
Total Number of yards for testing:		
Please Note:		
Compile is not responsible for the du	ty and brokerage fees for C.O.M. Fabric to	o clear customs. These charges will be billed to the dealer on a separate invoice.

# PANEL FABRIC SPECIFICATION SHEET

SEND COMPLETED FORM TO:  Compile Customer Support 565 Petrolia Road, Doors 1 & 2 Toronto, Ontario M3J2X8 Phone: 416.739.5000			
SUPPLIER	REMARKS:		
PATTERN			
WIDTH			
CONTENT			
LIGHT FASTNESS	REMARKS:		
FLAMMABILITY			
TUNNER TEST			
CUT PRICE	REMARKS:		
1 - 3 ROLLS			
4 ROLLS			
DIRECTIONAL	REMARKS:	EASY HARD X-HARD	
PANELS CORNERS			
RACEWAY COVER			
RACEWAY CORNERS	-		
STRETCH			
APPROVED	NOT APPROVED	CONDITIONAL APPROVAL	
REMARKS:			
* This fabric is approved for upholster-ability only. The approval does not account for the durability of the fabric at the time of, and after installation of the product			
APPROVAL SIGNATURE: DATE:			

# **C.O.M AUTHORIZATION FORM FOR COMPILE PEDESTAL CUSHIONS**

#### **CUSTOMER INFORMATION**

To be completed by the dealer/design firm. Use one form per textile. Incomplete information may delay or prevent approval.

A+D/Dealer/Company Name:	Contact:	Date:		
Billing Address:	Phone:	Date.		
·				
	Fax:			
End-User/Project Name:	End-User/Project Registered?	? YES NO If YES, The Evolve Quote#:		
TEXTILE APPLICATION INFORMATION				
MODEL NUMBER	QUANTITY	SPECIAL INSTRUCTIONS		
IIIO E IIIO III E II	20/111111	0.2012.110110011010		
Textile Name (Series/Style #):				
Textile Color Name and Description:				
Country of Origin:				
Mill or Manufacturer's Name:				
Textile Content (% Cotton, % Poly, % Wool, etc.):				
Textile Width: Pattern Repeat: VERTICAL HORIZONTAL Rail Roaded? YES NO				
TEXTILE DIRECTION	NEW TEXTILE	PREVIOUSLY APPROVED TEXTILE		
	Attached textile sample (Minimum 5"x 5" Max 12"x 12") In correct DIRECTION and SIDE.	Fax completed form to: 856.596.5684		
	MAIL FORM AND TEXTILE SAMPLE ONLY TO: GLOBAL - COM Department			
	17 West Stow Road Marlton, NJ 08053   856.596.3390			
	Please contact your local EVOLVE CustomeCare representative for status of all COM requests. When textile is approved and an authorization number issued, a set of shipping instructions will be faxed or e-mailed to you.			
	Approved textiles are to be shipped to the address that will be included with instructions. Do not ship textiles to the address on this form. Dealer is responsible for the shipping expenses. Brokerage fees will be paid for by Global. However, duties imposed by North American Governments related to textile materials, content and Country of Origin, additional fees may apply and will be billed separately.			
*	Please Note: C.O.M Textiles may not be shipped without shipping documents. GLOBAL is not responsible for any material shipped without the authorization number.			
STAPLE FABRIC TO THIS FORM IN THE DIRECTION IN WHICH THE FABRIC IS TO BE UPHOLSTERED WITH THE LEFT SIDE OF THIS PAGE BEING THE SAME LEFT AS THE CUSHION.	Please be advised that Global has phased out the use of textiles that contain certain Phthalates, including but not limited to: DEHP (di (2-ethylhexyl) phthalate), DBP (di-n-butyl phthalate), BBP (butyl benzyl phthalate) and DINP (di-isononyl phthalate) (collectively the "Listed Chemiclas"). The Listed Chemicals are used in certain types of vinyls. Global cannot accept orders for textiles that contain the Listed Chemicals, if such orders are to be shipped to the U.S.A. or are intended for customer in the U.S.A. If you are not sure if the C.O.M you have selected contains the Listed Chemicals, please contact the manufacturer or supplier of the fabric to verify.			
EVOLVE AUTHORIZATION FORM (TO BE COMPLETED BY CUSTOMERCARE REP.)				
CAN#: TEXTILE YARDAGE (REQUIRED FOR THE ORDER):		GU CODE:		
SIGNATURE:	PRINT NAME:	DATE:		

**TOP** 

# **STAPLE** MINIMUM 6" X 6" **FABRIC SAMPLE HERE** IN THE DIRECTION IT IS TO BE **APPLIED TO THE PRODUCT**

**BOTTOM** 

## **APPENDIX**

The Evolve Furniture Group has partnered with the software vendors listed below to provide you with an online source for viewing the 2019 Compile Electronic Catalog. Please visit their websites for additional information and download details.

#### 2020 Technologies

www.2020technologies.com 5503 Mile Road NW Grand Rapids, MI 49544 Phone: 800-638-6002

#### **Ice Edge Business Solutions**

www.ice-edge.com 4001 S 700 East, Suite 450 Salt Lake City, UT 84107 Phone: 801-747-0373

#### KISP

www.kisp.com Customer Support: 416-499-2457 Cad Services Team: 416-499-2457 x3 Customer Service e-mail: tellmemore@kisp.com CAD Services requests CadServices@kisptech.com

#### **Project Matrix**

www.projectmatrix.com 11655 Lebanon Rd. Cincinnati, OH 45241 Tech Support Instant Messenger: projectmatrixtech@yahoo.com Phone: 513.554.1665 Fax: 513.554.1255

#### Quintero-Smith Incorporated/Midnight Oil

www.midnight-oil.com 10469 Kinnard Avenue Los Angeles, CA 90024 voice: 800-350-7434 (US Only) international: 310-478-5140 fax: 310-478-4572 e-mail: jimsr@q-si.com

## TERMS & CONDITIONS

#### APPLICATION OF STANDARD TERMS

Sales of Evolve products are made only on Evolve standard terms and conditions of sale which are contained in the Price Book and in Evolve's order acknowledgments. These standard terms and conditions may be modified or supplemented only by a separately written document signed by Evolve's authorized personnel at its head office in Marlton, New Jersey. An offer by Purchaser of said terms and conditions shall not be binding until accepted by Evolve in writing.

All illustrations, specifications and prices in this Price List are based on the latest product information available at the time of publication. Evolve reserves the right to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

#### PRICES AND PAYMENT

The prices shown in this Price List, as well as those quoted by Evolve, shall be in US dollars for orders shipped to destinations within the continental United States

Prices listed herein are for standard product. Quotations for special product are available through Evolve Customer Support Department in Marlton, New Jersey.

If shipping date requested is more than 90 days from date of order Evolve shall use published list prices effective at the time of shipment.

Not included in the list price are special or export packing, unpacking and installation. Orders are invoiced at the time of shipment. The Customer agrees to pay a charge of 2% per month of invoices outstanding more than 30 days.

#### FOR PAYMENTS ONLY, MAIL TO:

Evolve Furniture Group, a division of: Global Industries, Inc. 17 West Stow Road P.O. Box 562 Marlton, New Jersey 08053

Any products sold shall remain the property of Evolve until fully paid for in cash. The Purchaser agrees to perform all acts which may be necessary to perfect and assure retention of title to such products to Evolve until such time as the goods have been paid for in full.

Freight charges will be prepaid by Evolve to destinations within the contiguous United States on shipments of \$10,000 list and greater. For shipments less than \$10,000 list, the freight charge will be 5% of the total list price.

Please note exception below:

All showroom and mock-up orders will be subject to actual freight charges.

Evolve shall, in its sole discretion, determine the most appropriate method of shipment routing and carrier. Shipments of less than a full trailer load (LTL) shall ship via common carrier. These LTL shipments are not subject to specific delivery days or times. Full trailer loads will provide for dedicated delivery time and schedule. Purchaser may request special packaging or method of shipment at Purchaser's sole expense.

#### **TAXES**

All sales, use, excise and other applicable taxes and the collection and reporting thereof (excluding only taxes on the net income of Evolve) are the Purchaser's responsibility and will be invoiced to the Purchaser. If Purchaser claims an exemption from such taxes, it shall be the Purchaser's responsibility to furnish an appropriate exemption certificate to Evolve.

#### ORDER INFORMATION

Evolve requires that all orders be submitted in writing to avoid errors and/or duplication. Orders will be acknowledged with Evolve's acknowledgement forms governing the transaction. The details appearing on the acknowledgement will describe the items to be shipped to Purchaser who must ascertain that they are correct. If not correct, Purchaser should notify Evolve immediately by telephone or fax followed by written confirmation. Acknowledgment shows approximate shipping date of items ordered. Shipping dates are assigned to orders based on the item having the longest manufacturing lead time. Orders with Customer's Own Material (C.O.M.), or missing or incorrect information (finish selections, fabric selections, etc.) will be scheduled for manufacturing upon receipt of COM or correct complete information. Purchaser must indicate if multiple shipping schedules are required including noting if the shipping date requested is longer than standard posted lead time. Each shipment will be invoiced at time of shipping and will be subject to payment terms described herein.

#### C.O.M. CUSTOMER'S OWN MATERIAL

Should Purchaser request a fabric, not standard to the Evolve upholstery line, Purchaser shall submit a sample of not less than two yards for approval. Evolve will determine whether fabric is suitable to manufacturing process and applicable UL or code requirements. Should Evolve be required to test such fabric, it shall so advise Purchaser, and Purchaser shall be responsible for all costs associated therewith. This includes all duty and brokerage fees.

Fabric yardage requirement will be determined by Evolve. An additional charge may be made to cover the cost of cutting, matching or sewing unusual or directional patterns. Evolve shall have no responsibility for condition, quality, performance, physical properties or any other aspect of C.O.M. For panels, price as if grade 1 fabric is used.

Evolve reserves the right to reject any C.O.M. deemed unsuitable

Evolve reserves the right to cancel an order at any time if C.O.M. is, in the sole judgement of Evolve, inadequate for any reason.

#### CHANGES AND CANCELLATION

The order may not be changed or cancelled by Purchaser without the written consent of Evolve. This charge can be as much as 100% based upon proximity to scheduled shipment date. Special order items and fabric-covered items already in production are not subject to change or cancellation under any circumstances. Fabric-covered items are considered to be in production once the fabric has been cut

#### **DEPOSIT ON SPECIAL ORDERS**

Orders for nonstandard products may, at Evolve's discretion, require deposit prior to scheduling of production, the amount of the deposit being credited against the total price of the project.

#### SUSPENSION

In the event that the Purchaser defaults in the payment of any sum due Evolve, or in the event the Purchaser's financial condition becomes unsatisfactory to Evolve, Evolve shall have the right at its option, upon written notice to the Purchaser, to cancel shipment of any goods, unless within ten (10) days of Purchaser's receipt of such notice Purchaser provides assurance of payment to Evolve in such form, content and/or amounts as Evolve, in its sole discretion, deems adequate.

#### **COMBINED SHIPMENTS**

Evolve will make every effort to combine shipments and orders on written request. However, acceptance of such request shall be with Evolve's sole discretion.

#### **CODE RESTRICTIONS**

Evolve portable furniture may be subject to local fire, electrical and/or building codes applicable to portable furniture. It shall be Purchaser's sole responsibility for the proper application of Evolve items within the limitations of such local codes, which may be different from area to area.

#### SERVICE

Service problems shall be handled by the authorized Evolve dealer. Where this cannot be accomplished on a local level, service problems should be referred to: **Evolve Furniture Group** 

**Customer Support** 17 West Stow Road Marlton, New Jersey USA 08053 856-552-4000 888-827-2500 Attention: Evolve Operations Manager

#### **STORAGE**

In the event Purchaser requests postponement of delivery beyond the acknowledged shipping date, Evolve may transfer the goods to storage on Purchaser's account and at Purchaser's risk and expense subject to a daily storage rate. Such transfer to storage shall be deemed shipment to Purchaser for all purposes, including invoicing and payment.

#### **DELAYS**

Evolve's order acknowledgement will state a shipping date which is Evolve's best estimate at the time the order is acknowledged. However, Evolve shall not incur any obligation or liability to Purchaser for failure to ship by a specified date. In addition, Evolve shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, act of enemies, delay or default in transportation, strike disputes among or between unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Evolve, whether of the class of causes enumerated or otherwise. Without limiting the generality of the foregoing, Evolve may, without causing any breach or incurring liability, allocate goods which are in short supply, regardless of the reasons therefore, among purchasers, in any manner which Evolve, in its sole discretion, deems advisable.

#### **BACK CHARGES**

Evolve will not accept charges for expense incurred by the Purchaser in expediting shipments or otherwise. Evolve will not accept charges for the repair of damage by others.

#### **CLAIMS**

All goods are sold F.O.B. Toronto, Canada, unless otherwise agreed to in writing by Evolve. Evolve is not responsible for damage which occurs in transit or in storage. The carrier signs for all goods received in good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Any claims made against Evolve for apparent defects, errors or shortages must be made by the Purchaser in writing, within fifteen (15) working days after any delivery. Failure by the Purchaser to make any claim against Evolve within the above-described fifteen days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

#### RETURNS

No returns of goods will be accepted without written consent and shipping instructions, including Evolve's Return Goods Authorization (R.G.A.) numbers, to Evolve. A minimum restocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Evolve in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items and fabric-covered items are in no event subject to return. All returns must be approved and authorized in writing by Evolve Customer Support, Marlton, New Jersey.

#### LIFETIME WARRANTY

Evolve warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original purchaser. This warranty is made by Evolve only to original customers acquiring the product directly from Evolve's authorized dealers. The customer's sole remedy pursuant to this warranty is limited to repair or replacement of parts or product at Evolve's option. Consent from Evolve must be obtained before any warranty work is performed. This warranty shall not apply to any products which must be replaced because of normal wear and tear, negligence, abuse or "accident", shipping damage, or product use and installation other than in accordance with written instructions or warnings. It shall also not apply when product has been modified or altered, repaired or refurbished by someone other than Evolve or an authorized dealer or because of natural variations over which Evolve has no control. In the event of repair and/or replacement of any defective product, Evolve does not warrant matching color, grain, texture or dye lots. Evolve's warranty does not cover the cost of transportation or labor. Repair or replacement will be at Evolve's option. Evolve makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, expressed or implied, other than those set forth in this Price List. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Evolve be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

This Lifetime Warranty is NOT applicable to customers who use Evolve products for rental purposes and is effective only for products, parts or components manufactured after January 1, 2011.

Exceptions to this warranty include:

- · Global fabrics and wood veneers, which are warranted for five years from date of delivery.
- Electrical components, which are warranted for ten years from the date of delivery.
- · Moving parts such as glides, slides, casters, useradjustable worksurface mechanisms, which are warranted for five years from date of delivery.

 Fading on fabric and wood veneers can be caused by exposure to U.V. rays/sunlight. Natural wood veneer, being a natural material, will have shade differences between veneer sheers, the difference will be more apparent between dye lots.

Evolve does not warrant color fastness on Customer's

Because of natural variations over which Evolve has no control, this warranty does not extend to color, grain or texture of wood, and Evolve does not warrant matching of color, grain or texture.

Evolve makes no warranties, including implied warranties of merchantability and fitness for a particular purpose, other than the express warranties contained herein

#### LIMITATION OF REMEDY

Purchaser's sole and exclusive remedy (excluding the repair or replacement of goods for breach of the express warranty above) for any matter or claim arising under or relating to these terms and conditions, the goods covered hereby and any transaction involving or relating to such goods, whether in contract, tort (including negligence) or otherwise, shall be payment of the lesser of the cost to repair or replace said product or the purchase price for the goods to which the claim relates. In no event shall Evolve be liable for any special, indirect, consequential, or incidental damages, including without limitation, damages for loss of business profits, business interruptions, or loss of information.

#### **EVOLVE'S WARRANTY DOES NOT APPLY (FOR** ANY PRODUCT CATEGORY) TO THE FOLLOWING:

- · Failures due to wear and tear
- · Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Evolve's written instructions and warnings
- · Modifications, attachments or repair methods not approved by Evolve
- · Damage caused by a carrier in transit, or delivery/ installation contractors
- · The matching of colors, grains or textures (wood, leather, etc.) of natural materials and color matching of textiles
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- · Colorfastness or the matching of color of textiles
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/ edges from exposure to sunlight (including UV rays)
- Products used for rental purposes

Evolve's warranty applies to products sold within the United States of America, Mexico, the Commonwealth of Puerto Rico and Canada.

#### showrooms and distribution centers throughout the united states

#### SHOWROOMS

Atlanta 10 10th Street, Suite 150 Atlanta, GA 30309 T 404.879.0998

#### Boston

One Harbor Street, Suite 104 Boston, MA 02210 T 617.406.5435

**Chicago** The Merchandise Mart 10th Floor, Suite 1035 Chicago, IL 60654 T 312.755.0843

#### Miami

112 NE 41st Street 6th floor Miami, FL 33137

#### New Jersey (Southern)

Marlton, NJ 08053 T 856.596.3390

## **New York City**

386 Park Avenue South, 7th floor New York, NY 10016 T 212.545.9900

#### Philadelphia

38th Floor Philadelphia PA, 19103 215.861.0963

#### Phoenix

4675 East Cotton Center Boulevard, Suite 165 Phoenix, AZ 85040 T 602.426.0666

#### Washington, DC

Avenue Washington, DC 20036 T 202.659.0230

#### SHOWROOMS + DISTRIBUTION CENTERS

#### Atlanta Area

2124 Evergreen Blvd. Duluth, GA 30096 T 678.602.4130

#### Baltimore Area

Troy Hill Corporate 7030 Troy Hill Drive Elkridge, MD 21075 T 410.379.8021

#### **Boston Area**

19 Connector Rd., Unit 1 Andover, MA 01810 T 978.470.8463

Chicago Area 27W501 North Avenue West Chicago, IL 60185 T 630.681.2818

#### Cincinnati Area

8712 LeSaint Drive Fairfield, OH 45014 T 513.777.0009

#### Dallas Area

2025 W. Beltline Rd., #100 Carrollton, TX 75006 T 972.236.1366

**Denver Area** 16401 E. 33rd Dr., Ste. 50 Aurora, CO 80011 T 303.340.1617

#### Ft. Lauderdale Area

560 Sawgrass Corporate Parkway Sunrise FL 33325 T 954.846.8888

#### Houston

7865 Northcourt Road, Building D, Suite 200 Houston, TX 77040 T 713.695.5777

#### Kansas Area

11617 West 81st Street Lenexa, KS 66214 T 913.310.9963

#### Los Angeles Area

12320 Bloomfield Avenue, Unit A Santa Fe Springs, CA 90670 T 562.484.9686

Tampa Area 10351 Windhorst Road Tampa, FL 33619 T 813.621.6272

#### Seattle Area

Oakesdale Commerce Center 820 Southwest 34th St. Building W7, Suite A Renton, WA 98057 T 425.291.9282





17 West Stow Road P.O. Box 562 Marlton, New Jersey U.S.A. 08053 Tel (856) 596-3390 (800) 220-1900 Fax (856) 596-5684 www.globalfurnituregroup.com



Downsview, ON Canada M3J 2J7 Sales & Marketing: Tel (1-877) 446-2251 Customer Service: Fax (800) 361-3182 Government Customer Service: Fax (416) 739-6319







