



evolve systems



ISO 14001:2004 Registered
CGSB #006b



the BIFMA sustainability standard
SCS-SCF0245-4

PROTECTING THE ENVIRONMENT FOR FUTURE GENERATIONS

Our environmental success story began with the challenge to create an office system that would meet today's business requirements while maintaining a firm commitment to save and protect the environment.

Sustainability became a part of the creative focus and development of Evolve that incorporates the latest technology and design features to provide excellent performance at a competitive price.

As government and industry environment ratings such as LEEDS & Greenguard become more prevalent, Evolve offers designers and architects functional, attractive, and economical office designs that meet these standards.

Evolve is a leader in reducing waste in the manufacturing of its products as well as utilizing recycled materials wherever possible. We make extensive use of recycled plastic and wood waste from other Global factories.

Evolve is committed to the continuous improvement of our environmental systems, the prevention of pollution, and to comply with both the spirit and the letter of all relevant environmental legislation.

Evolve Panels are 100% recyclable at the end of their lifespan. Nothing from an Evolve Panel needs to end up in a landfill.

PRODUCT INFORMATION

Evolve offers fabrics that are made from 100% recycled polyester, which means less waste going to landfills. These fabrics also reduced the demand for petroleum products, and decrease the environmental impacts of processing those petroleum products into polyester.

Evolve has developed a Panel interior made from 100% recycled wood and polypropylene. Through innovative design and technology, Evolve utilizes waste that would have normally been sent to landfill.

Evolve Panels are insulated with Roxul, a mineral wool insulation made from slag, an inert steel by-product, and basalt rock. Roxul is a high density product that provides maximum sound absorption to reduce noise in the work environment. Roxul insulation is fire resistant, water repellent and will not support the growth of fungi or mildew.

Evolve's epoxy powder coating process involves no liquids and is solvent free. It contains no harmful VOC's or lead. Up to 99% of over sprayed powdered is reclaimed, mixed with virgin powder and reused.

BEAM

Power Beam

- All metal components are painted with environmentally friendly epoxy powder.
- Raceway Interiors are coated with recycled epoxy powder.
- The entire Evolve Power Beam and the processes used to manufacture it are designed to save and protect the environment. Evolve panels are made from recycled materials and are 100% recyclable.
- Components conform to CGSB and ANSI/BIFMA Standards
- The quality and performance level of these panels have been tested to equal or exceed the requirements of the U.S. Government.
- Power Beam has a steel frame and is 2 7/8" thick. Corner posts create a panel creep of 3 1/4".
- Leveling Glides extend 1 1/2" high.

Power Beam Options

- Power Beams are available in the following heights: 24", 30", and 36".
- Module widths come in seven (7) sizes: 36", 42", 48", 54", 60", 66" and 72"
- Straight, 90 Degree & 120 Degree

Extension Module Options

- Acoustic Fabric (Tackable), Glazed, Open, Laminate, Whiteboard,, Air Flow.
- Attaches to the top of the Power Beam or another extension module (not to exceed 42"h above finished floor).
- Offered in 6", 12", and 18" heights
- Can be stacked up to 42" high above the finished floor (A.F.F.)

Beam Reconfiguration

- Extension Modules can be modified on site by replacing fabric modules with Glazed, Open, Laminate, Whiteboard or Air Flow at any time after the initial installation.
- Fabric can be replaced easily; using pre-cut segments of fabric, a drawstring (C-Jex) is sewn in around the edges. Then a rubber spline is used to 'screen' the fabric in place.

VOICE/DATA AND ELECTRICAL POWER

- NOTE: Panels and Electric components are CSA/UL approved. Tools are not required to install electrical in the Power Beam.

Electric Information

- Electric can be run in all three Power Beam heights (24"h, 30"h or 36"h)
 - 8-Wire, 4-Circuit Capability
 - 2 Utility + 2 Dedicated Circuits
 - 10 Gauge (oversized) Neutrals
- All circuits can support up to 20 amps (15 CSA)
- Contact Evolve customer care for additional wiring options.

Raceway Information

- Raceway knockouts sizes conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.38" x 2.71".
- Power Beam raceway is available at 36" - 72" wide.
- 36" - 60" - 2 electric / 1 data on each side.
- 66" & 72" - 4 electric / 1 data on each side. (When specifying 4 duplexes on one side 2 i-connectors are required per side.)
- Standard data face mount plates can be used without the need of adapter plates (supplied by others).
- **Cabling Capacities**
(calculations below are based on .25" diameter communication cables.)
- **Power Modules**
 - Without Electric – 65 Cables
 - With Electric – 54 Cables
- **Panel Connectors - 90 Degree Connector Posts**
 - Without Electric – 45 cables
 - With Electric – 25 Cables

WORK TABLES

Freestanding Tables

- Foli height adjustable (23" or 29"d)
- Bungee (20", 24" or 30"d)
- Junction (20", 24" or 30"d)
- 2gether (18" or 24"d)

- **Power Beam is a freestanding beam system and does not support attachment of an Evolve brackets or overhead storage including cantilevers or other support brackets.**

WARRANTIES AND PERFORMANCE

- A Lifetime Warranty
- Non Obsolescence Warranty
- Reduced cost of assembly and reconfiguration
- ISO9001:2000 Registered
- ISO14001:2004 Registered
- GreenGuard Certified
- ANSI/BIFMA CGSB testing on all products
- For piece of mind over the long term, we cover you with a comprehensive warranty that is supported by our dealer network.
- Some installation companies claim that the Evolve Panels System can be installed in half the time it takes to install most of our competitor's segmented panels. This cost saving can amount to thousands of dollars over the lifetime of our furniture.
- Your assurance of consistent quality to an international standard. Evolve Systems is committed to design, manufacture and distribute superior quality office furniture, which meets or exceeds the requirements of our customers.
- Confirmation that Evolve is committed (1) to providing product that, through their entire life cycle, minimize negative environmental impacts on the environment, (2) to continuous improvement to our environmental systems and programs and (3) to comply to all relevant environmental legislation and regulations.
- Evolve Systems can help a company meet LEED requirements for office furniture.
- Evolve components are tested to the highest standard in the industry. This is your assurance of quality and longevity.



TECHNICAL FEATURES OF POWER BEAM:

- Evolve Power Beam is 2 7/8" thick.
- An aluminum low profile top cap is included with Power Beams.
- Power Beam will accommodate 65 .25" diameter communication cables without electrical or 54 .25" diameter communication cables with electrical.
- 90-degree post extension accommodates 45 .25" diameter communication cables without electrical and 25 .25" diameter communication cables with electric.
- Raceway knockout openings are 1.38" x 2.71".

BASIC FEATURES OF POWER BEAM:

- Power Beam is available in three (3) heights: 24"h, 30"h and 36"h; and seven (7) widths: 36"w, 42"w, 48"w, 54"w, 60"w, 66"w and 72"w.
- There is no panel creep in a straight Beam-to-Beam configuration; however, a corner post (2, 3, 4 way) will add 3.25" inches to a beam run.


BASIC FEATURES OF EXTENSION MODULES:


- Extension modules stack on the top of a Power Beam or another extension module (maximum height - 42"h, above finished floor).
- Fabric extension modules may have different fabrics on opposite sides within the same grade with no up-charge.
- If different grades of fabric are used on one module, the entire modules will be priced utilizing the fabric with the highest grade.


GENERAL WARRANTY INFORMATION:


- Panel and tackboard textiles, adjustable keyboard mechanisms, tasklights and electrical devices = ten (10) Years
- Other parts = Lifetime Warranty


POWER BEAM





- 

**POWER BEAM
RACEWAY**
- 

**VERTICAL
BASE INFEED
COVER**
- 


LEGS
- 


**EXTENSION
MODULE
CONNECTOR**
- 


**EXTENSION
MODULE**
- 


**END OF RUN
TRIM**


EXTENSION MODULE MATERIALS


- 

FABRIC
- 

LAMINATE
- 

GLASS
- 

WRITE BOARD
- 

AIRFLOW
- 


OPEN



POWER BEAM KITS



EVPBE - 6" HIGH POWER BEAM KIT WITH ELECTRICAL CUTOUT FOR BASE INFEED (36"W TO 60"W)

- Power beam with bottom cut out (on one end) for base infeed
- Aluminum top trim and bottom trim included
- Bottom trim has a cut out on one side for electrical access and a bracket to connect to the vertical base infeed cover (ordered separately)
- Vertical base infeed cover with support leg ordered separately

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	EVPBE36	233	6	36	2 7/8
	EVPBE42	252	6	42	2 7/8
	EVPBE48	274	6	48	2 7/8
	EVPBE54	300	6	54	2 7/8
	EVPBE60	311	6	60	2 7/8

EVPBE - 6" HIGH POWER BEAM KIT WITH ELECTRICAL CUT OUT FOR BASE INFEED (66"W AND 72"W)


- Power beam with bottom cut out (on one end) for base infeed
- Aluminum top trim and bottom trim included
- Bottom trim has a cut out on one side for electrical access and a bracket to connect to the vertical base infeed cover (ordered separately)
- Vertical base infeed cover with support leg ordered separately

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	EVPBE66	500	6	66	2 7/8
	EVPBE72	519	6	72	2 7/8

POWER BEAM KITS



EVPB - 6" HIGH POWER BEAM RACEWAY (36"W TO 60"W)

- Aluminum top trim and bottom trim included
- No access for base infeed
- Support legs ordered separately

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
		LP	H	W	D
	EVPB36	222	6	36	2 7/8
	EVPB42	236	6	42	2 7/8
	EVPB48	258	6	48	2 7/8
	EVPB54	282	6	54	2 7/8
	EVPB60	294	6	60	2 7/8


EVPB - 6" HIGH POWER BEAM RACEWAY (66"W AND 72"W)

- 66" Power Beam Kit consists of (1) 30" Power Beam and (1) 36" Power Beam Inline connector and hardware included
- 72" Power Beam Kit consists of (1) 36" Power Beam and (1) 36" Power Beam with bottom cut out for a base feed. Inline connector and hardware included
- One piece aluminum top trim and one piece aluminum bottom trim included
- No access for base infeed
- Support legs ordered separately

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
		LP	H	W	D
	EVPB66	473	6	66	2 7/8
	EVPB72	491	6	72	2 7/8

EVPBEP - POWER BEAM WITH ELECTRICAL CUT OUT FOR PASS THROUGH CABINET

- Power beam with electrical cut out for base feed from pass though cabinet
- Aluminum top trim included
- 60" Power beam kit includes two 30" power distribution housing (EVE8PD30) and jumper cable (EVE8CP17)
- 72" Power beam kit includes two 36" power distribution housing (EVE8PD36) and jumper cable (EVE8CP17)
- Provides two duplex receptacle per panel side
- Power beam base feed to be ordered separately
- Power Beam Storage cabinet with pass through needs to be ordered separately (EVPBSCGDP or EVPBSCP) See page 34



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
		LP	H	W	D
	EVPBEP60KIT	769	6	60	2 7/8
	EVPBEP72KIT	1020	6	72	2 7/8

NOTE: To be used with cable pass through cabinet

POWER BEAM KITS / VERTICAL BASE INFEED COVER W/LEG

EVPBEP - POWER BEAM WITH ELECTRICAL CUT OUT FOR PASS THROUGH CABINET


- Power beam with electrical cut out for base feed from pass though cabinet
- Aluminum top trim included
- 60" Power beam kit includes two 30" raceway covers per side
- 72" Power beam kit includes two 36" raceway covers per side
- 60" Power beam kit includes two 30" power distribution housing (EVE8PD30) and jumper cable (EVE8CP17)
- 72" Power beam kit includes two 36" power distribution housing (EVE8PD36) and jumper cable (EVE8CP17)
- Provides four duplex receptacle per panel side
- Power beam base feed to be ordered separately
- Power Beam Storage cabinet with pass through be ordered seperately (EVPBSCGDP or EVPBSCP)

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	EVPBEP60KIT01	789	6	60	2 7/8
	EVPBEP72KIT01	1020	6	72	2 7/8

NOTE: To be used with cable pass through cabinet

EVPBFCL - VERTICAL BASE INFEED COVER INCLUDING SUPPORT LEG WITH FOOT


- Connects to Power Beam Kit with electrical cut out
- Includes vertical cover and slotted connector support leg with foot
- Power Beam kit with electrical cut out ordered separately
- Base infeed ordered separately

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	EVPBFCL24	188	24	6	18
	EVPBFCL30	211	30	6	18
	EVPBFCL36	232	36	6	18

VERTICAL BASE INFEED COVER W/LEG FOR NY POWER BOX ENTRY


EVPBFCSL - VERTICAL BASE POWER FEED COVER WITH SINGLE LEG

- Connects to electrical cut out power beam
- Includes vertical covers and slotted connector with single leg
- For one sided Power beam application
- Laminate end panels must be attached to single leg at end of power beam run for stability
- Laminate end panels to be ordered separately
- End of run trim below power beam included
- Power beam with electrical cut out to be ordered separately

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
		LP	H	W	D
	EVPBFCSL24	188	24	15	
	EVPBFCSL30	212	30	15	
	EVPBFCSL36	232	36	15	


EVPBFBG - VERTICAL BASE INFEED COVER INCLUDING SUPPORT LEG WITH GLIDE

- Connects to Power Beam Kit with electrical cut out
- Includes vertical cover and slotted connector support leg with glide
- Power Beam Kit with electrical cut out ordered separately
- Base infeed ordered separately

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
		LP	H	W	D
	EVPBFCG24	158	24	6	2 7/8
	EVPBFCG30	180	30	6	2 7/8
	EVPBFCG36	202	36	6	2 7/8

EVPBFCLXXNY - VERTICAL COVER WITH LEG FOR NY BOX POWER ENTRY

- Connects to electrical cut out power beam
- Includes vertical covers and slotted connector with leg
- End of run trim below power beam included
- Power Beam with electrical cut out to be ordered separately


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
		LP	H	W	D
	EVPBFCL24NY	188	24	6	21
	EVPBFCL30NY	211	30	6	21
	EVPBFCL36NY	232	36	6	21



VERTICAL BASE INFEED COVER W/LEG FOR NY POWER BOX ENTRY / SUPPORT LEGS


EVPBFBGXXNY - VERTICAL COVER WITH GLIDE FOR NY BOX POWER ENTRY

- Connects to Power Beam Kit with electrical cut out.
- Includes vertical covers and slotted connector with glide base.
- End of run trim below power beam included.
- Power Beam with electrical cut out to be ordered seperately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	EVPBFCG24NY	158	24	6	2 7/8
	EVPBFCG30NY	180	30	6	2 7/8
	EVPBFCG36NY	202	36	6	2 7/8


EVPBL - POWER BEAM CONNECTOR SUPPORT LEG WITH FOOT

- Connects two Power Beams in a straight run.
- 24'h -- 18" open to floor
- 30"h -- 24" open to floor
- 36"h -- 30" open to floor

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	EVPBL24	93	24	18	
	EVPBL30	98	30	18	
	EVPBL36	102	36	18	

EVPBLFF - POWER BEAM LEG WITH FLAT FOOT


- Connects two Power Beams on equal height.
- Includes connector with flat foot, connecting hardware.
- Note: Leg has to be used next to Post legs with glides. When specifying please keep sequence post leg with glide, leg with flat foot, post leg with glide. Only post legs with glide provides adjustment for leveling power beams run.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	EVPBLFF24	110	24	21	
	EVPBLFF30	116	30	21	
	EVPBLFF36	123	36	21	

SUPPORT LEGS


EVPBSL - POWER BEAM SINGLE LEG

- Connects two Power Beams in a straight run.
 - Includes non slotted connector with leg, glides and connecting hardware
 - For one sided Power beam application
- Laminate end panels must be attached to single leg at end of power beam run for stability
 - Laminate end panels to be ordered separately

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
		LP	H	W	D
	EVPBSL24	93	24	15	
	EVPBSL30	98	30	15	
	EVPBSL36	102	36	15	


EVPBCB - POWER BEAM CONNECTOR SUPPORT LEG WITH GLIDE

- Connects two Power Beams in a straight run.
 - 24'h -- 18" open to floor
- 30"h -- 24" open to floor
 - 36"h -- 30" open to floor

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
		LP	H	W	D
	EVPBGICB24	62	24	2	
	EVPBGICB30	67	30	2	
	EVPBGICB36	72	36	2	

EVPB24CPA - ONE WAY POST WITH T LEG FOR 24" H POWER BEAM


- One way post attaches to end of power beam run
 - Post and connecting hardware add 3.25" to power beam run
- Includes post, power beam T leg, post with trim all around, levelling glide, hardware and trim kit
 - Includes two floor mount plates to secure post to floor

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
		LP	H	W	D
	EVPB24CPA124	292	24	3	2 7/8
	EVPB24CPA130	309	30	3	2 7/8
	EVPB24CPA136	320	36	3	2 7/8
	EVPB24CPA142	363	42	3	2 7/8

SUPPORT LEGS / CORNER POST - 90-DEGREE


EVPB30CPA - ONE WAY POST WITH T LEG FOR 30" H POWER BEAM

- One way post attaches to end of power beam run
- Post and connecting hardware add 3.25" to power beam run
- Includes post, power beam T leg, post with trim all around, levelling glide, hardware and trim kit
- Includes two floor mount plates to secure post to floor

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	EVPB30CPA130	309	30	3	2 7/8
	EVPB30CPA136	320	36	3	2 7/8
	EVPB30CPA142	363	42	3	2 7/8


EVPB36CPA - ONE WAY POST WITH T LEG FOR 36" H POWER BEAM

- One way post attaches to end of power beam run
- Post and connecting hardware add 3.25" to power beam run
- Includes post, power beam T leg, post with trim all around, levelling glide, hardware and trim kit
- Includes two floor mount plates to secure post to floor

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	EVPB36CPA136	320	36	3	2 7/8
	EVPB36CPA142	363	42	3	2 7/8

EVPBCEPLA - POWER BEAM 2 WAY CORNER POST


- Connects two power beams of equal height in 90 degree configuration
- Post and connecting hardware add 3.25" to power beam run
- Includes one post, two nonslotted power beam connectors, post with trim all around, levelling glide, hardware and trim kit

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBCEPLA224	150	24	3	3
	EVPBCEPLA230	154	30	3	3
	EVPBCEPLA236	162	36	3	3

CORNER POST - 90-DEGREE


EVPBCEPLA - POWER BEAM 3 WAY CORNER POST

- Connects three power beams of equal height in 90 degree configuration
- Post and connecting hardware add 3.25" to power beam run
- Includes one post, three nonslotted power beam connectors, post with trim all around, levelling glide, hardware and trim kit

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBCEPLA324	164	24	3	3
	EVPBCEPLA330	170	30	3	3
	EVPBCEPLA336	179	36	3	3


EVPBCEPLA - POWER BEAM 4 WAY CORNER POST

- Includes one post, four nonslotted power beam connectors, post with trim all around, levelling glide, hardware and trim kit
- Connects four power beams of equal height in 90 degree configuration
- Post and connecting hardware add 3.25" to power beam run

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBCEPLA424	196	24	3	3
	EVPBCEPLA430	210	30	3	3
	EVPBCEPLA436	216	36	3	3

EVPBCIPLA - POWER BEAM INLINE 2 WAY CORNER POST


- Connects two power beams of equal height in inline configuration
- Post and connecting hardware add 3.25" to power beam run
- Includes one post, two nonslotted power beam connectors, post with trim all around, levelling glide, hardware and trim kit

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBCIPLA224	150	24	3	3
	EVPBCIPLA230	154	30	3	3
	EVPBCIPLA236	162	36	3	3

CORNER POST - 90-DEGREE


EVPB24CPA - PANEL TO 24" H POWER BEAM 2 WAY CORNER POST

- Connects one panel and one 24" H power beam in 90 degree configuration
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit
- Post and connecting hardware add 3.25" to power beam run
- Pass thru only for power beam

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	EVPB24CPA230	151	30	3	3
	EVPB24CPA236	187	36	3	3
	EVPB24CPA242	187	42	3	3


EVPB30CPA - PANEL TO 30" H POWER BEAM 2 WAY CORNER POST

- Connects one panel and one 30" H power beam in 90 degree configuration
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit
- Post and connecting hardware add 3.25" to power beam run
- Pass thru only for power beam

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB30CPA230	151	30	3	3
	EVPB30CPA236	187	36	3	3
	EVPB30CPA242	187	42	3	3

EVPB36CPA - PANEL TO 36" H POWER BEAM 2 WAY CORNER POST


- Connects one panel and one 36" H power beam in 90 degree configuration
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit
- Post and connecting hardware add 3.25" to power beam run
- Pass thru only for power beam

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB36CPA236	187	36	3	3
	EVPB36CPA242	187	42	3	3

CORNER POST - 90-DEGREE


EVPB24CPA - PANEL TO 24" H POWER BEAM 3 WAY CORNER POST

- Connects two panels and one 24" H power beam in 90 degree configuration
 - Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit
- Post and connecting hardware add 3.25" to power beam run
 - Pass thru only for power beam

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	EVPB24CPA330	186	30	3	3
	EVPB24CPA336	242	36	3	3
	EVPB24CPA342	242	42	3	3


EVPB30CPA - PANEL TO 30" H POWER BEAM 3 WAY CORNER POST

- Connects two panels and one 30" H power beam in T degree configuration
 - Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit
- Post and connecting hardware add 3.25" to power beam run
 - Pass thru only for power beam

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB30CPA330	186	30	3	3
	EVPB30CPA336	249	36	3	3
	EVPB30CPA342	249	42	3	3

EVPB36CPA - PANEL TO 36" H POWER BEAM 3 WAY CORNER POST


- Connects two panels and one 36" H power beams in T degree configuration
 - Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit
- Post and connecting hardware add 3.25" to power beam run
 - Pass thru only for power beam

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB36CPA336	249	36	3	3
	EVPB36CPA342	249	42	3	3

CORNER POST - 90-DEGREE


EVPB24CPA - PANEL TO 24" H POWER BEAM 3 WAY CORNER POST

- Connects two 24" H power beams with panel in T configuration
 - Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit
- Post and connecting hardware add 3.25" to power beam run
 - Pass thru only for power beam

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	EVPB24CPA330P	186	30	3	3
	EVPB24CPA336P	249	36	3	3
	EVPB24CPA342P	249	42	3	3


EVPB30CPA - PANEL TO 30" H POWER BEAM 3 WAY CORNER POST

- Connects two 30" H power beams with panel in T configuration
 - Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit
- Post and connecting hardware add 3.25" to power beam run
 - Pass thru only for power beam

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB30CPA330P	186	30	3	3
	EVPB30CPA336P	249	36	3	3
	EVPB30CPA342P	249	42	3	3

EVPB36CPA - PANEL TO 36" H POWER BEAM 3 WAY CORNER POST


- Connects two panels and two 36" H power beams in T configuration
 - Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit
- Post and connecting hardware add 3.25" to power beam run
 - Pass thru only for power beam

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB36CPA336P	249	24	3	3
	EVPB36CPA342P	249	30	3	3

CORNER POST - 90-DEGREE


EVPB24CPA - PANEL TO 24" H POWER BEAM 4 WAY CORNER POST

- Connects two panels and two 24" H power beams in X configuration
 - Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit
- Post and connecting hardware add 3.25" to power beam run
 - Pass thru only for power beam

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	EVPB24CPA430	229	30	3	3
	EVPB24CPA436	292	36	3	3
	EVPB24CPA442	292	42	3	3


EVPB30CPA - PANEL TO 30" H POWER BEAM 4 WAY CORNER POST

- Connects two panels and two 30" H power beams in X configuration
 - Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit
- Post and connecting hardware add 3.25" to power beam run
 - Pass thru only for power beam

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB30CPA430	229	30	3	3
	EVPB30CPA436	292	36	3	3
	EVPB30CPA442	292	42	3	3

EVPB36CPA - PANEL TO 36" H POWER BEAM 4 WAY CORNER POST


- Connects two panels and two 36" H power beams in X configuration
 - Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit
- Post and connecting hardware add 3.25" to power beam run
 - Pass thru only for power beam

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB36CPA436	292	24	3	3
	EVPB36CPA442	292	30	3	3

CORNER POST - 120-DEGREE


EVPB6CEPLA - POWER BEAM 2-WAY 120-DEGREE CORNER POST

- Connects two power beams of equal height in 120 degree configuration
- Includes one post, two nonslotted power beam connectors, post with trim all around, levelling glide, hardware and trim kit

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB6CEPLA224	173	24	3	3
	EVPB6CEPLA230	179	30	3	3
	EVPB6CEPLA236	187	36	3	3

EVPB6CEPLA - POWER BEAM 3-WAY 120-DEGREE CORNER POST


- Connects three power beams of equal height in 120 degree configuration
- Includes one post, three nonslotted power beam connectors, post with trim all around, levelling glide, hardware and trim kit

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB6CEPLA324	188	24	3	3
	EVPB6CEPLA330	194	30	3	3
	EVPB6CEPLA336	202	36	3	3

EXTENSION CONNECTORS / POSTS


EVPBIEC - EXTENSION CONNECTOR FOR POWER BEAM

- Attaches to power beam connector
- Includes non slotted extension connector and connecting hardware
- Must be attached to power beam connector with provided screw before installing power beam

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBIEC06	41	6	2 7/8	
	EVPBIEC12	41	12	2 7/8	
	EVPBIEC18	49	18	2 7/8	
	EVPBIEC24	49	24	2 7/8	


EVPBCEPA1 - POWER BEAM CORNER EXTENSION POST 1 WAY

- Connects at end of a run of extension modules
- Post and connecting hardware add 3.25" to power beam run
- Includes one extension post, one non slotted extension connectors for power beam , connecting hardware and trim kit
- Power Beam Corner Extension Post are not stackable

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBCEPA106	76	6	3	3
	EVPBCEPA112	76	12	3	3
	EVPBCEPA118	97	18	3	3
	EVPBCEPA124	97	24	3	3

EVPBCEIPA2 - POWER BEAM INLINE 2 WAY CORNER EXTENSION POST


- Connects two extension modules in inline configuration
- Post and connecting hardware add 3.25" to power beam run
- Includes one extension post, two non slotted extension connectors for power beam, connecting hardware and trim kit
- Power Beam Corner Extension Post are not stackable

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBCEIPA206	83	6	3	3
	EVPBCEIPA212	83	12	3	3
	EVPBCEIPA218	134	18	3	3
	EVPBCEIPA224	134	24	3	3

CORNER EXTENSION POST - 90 - DEGREE


EVPBCEPA2 - POWER BEAM CORNER EXTENSION POST 2 WAY

- Connects two extension modules in 90 degree configuration
- Post and connecting hardware add 3.25" to power beam run
- Includes one extension post, two non slotted extension connectors for power beam , connecting hardware and trim kit
- Power Beam Corner Extension Post are not stackable

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBCEPA206	78	6	3	3
	EVPBCEPA212	78	12	3	3
	EVPBCEPA218	123	18	3	3
	EVPBCEPA224	123	24	3	3


EVPBCEPA3 - POWER BEAM CORNER EXTENSION POST 3 WAY

- Connects three extension modules in 90 degree configuration
- Post and connecting hardware add 3.25" to power beam run
- Includes one extension post, three non slotted extension connectors for power beam , connecting hardware and trim kit
- Power Beam Corner Extension Post are not stackable

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBCEPA306	94	6	3	3
	EVPBCEPA312	94	12	3	3
	EVPBCEPA318	145	18	3	3
	EVPBCEPA324	145	24	3	3

EVPBCEP4 - POWER BEAM CORNER EXTENSION POST 4 WAY


- Connects four extension modules in 90 degree configuration
- Post and connecting hardware add 3.25" to power beam run
- Includes one extension post, four non slotted extension connectors for power beam connecting hardware and trim kit
- Power Beam Corner Extension Post are not stackable

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBCEP406	108	6	3	3
	EVPBCEP412	108	12	3	3
	EVPBCEP418	160	18	3	3
	EVPBCEP424	160	24	3	3

CORNER EXTENSION POST - 120 - DEGREE


EVPB6CEPA1 - POWER BEAM 120 DEGREE CORNER EXTENSION POST 1 WAY

- Connects one extension module in 120 degree configuration
- Includes one extension post, three non slotted extension connectors for power beam , connecting hardware and trim kit
- Power Beam Corner Extension Post are not stackable

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB6CEPA124	126	24	3	3


EVPB6CEPA2 - POWER BEAM 120-DEGREE CORNER EXTENSION POST 2 WAY

- Connects two extension modules in 120 degree configuration
- Includes one extension post, two non slotted extension connectors for power beam , connecting hardware and trim kit
- Power Beam Corner Extension Post are not stackable

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB6CEPA206	78	6	3	3
	EVPB6CEPA212	78	12	3	3
	EVPB6CEPA218	121	18	3	3
	EVPB6CEPA224	121	24	3	3

EVPB6CEP3 - POWER BEAM 120 DEGREE CORNER EXTENSION POST 3 WAY

- Connects three extension modules in 120 degree configuration
- Includes one extension post, three non slotted extension connectors for power beam , connecting hardware and trim kit
- Power Beam Corner Extension Post are not stackable


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB6CEP306	93	6	3	3
	EVPB6CEP312	93	12	3	3
	EVPB6CEP318	145	18	3	3
	EVPB6CEP324	145	24	3	3



POWER BEAM FLX


EVPB24CPSANR - NR PANEL TO 24"H POWER BEAM 4 WAY CORNER POST

- Connects two NR panels and two 24"H power beams in 90 degree configuration
- Post and connecting hardware ad 3.25" to power beam run
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit. Pass through only for power beam, power beam leg slotted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB24CPSA430NR	228	30	3	3
	EVPB24CPSA436NR	292	36	3	3
	EVPB24CPSA442NR	292	42	3	3


EVPB30CPSANR - NR PANEL TO 30"H POWER BEAM 4 WAY CORNER POST

- Connects two NR panels and two 30"H power beams in 90 degree configuration
- Post and connecting hardware ad 3.25" to power beam run
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit. Pass through only for power beam, power beam leg slotted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB30CPSA430NR	228	30	3	3
	EVPB30CPSA436NR	292	36	3	3
	EVPB30CPSA442NR	292	42	3	3

EVPB36CPSANR - NR PANEL TO 36"H POWER BEAM 4 WAY CORNER POST


- Connects two NR panels and two 36"H power beams in 90 degree configuration
- Post and connecting hardware ad 3.25" to power beam run
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit. Pass through only for power beam, power beam leg slotted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB36CPSA436NR	292	36	3	3
	EVPB36CPSA442NR	292	42	3	3

POWER BEAM FLX


EVPB24CPSANR - NR PANEL TO 24"H POWER BEAM 3 WAY CORNER POST

- Connects NR panels and 24"H power beams in 90 degree configuration
- Post and connecting hardware ad 3.25" to power beam run
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit. Pass through only for power beam, power beam leg slotted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB24CPSA330NR	185	30	3	3
	EVPB24CPSA336NR	248	36	3	3
	EVPB24CPSA343NR	248	42	3	3


EVPB24CPSANR - NR PANEL TO 30"H POWER BEAM 3 WAY CORNER POST

- Connects NR panels and 30"H power beams in 90 degree configuration
- Post and connecting hardware ad 3.25" to power beam run
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit. Pass through only for power beam, power beam leg slotted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB30CPSA330NR	185	30	3	3
	EVPB30CPSA336NR	248	36	3	3
	EVPB30CPSA343NR	248	42	3	3

EVPB24CPSANR - NR PANEL TO 36"H POWER BEAM 3 WAY CORNER POST


- Connects NR panels and 36"H power beams in 90 degree configuration
- Post and connecting hardware ad 3.25" to power beam run
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit. Pass through only for power beam, power beam leg slotted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB36CPSA336NR	248	36	3	3
	EVPB36CPSA342NR	248	42	3	3

POWER BEAM FLX


EVPB24CPSANR - NR PANEL TO 24"H POWER BEAM 2 WAY CORNER POST

- Connects one NR panel and one 24"H power beam in 90 degree configuration
- Post and connecting hardware ad 3.25" to power beam run
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit. Pass through only for power beam, power beam leg slotted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB24CPSA230NR	150	30	3	3
	EVPB24CPSA236NR	186	36	3	3
	EVPB24CPSA243NR	186	42	3	3


EVPB24CPSANR - NR PANEL TO 30"H POWER BEAM 2 WAY CORNER POST

- Connects one NR panel and one 30"H power beam in 90 degree configuration
- Post and connecting hardware ad 3.25" to power beam run
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit. Pass through only for power beam, power beam leg slotted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB30CPSA230NR	150	30	3	3
	EVPB30CPSA236NR	186	36	3	3
	EVPB30CPSA243NR	186	42	3	3

EVPB24CPSANR - NR PANEL TO 36"H POWER BEAM 2 WAY CORNER POST


- Connects one NR panel and one 36"H power beam in 90 degree configuration
- Post and connecting hardware ad 3.25" to power beam run
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit. Pass through only for power beam, power beam leg slotted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB36CPSA236NR	186	30	3	3
	EVPB36CPSA242NR	186	36	3	3

POWER BEAM FLX


EVPB24CPSANR - NR PANEL TO 24"H POWER BEAM 3 WAY CORNER POST

- Connects two 24"H power beams with NR panel in "T" configuration
- Post and connecting hardware ad 3.25" to power beam run
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit. Pass through only for power beam, power beam leg slotted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB24CPSA330PNR	185	30	3	3
	EVPB24CPSA336PNR	248	36	3	3
	EVPB24CPSA342PNR	248	42	3	3

EVPB30CPSANR - NR PANEL TO 30"H POWER BEAM 3 WAY CORNER POST

- Connects two 30"H power beams with NR panel in "T" configuration
- Post and connecting hardware ad 3.25" to power beam run
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit. Pass through only for power beam, power beam leg slotted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB30CPSA330PNR	185	30	3	3
	EVPB30CPSA336PNR	248	36	3	3
	EVPB30CPSA342PNR	248	42	3	3

EVPB36CPSANR - NR PANEL TO 36"H POWER BEAM 3 WAY CORNER POST


- Connects two 36"H power beams with NR panel in "T" configuration
- Post and connecting hardware ad 3.25" to power beam run
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit. Pass through only for power beam, power beam leg slotted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPB36CPSA336PNR	248	36	3	3
	EVPB36CPSA342PNR	248	42	3	3

POWER BEAM FLX

EVPBGICBS - POWER BEAM SLOTTED CONNECTOR WITH BASE FOR GLIDE


- Slotted connector allows to attached brackets for worksurfaces
- Connects two power beams on equal height
- Includes slotted connector with glide and connecting hardware

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBGICBS24	60	24	2	
	EVPBGICBS30	66	30	2	
	EVPBGICBS36	71	36	2	

Note: Power Beam to be installed in stable configuration using two way posts, three way posts, four way posts to provide support for worsurfaces.

EVPBLS - POWER BEAM SLOTTED CONNECTOR WITH LEG


- Slotted connector allows to attached brackets for worksurfaces
- Connects two power beams on equal height
- Includes slotted connector with leg, glides and connecting hardware

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBLS24	92	24	18	
	EVPBLS30	97	30	18	
	EVPBLS36	101	36	18	

Note: Power Beam to be installed in stable configuration using two way posts, three way posts, four way posts to provide support for worsurfaces.

EVPBFCGS - VERTICAL BASE POWER FEED COVER WITH GLIDE

- Slotted connector allows to attached brackets for worksurfaces
- Connects to electrical cut out power beam
- Includes vertical covers and slotted connector with glide base, end-of-run trim below power beam. Power Beam with electrical cut out to be ordered seperately.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBFCGS24	158	24	6	3
	EVPBFCGS30	179	30	6	3
	EVPBFCGS36	203	36	6	3

Note: Power Beam to be installed in stable configuration using two way posts, three way posts, four way posts to provide support for worsurfaces.

POWER BEAM FLX

EVPBFCLS - VERTICAL BASE POWER FEED COVER WITH SLOTTED LEG


- Slotted connector allows to attached brackets for worksurfaces
- Connects to electrical cut out power beam
- Includes vertical covers and slotted connector with leg, end-of-run trim below power beam. Power Beam with electrical cut out to be ordered seperately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBFCLS24	187	24	6	21
	EVPBFCLS30	210	30	6	21
	EVPBFCLS36	232	36	6	21

Note: Power Beam to be installed in stable configuration using two way posts, three way posts, four way posts to provide support for worsurfaces.


EVPBIEC - EXTENSION CONNECTOR SLOTTED FOR POWER

- Attaches to power beam connector
- Includes slotted extension connector and connecting hardware
- Must be attached to power beam connector with provided screw before installing power beam

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBIECS06	41	6	2.875	
	EVPBIECS12	41	12	2.875	
	EVPBIECS18	49	18	2.875	
	EVPBIECS24	49	24	2.875	

EVPBLERT - END OF RUN TRIM FOR CONNECTOR

- Finishes exposed connector at the end of a run of Power Beam
- Power Beam connector nor included


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBLERT48	72	45.4	2.875	
	EVPBLERT54	76	51.4	2.875	
	EVPBLERT66	81	63.4	2.875	

Note: Power Beam to be installed in stable configuration using two way posts, three way posts, four way posts to provide support for worsurfaces.

EXTENSION MODULES


EXTENSION MODULES BY MATERIALS

Fabric Panel Extension Module



EVPFE06 EVPFE12 EVPFE18

Tempered Glass Panel Extension Module



EVPGTE06 EVPGTE12 EVPGTE18

Write Board Extension Module - Single Sided




EVPW1SE18

Write Board Extension Module - Double Sided




EVPW2SE18

Laminate Extension Module - Single Sided




EVPH1SE06 EVPH1SE12 EVPH1SE18

Laminate Extension Module - Double Sided




EVPH2SE06 EVPH2SE12 EVPH2SE18

Air Flow Extension Module




EVPAE12 EVPAE18

Privacy Glass



EVMPXXG16P EVMPXXG19P EVMPXXGIP

PET Felt



EVFDK06P EVFDK09P EVFDK012P



TIPS!!

When ordering Beam Extension Modules, Inline Extension Connectors (EVPIEC) must be ordered separately. Please see EVPBIEC for details.





Inline Extension Connectors for Power Beam connect two Beam Extension Modules of equal height in a straight run.

Extension connectors do **not** provide support for hang-on storage components.







EVPFE - FABRIC PANEL EXTENSION MODULE

- Attaches on top of a panel.
 - Modules can be stacked to add privacy or divide space.
 - Each side of the fabric module may have a different fabric within the same grade at no charge.
 - Panel Extension Modules cannot install higher than 42" high above finished floor.
 - If different grades of fabric are used on one module, the entire module must be priced at highest grade.
- When ordering Panel Extension Modules, additional connectors are required.
 - Fabric on 66" and 72" wide fabric panel extension modules is applied railroaded. Any connecting beams in other widths should be specified with railroaded fabric as well to match.
 - *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Fabric Panel Extension Module - 6" High	EVPFE0636	195	210	6	36	2 7/8
		EVPFE0642	220	232	6	42	2 7/8
		EVPFE0648	236	253	6	48	2 7/8
		EVPFE0654	255	272	6	54	2 7/8
		EVPFE0660	274	296	6	60	2 7/8
		EVPFE0666	292	316	6	66	2 7/8
		EVPFE0672	310	336	6	72	2 7/8
	Fabric Panel Extension Module - 12" High	EVPFE1236	195	210	12	36	2 7/8
		EVPFE1242	220	232	12	42	2 7/8
		EVPFE1248	236	253	12	48	2 7/8
		EVPFE1254	255	272	12	54	2 7/8
		EVPFE1260	274	296	12	60	2 7/8
		EVPFE1266	292	316	12	66	2 7/8
		EVPFE1272	310	336	12	72	2 7/8
	Fabric Panel Extension Module - 18" High	EVPFE1836	249	271	18	36	2 7/8
		EVPFE1842	273	302	18	42	2 7/8
		EVPFE1848	299	329	18	48	2 7/8
		EVPFE1854	323	357	18	54	2 7/8
		EVPFE1860	351	388	18	60	2 7/8
		EVPFE1866	379	418	18	66	2 7/8
		EVPFE1872	404	449	18	72	2 7/8
	Fabric Panel Extension Module - 24" High	EVPFE2436	249	271	24	36	2 7/8
		EVPFE2442	273	302	24	42	2 7/8
		EVPFE2448	299	329	24	48	2 7/8
		EVPFE2454	323	357	24	54	2 7/8
		EVPFE2460	351	388	24	60	2 7/8
		EVPFE2466	379	418	24	66	2 7/8
		EVPFE2472	404	449	24	72	2 7/8


EVPGTE - TEMPERED GLASS PANEL EXTENSION MODULE

- Attaches on top of beam.
 - Modules can be stacked to add privacy or to divide space.
 - Panel Extension Modules cannot install higher than 42”h above finished floor
 - Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted Glass (FRST) 20% upcharge. Contact EVOLVE Customer Support for details.
 - When ordering Panel Extension Modules, additional connectors are required.
 - *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Tempered Glass Panel Extension Module - 6" High	EVPGTE0636	412	6	36	2 7/8
		EVPGTE0642	503	6	42	2 7/8
		EVPGTE0648	562	6	48	2 7/8
		EVPGTE0654	614	6	54	2 7/8
		EVPGTE0660	662	6	60	2 7/8
		EVPGTE0666	709	6	66	2 7/8
		EVPGTE0672	760	6	72	2 7/8
	Tempered Glass Panel Extension Module - 12" High	EVPGTE1236	412	12	36	2 7/8
		EVPGTE1242	503	12	42	2 7/8
		EVPGTE1248	562	12	48	2 7/8
		EVPGTE1254	614	12	54	2 7/8
		EVPGTE1260	662	12	60	2 7/8
		EVPGTE1266	709	12	66	2 7/8
		EVPGTE1272	760	12	72	2 7/8
	Tempered Glass Panel Extension Module - 18" High	EVPGTE1836	549	18	36	2 7/8
		EVPGTE1842	622	18	42	2 7/8
		EVPGTE1848	697	18	48	2 7/8
		EVPGTE1854	755	18	54	2 7/8
		EVPGTE1860	811	18	60	2 7/8
		EVPGTE1866	865	18	66	2 7/8
		EVPGTE1872	923	18	72	2 7/8
	Tempered Glass Panel Extension Module - 24" High	EVPGTE2436	549	24	36	2 7/8
		EVPGTE2442	622	24	42	2 7/8
		EVPGTE2448	697	24	48	2 7/8
		EVPGTE2454	755	24	54	2 7/8
		EVPGTE2460	811	24	60	2 7/8
		EVPGTE2466	865	24	66	2 7/8
		EVPGTE2472	923	24	72	2 7/8


EVPW1SE - WRITE BOARD EXTENSION MODULE - SINGLE SIDED

- Attaches on top of a beam.
 - Provides writing surface on one side and fabric on the other side.
 - Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules cannot install higher than 42” high above finished floor.
 - When ordering Beam Extension Modules, additional connectors are required.
 - *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Write Board Extension Module - Single Sided 6" High	EVPW1SE0636	317	326	6	36	2 7/8
		EVPW1SE0642	359	364	6	42	2 7/8
		EVPW1SE0648	391	401	6	48	2 7/8
		EVPW1SE0654	441	451	6	54	2 7/8
		EVPW1SE0660	464	474	6	60	2 7/8
		EVPW1SE0666	485	495	6	66	2 7/8
		EVPW1SE0672	537	545	6	72	2 7/8
	Write Board Extension Module - Single Sided 12" High	EVPW1SE1236	317	326	12	36	2 7/8
		EVPW1SE1242	359	364	12	42	2 7/8
		EVPW1SE1248	391	401	12	48	2 7/8
		EVPW1SE1254	441	451	12	54	2 7/8
		EVPW1SE1260	464	474	12	60	2 7/8
		EVPW1SE1266	485	495	12	66	2 7/8
		EVPW1SE1272	537	545	12	72	2 7/8
	Write Board Extension Module - Single Sided 18" High	EVPW1SE1836	346	358	18	36	2 7/8
		EVPW1SE1842	387	401	18	42	2 7/8
		EVPW1SE1848	425	440	18	48	2 7/8
		EVPW1SE1854	463	478	18	54	2 7/8
		EVPW1SE1860	499	516	18	60	2 7/8
		EVPW1SE1866	535	554	18	66	2 7/8
		EVPW1SE1872	572	591	18	72	2 7/8
	Write Board Extension Module - Single Sided 24" High	EVPW1SE2436	346	358	24	36	2 7/8
		EVPW1SE2442	387	402	24	42	2 7/8
		EVPW1SE2448	425	441	24	48	2 7/8
		EVPW1SE2454	463	478	24	54	2 7/8
		EVPW1SE2460	499	516	24	60	2 7/8
		EVPW1SE2466	535	556	24	66	2 7/8
		EVPW1SE2472	572	592	24	72	2 7/8





EVPW2SE - WRITE BOARD EXTENSION MODULE - DOUBLE SIDED

- Attaches on top of a panel.
- Provides writing surface on two sides.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules cannot install higher than 42”h above finished floor
- When ordering Panel Extension Modules, additional connectors are required.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Write Board Extension Module - Double Sided - 6”High	EVPW2SE0636	361	6	36	2 7/8
		EVPW2SE0642	410	6	42	2 7/8
		EVPW2SE0648	457	6	48	2 7/8
		EVPW2SE0654	528	6	54	2 7/8
		EVPW2SE0660	541	6	60	2 7/8
		EVPW2SE0666	553	6	66	2 7/8
		EVPW2SE0672	625	6	72	2 7/8
	Write Board Extension Module - Double Sided - 12”High	EVPW2SE1236	361	12	36	2 7/8
		EVPW2SE1242	410	12	42	2 7/8
		EVPW2SE1248	457	12	48	2 7/8
		EVPW2SE1254	528	12	54	2 7/8
		EVPW2SE1260	541	12	60	2 7/8
		EVPW2SE1266	553	12	66	2 7/8
		EVPW2SE1272	625	12	72	2 7/8
	Write Board Extension Module - Double Sided - 18”High	EVPW2SE1836	441	18	36	2 7/8
		EVPW2SE1842	499	18	42	2 7/8
		EVPW2SE1848	556	18	48	2 7/8
		EVPW2SE1854	615	18	54	2 7/8
		EVPW2SE1860	671	18	60	2 7/8
		EVPW2SE1866	727	18	66	2 7/8
		EVPW2SE1872	786	18	72	2 7/8
	Write Board Extension Module - Double Sided - 24”High	EVPW2SE2436	441	24	36	2 7/8
		EVPW2SE2442	499	24	42	2 7/8
		EVPW2SE2448	556	24	48	2 7/8
		EVPW2SE2454	615	24	54	2 7/8
		EVPW2SE2460	671	24	60	2 7/8
		EVPW2SE2466	727	24	66	2 7/8
		EVPW2SE2472	786	24	72	2 7/8

EVPH1SE - LAMINATE EXTENSION MODULE - SINGLE SIDED






- Attaches on top of a beam.
 - Laminate module provides a durable, washable surface on one side and fabric on the other side.
 - Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules cannot install higher than 42”h above finished floor.
 - When ordering Panel Extension Modules, additional connectors are required.
 - Available in high pressure laminate finishes only.
 - *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Laminate Extension Module - Single Sided	EVPH1SE0636	317	321	6	36	2 7/8
		EVPH1SE0642	359	361	6	42	2 7/8
		EVPH1SE0648	391	402	6	48	2 7/8
		EVPH1SE0654	441	451	6	54	2 7/8
		EVPH1SE0660	464	468	6	60	2 7/8
		EVPH1SE0666	485	495	6	66	2 7/8
		EVPH1SE0672	537	545	6	72	2 7/8
	Laminate Extension Module - Single Sided	EVPH1SE1236	317	327	12	36	2 7/8
		EVPH1SE1242	359	366	12	42	2 7/8
		EVPH1SE1248	391	402	12	48	2 7/8
		EVPH1SE1254	441	452	12	54	2 7/8
		EVPH1SE1260	464	475	12	60	2 7/8
		EVPH1SE1266	485	495	12	66	2 7/8
		EVPH1SE1272	537	545	12	72	2 7/8
	Laminate Extension Module - Single Sided	EVPH1SE1836	445	457	18	36	2 7/8
		EVPH1SE1842	502	515	18	42	2 7/8
		EVPH1SE1848	551	565	18	48	2 7/8
		EVPH1SE1854	597	614	18	54	2 7/8
		EVPH1SE1860	657	675	18	60	2 7/8
		EVPH1SE1866	715	737	18	66	2 7/8
		EVPH1SE1872	657	667	18	72	2 7/8
	Laminate Extension Module - Single Sided	EVPH1SE2436	445	459	24	36	2 7/8
		EVPH1SE2442	502	516	24	42	2 7/8
		EVPH1SE2448	551	566	24	48	2 7/8
		EVPH1SE2454	597	616	24	54	2 7/8
		EVPH1SE2460	657	677	24	60	2 7/8
		EVPH1SE2466	715	738	24	66	2 7/8
		EVPH1SE2472	773	786	24	72	2 7/8






EVPH2SE - LAMINATE EXTENSION MODULE - DOUBLE SIDED

- Attaches on top of a beam.
- Laminate faces on both sides of the module provide durable, washable surfaces
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules cannot install higher than 42”h above finished floor.
- When ordering Panel Extension Modules, additional connectors are required.
- Available in high pressure laminate finishes only.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Laminate Extension Module - Double Sided	EVPH2SE0636	361	6	36	2 7/8
		EVPH2SE0642	410	6	42	2 7/8
		EVPH2SE0648	457	6	48	2 7/8
		EVPH2SE0654	528	6	54	2 7/8
		EVPH2SE0660	553	6	60	2 7/8
		EVPH2SE0666	541	6	66	2 7/8
	Laminate Extension Module - Double Sided	EVPH2SE1236	361	12	36	2 7/8
		EVPH2SE1242	410	12	42	2 7/8
		EVPH2SE1248	457	12	48	2 7/8
		EVPH2SE1254	528	12	54	2 7/8
		EVPH2SE1260	541	12	60	2 7/8
		EVPH2SE1266	541	12	66	2 7/8
	Laminate Extension Module - Double Sided	EVPH2SE1836	538	18	36	2 7/8
		EVPH2SE1842	608	18	42	2 7/8
		EVPH2SE1848	689	18	48	2 7/8
		EVPH2SE1854	755	18	54	2 7/8
		EVPH2SE1860	814	18	60	2 7/8
		EVPH2SE1866	872	18	66	2 7/8
	Laminate Extension Module - Double Sided	EVPH2SE2436	538	24	36	2 7/8
		EVPH2SE2442	608	24	42	2 7/8
		EVPH2SE2448	689	24	48	2 7/8
		EVPH2SE2454	755	24	54	2 7/8
		EVPH2SE2460	814	24	60	2 7/8
		EVPH2SE2466	872	24	66	2 7/8
	Laminate Extension Module - Double Sided	EVPH2SE2472	940	24	72	2 7/8





EVPAE - AIR FLOW EXTENSION MODULE

- Metal air flow panel extension.
 - Attaches to top of beam.
 - Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules cannot install higher than 42”h above finished floor.
 - When ordering Panel Extension Modules, additional connectors are required.
 - *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Air Flow Extension Module - 12" High	EVPAE1236	376	12	36	2 7/8
		EVPAE1242	415	12	42	2 7/8
		EVPAE1248	469	12	48	2 7/8
		EVPAE1254	542	12	54	2 7/8
		EVPAE1260	617	12	60	2 7/8
		EVPAE1266	694	12	66	2 7/8
		EVPAE1272	764	12	72	2 7/8
	Air Flow Extension Module - 18" High	EVPAE1836	452	18	36	2 7/8
		EVPAE1842	495	18	42	2 7/8
		EVPAE1848	569	18	48	2 7/8
		EVPAE1854	654	18	54	2 7/8
		EVPAE1860	735	18	60	2 7/8
		EVPAE1866	817	18	66	2 7/8
		EVPAE1872	902	18	72	2 7/8
	Air Flow Extension Module - 24" High	EVPAE2436	452	24	24	2 7/8
		EVPAE2442	495	24	42	2 7/8
		EVPAE2448	569	24	48	2 7/8
		EVPAE2454	649	24	54	2 7/8
		EVPAE2460	735	24	60	2 7/8
		EVPAE2466	817	24	66	2 7/8
		EVPAE2472	902	24	72	2 7/8

EVPOE - OPEN PANEL EXTENSION MODULE


- Attaches to top portion of a beam.
- Modules can be stacked to add privacy or to divide space
- Panel Extension Modules cannot install higher than 42”h above finished floor.
- When ordering Panel Extension Modules, additional connectors are required.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Open Panel Extension Module - 6” High	EVPOE0636	321	6	36	2 7/8
		EVPOE0642	390	6	42	2 7/8
		EVPOE0648	438	6	48	2 7/8
		EVPOE0654	478	6	54	2 7/8
		EVPOE0660	516	6	60	2 7/8
		EVPOE0666	555	6	66	2 7/8
		EVPOE0672	595	6	72	2 7/8
	Open Panel Extension Module - 12” High	EVPOE1236	321	12	36	2 7/8
		EVPOE1242	390	12	42	2 7/8
		EVPOE1248	439	12	48	2 7/8
		EVPOE1254	478	12	54	2 7/8
		EVPOE1260	517	12	60	2 7/8
		EVPOE1266	555	12	66	2 7/8
		EVPOE1272	595	12	72	2 7/8
	Open Panel Extension Module - 18” High	EVPOE1836	427	18	36	2 7/8
		EVPOE1842	481	18	42	2 7/8
		EVPOE1848	542	18	48	2 7/8
		EVPOE1854	587	18	54	2 7/8
		EVPOE1860	633	18	60	2 7/8
		EVPOE1866	680	18	66	2 7/8
		EVPOE1872	725	18	72	2 7/8
	Open Panel Extension Module - 24” High	EVPOE2436	427	24	36	2 7/8
		EVPOE2442	481	24	42	2 7/8
		EVPOE2448	542	24	48	2 7/8
		EVPOE2454	587	24	54	2 7/8
		EVPOE2460	633	24	60	2 7/8
		EVPOE2466	680	24	66	2 7/8
		EVPOE2472	725	24	72	2 7/8

PRIVACY GLASS DIVIDER


EVPMPXXGI6P - 6" H BEAM MOUNT PRIVACY GLASS W/ ALUMINUM TRIM

- Attaches on top of Power Beam or extension modules to add privacy or divide space.
 - Privacy Glass is integrated into the aluminum top trim.
 - Includes aluminum trim with channel and glass tile.
 - Glass and attachment hardware ship separately.
- Standard in clear (CLR) or frosted (FRST) glass.
 - Privacy glass modules may stack on top of Power Beam or extension modules at 42" high to achieve a height up to 54"h above finished floor.
 - *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
 36"W Shown	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVPMP36GI6P	286	314	6	36	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVPMP42GI6P	300	346	6	42	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVPMP48GI6P	307	378	6	48	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVPMP54GI6P	318	407	6	54	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVPMP60GI6P	328	440	6	60	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVPMP66GI6P	379	502	6	66	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide	EVPMP72GI6P	390	503	6	72	2 7/8

EVPMPXXGI9P - 9"H BEAM MOUNT PRIVACY GLASS W/ ALUMINUM TRIM

- Attaches on top of Power Beam or extension modules to add privacy or divide space.
 - Privacy Glass is integrated into the aluminum top trim.
 - Includes aluminum trim with channel and glass tile.
 - Glass and attachment hardware ship separately.
- Standard in clear (CLR) or frosted (FRST) glass.
 - Privacy glass modules may stack on top of Power Beam or extension modules at 42" high to achieve a height up to 54"h above finished floor.
 - *Top Trims are not included with Extension Modules.


	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
 36"W Shown	9" H Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVPMP36GI9P	286	314	9	36	2 7/8
	9" H Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVPMP42GI9P	300	349	9	42	2 7/8
	9" H Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVPMP48GI9P	307	360	9	48	2 7/8
	9" H Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVPMP54GI9P	318	389	9	54	2 7/8
	9" H Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVPMP60GI9P	328	421	9	60	2 7/8
	9" H Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVPMP66GI9P	379	503	9	66	2 7/8
	9" H Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide	EVPMP72GI9P	390	524	9	72	2 7/8



PRIVACY GLASS DIVIDER


EVMPXXGIP - 12" PANEL MOUNT PRIVACY GLASS W/ ALUMINUM TRIM

- Attaches on top of Evolve Panels to add privacy or divide space.
- Privacy Glass is integrated into the aluminum top trim.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR), frosted (FRST) or writeable (WRW) glass.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
			CLR	FRST	WRW	H	W	D
	Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVMP36GIP	286	314	421	12	36	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVMP42GIP	300	346	464	12	42	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVMP48GIP	316	378	507	12	48	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVMP54GIP	329	408	547	12	54	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVMP60GIP	338	440	590	12	60	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVMP66GIP	379	502	672	12	66	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide	EVMP72GIP	402	524	702	12	72	2 7/8

EVMPXXGI18P - 18" H PANEL MOUNT PRIVACY GLASS


- Privacy Glass integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVMP36GI18P	429	469	18	36	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVMP42GI18P	448	517	18	42	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVMP48GI18P	474	565	18	48	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVMP54GI18P	491	612	18	54	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVMP60GI18P	508	662	18	60	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVMP66GI18P	569	751	18	66	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide	EVMP72GI18P	602	785	18	72	2 7/8

PRIVACY GLASS DIVIDER

EVPMPNXXGI18P - 18" H PANEL MOUNT PRIVACY GLASS WITH NOTCHED TOP TRIM FOR VARIABLE HEIGHT CONNECTOR


- Privacy Glass integrated with aluminum top trim.
 - Attaches on top of panels to add privacy or divide space.
 - Includes aluminum trim with channel and glass tile.
 - Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
 - Glass and attachment hardware to ship separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVPMPN36GI18P	429	469	18	36	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVPMPN42GI18P	448	517	18	42	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVPMPN48GI18P	474	565	18	48	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVPMPN54GI18P	491	612	18	54	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVPMPN60GI18P	508	662	18	60	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVPMPN66GI18P	569	751	18	66	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide	EVPMPN72GI18P	602	785	18	72	2 7/8

PRIVACY GLASS DIVIDER

EVMPDPNXXGI18P-18"H PANEL MOUNT PRIVACY GLASS WITH DOUBLE NOTCHED TOP TRIM FOR VARIABLE HEIGHT CONNECTOR


- Privacy Glass integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVMPDPN36GI18P	429	469	18	36	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVMPDPN42GI18P	448	517	18	42	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVMPDPN48GI18P	474	565	18	48	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVMPDPN54GI18P	491	612	18	54	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVMPDPN60GI18P	508	662	18	60	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVMPDPN66GI18P	569	751	18	66	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide	EVMPDPN72GI18P	602	785	18	72	2 7/8

PRIVACY GLASS DIVIDER


EVPMPXXGI6W - 6" H PRIVACY GLASS W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Attaches on top of Evolve 1" Laminate Panels to add privacy or divide space.
 - Privacy Glass is integrated into the aluminum top trim.
 - Aluminum trim has rail for accessories.
- Includes aluminum trim with end caps and glass tile
 - Glass and attachment hardware ship separately.
 - Standard in clear (CLR) or frosted (FRST) glass.
 - *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
 36"W Shown	6" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 24" Wide	EVPMP24GI6W	248	304	6	24	1
	6" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 30" Wide	EVPMP30GI6W	269	309	6	30	1
	6" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 36" Wide	EVPMP36GI6W	286	315	6	36	1
	6" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 42" Wide	EVPMP42GI6W	300	347	6	42	1
	6" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 48" Wide	EVPMP48GI6W	316	377	6	48	1

EVPMPXXGI9W - 9" H PRIVACY GLASS W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Attaches on top of Evolve 1" Laminate Panels to add privacy or divide space.
 - Privacy Glass is integrated into the aluminum top trim.
 - Aluminum trim has rail for accessories.
 - Includes aluminum trim with end caps and glass tile.
- Glass and attachment hardware ship separately.
 - Standard in clear (CLR) or frosted (FRST) glass.
 - *Top Trims are not included with Extension Modules.


	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
 36"W Shown	9" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 24" Wide	EVPMP24GI9W	248	304	9	24	1
	9" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 30" Wide	EVPMP30GI9W	269	309	9	30	1
	9" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 36" Wide	EVPMP36GI9W	286	315	9	36	1
	9" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 42" Wide	EVPMP42GI9W	300	347	9	42	1
	9" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 48" Wide	EVPMP48GI9W	316	377	9	48	1



PRIVACY GLASS DIVIDER


EVMPXXGIW - 12" H PRIVACY GLASS W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Attaches on top of Evolve 1" Laminate Panels to add privacy or divide space.
- Privacy Glass is integrated into the aluminum top trim.
- Aluminum trim has rail for accessories.
- Includes aluminum trim with end caps and glass tile
- Glass and attachment hardware ship separately.
- Standard in clear (CLR), frosted (FRST) or writeable (WRW) glass.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
			CLR	FRST	WRW	H	W	D
	12" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 24" Wide	EVMP24GIW	248	304	404	12	24	1
	12" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 30" Wide	EVMP30GIW	269	309	412	12	30	1
	12" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 36" Wide	EVMP36GIW	286	315	420	12	36	1
	12" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 42" Wide	EVMP42GIW	300	347	464	12	42	1
	12" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 48" Wide	EVMP48GIW	316	377	506	12	48	1


EVFPDW - 6" H FELT DIVIDER W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Privacy Felt Divider integrated with aluminum top trim.
- Attaches on top of laminate panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.
- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and comes in 9 different colors. Please specify color.
- Aluminum top trim available in standard paint finishes.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	6" H Felt Divider w/ Aluminum Trim for 1" Laminate Panel	EVFPD0624W	99	6	24	1
		EVFPD0630W	115	6	30	1
		EVFPD0636W	136	6	36	1
		EVFPD0642W	153	6	42	1
		EVFPD0648W	226	6	48	1
		EVFPD0654W	247	6	54	1
		EVFPD0660W	265	6	60	1
		EVFPD0666W	280	6	66	1
		EVFPD0672W	316	6	72	1

EVFPDW - 9" H FELT DIVIDER W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL


- Privacy Felt Divider integrated with aluminum top trim.
- Attaches on top of laminate panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.
- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and comes in 9 different colors. Please specify color.
- Aluminum top trim available in standard paint finishes.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	9" H Felt Divider w/ Aluminum Trim for 1" Laminate Panel	EVFPD0924W	99	9	24	1
		EVFPD0930W	115	9	30	1
		EVFPD0936W	136	9	36	1
		EVFPD0942W	153	9	42	1
		EVFPD0948W	226	9	48	1
		EVFPD0954W	247	9	54	1
		EVFPD0960W	265	9	60	1
		EVFPD0966W	280	9	66	1
		EVFPD0972W	316	9	72	1

PET FELT DIVIDER


EVFPDW - 12" H FELT DIVIDER W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Privacy Felt Divider integrated with aluminum top trim.
- Attaches on top of laminate panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.
- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and comes in 9 different colors. Please specify color.
- Aluminum top trim available in standard paint finishes.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	12" H Felt Divider w/ Aluminum Trim for 1" Laminate Panel	EVFPD1224W	99	12	24	1
		EVFPD1230W	115	12	30	1
		EVFPD1236W	136	12	36	1
		EVFPD1242W	153	12	42	1
		EVFPD1248W	226	12	48	1
		EVFPD1254W	247	12	54	1
		EVFPD1260W	265	12	60	1
		EVFPD1266W	280	12	66	1
		EVFPD1272W	316	12	72	1

EVFPDW - 18" H FELT DIVIDER W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL


- Privacy Felt Divider integrated with aluminum top trim.
- Attaches on top of laminate panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.
- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and comes in 9 different colors. Please specify color.
- Aluminum top trim available in standard paint finishes.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	18" H Felt Divider w/ Aluminum Trim for 1" Laminate Panel	EVFPD1824W	123	18	24	1
		EVFPD1830W	144	18	30	1
		EVFPD1836W	170	18	36	1
		EVFPD1842W	190	18	42	1
		EVFPD1848W	282	18	48	1
		EVFPD1854W	307	18	54	1
		EVFPD1860W	332	18	60	1
		EVFPD1866W	349	18	66	1
		EVFPD1872W	396	18	72	1

PET FELT DIVIDER


EVFDK06P - 6" PANEL MOUNTED FELT DIVIDER

- Privacy felt panel integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
- Aluminum trim must be specified for entire station when ordering panel mount privacy felt.
- Felt and attachment hardware to ship separately.
- 9mm thick Felt material is tackable and comes in 9 different colors. Please specify color. Graphite (GPH), Mist (MTS), Pewter (PWT), Harvest (HVT), Shamrock (SHR), Brick (BRI), Denim (DEN), Black (BLK) or White (WHT).

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Gr1	H	W	D
	6" Privacy felt panel integrated with aluminum top trim	EVFDK0624P	99	6	24	2 7/8
		EVFDK0630P	115	6	30	2 7/8
		EVFDK0636P	136	6	36	2 7/8
		EVFDK0642P	153	6	42	2 7/8
		EVFDK0648P	226	6	48	2 7/8
		EVFDK0654P	247	6	54	2 7/8
		EVFDK0660P	265	6	60	2 7/8
		EVFDK0666P	280	6	66	2 7/8
		EVFDK0672P	316	6	72	2 7/8


EVFDK09P - 9" PANEL MOUNTED FELT DIVIDER

- Privacy felt panel integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
- Aluminum trim must be specified for entire station when ordering panel mount privacy felt.
- Felt and attachment hardware to ship separately.
- 9mm thick Felt material is tackable and comes in 9 different colors. Please specify color. Graphite (GPH), Mist (MTS), Pewter (PWT), Harvest (HVT), Shamrock (SHR), Brick (BRI), Denim (DEN), Black (BLK) or White (WHT).

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Gr1	H	W	D
	9" Privacy felt panel integrated with aluminum top trim	EVFDK0924P	99	9	24	2 7/8
		EVFDK0930P	115	9	30	2 7/8
		EVFDK0936P	136	9	36	2 7/8
		EVFDK0942P	153	9	42	2 7/8
		EVFDK0948P	226	9	48	2 7/8
		EVFDK0954P	247	9	54	2 7/8
		EVFDK0960P	265	9	60	2 7/8
		EVFDK0966P	280	9	66	2 7/8
		EVFDK0972P	316	9	72	2 7/8

EVFDK12P - 12" PANEL MOUNTED FELT DIVIDER


- Privacy felt panel integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
- Aluminum trim must be specified for entire station when ordering panel mount privacy felt.
- Felt and attachment hardware to ship separately.
- 9mm thick Felt material is tackable and comes in 9 different colors. Please specify color. Graphite (GPH), Mist (MTS), Pewter (PWT), Harvest (HVT), Shamrock (SHR), Brick (BRI), Denim (DEN), Black (BLK) or White (WHT).

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Gr1	H	W	D
	12" Privacy felt panel integrated with aluminum top trim	EVFDK1224P	99	12	24	2 7/8
		EVFDK1230P	115	12	30	2 7/8
		EVFDK1236P	136	12	36	2 7/8
		EVFDK1242P	153	12	42	2 7/8
		EVFDK1248P	226	12	48	2 7/8
		EVFDK1254P	247	12	54	2 7/8
		EVFDK1260P	265	12	60	2 7/8
		EVFDK1266P	280	12	66	2 7/8
		EVFDK1272P	316	12	72	2 7/8

PET FELT DIVIDER


EVFDK12PN - 12" PANEL MOUNTED FELT DIVIDER, 1 NOTCH

- Privacy felt panel integrated with aluminum top trim.
 - Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
 - Aluminum trim must be specified for entire station when ordering panel mount privacy felt.
- Felt and attachment hardware to ship separately.
 - 9mm thick Felt material is tackable and comes in 9 different colors. Please specify color. Graphite (GPH), Mist (MTS), Pewter (PWT), Harvest (HVT), Shamrock (SHR), Brick (BRI), Denim (DEN), Black (BLK) or White (WHT).

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Gr1	H	W	D
	12" Privacy felt panel integrated with aluminum top trim with 1 Notch	EVFDK1224PN	99	12	22.68	2 7/8
		EVFDK1230PN	115	12	28.68	2 7/8
		EVFDK1236PN	136	12	34.68	2 7/8
		EVFDK1242PN	153	12	40.68	2 7/8
		EVFDK1248PN	226	12	46.68	2 7/8
		EVFDK1254PN	247	12	52.68	2 7/8
		EVFDK1260PN	265	12	58.68	2 7/8


EVFDK12PDN - 12" PANEL MOUNTED FELT DIVIDER, 2 NOTCHES

- Privacy felt panel integrated with aluminum top trim.
 - Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
 - Aluminum trim must be specified for entire station when ordering panel mount privacy felt.
- Felt and attachment hardware to ship separately.
 - 9mm thick Felt material is tackable and comes in 9 different colors. Please specify color. Graphite (GPH), Mist (MTS), Pewter (PWT), Harvest (HVT), Shamrock (SHR), Brick (BRI), Denim (DEN), Black (BLK) or White (WHT).

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Gr1	H	W	D
	12" Privacy felt panel integrated with aluminum top trim with 2 Notches	EVFDK1224PDN	99	12	21.44	2 7/8
		EVFDK1230PDN	115	12	27.44	2 7/8
		EVFDK1236PDN	136	12	33.44	2 7/8
		EVFDK1242PDN	153	12	39.44	2 7/8
		EVFDK1248PDN	226	12	45.44	2 7/8
		EVFDK1254PDN	247	12	51.44	2 7/8
		EVFDK1260PDN	265	12	57.44	2 7/8

EVFDK18P - 18" PANEL MOUNTED FELT DIVIDER

- Privacy felt panel integrated with aluminum top trim.
 - Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
 - Aluminum trim must be specified for entire station when ordering panel mount privacy felt.
- Felt and attachment hardware to ship separately.
 - 9mm thick Felt material is tackable and comes in 9 different colors. Please specify color. Graphite (GPH), Mist (MTS), Pewter (PWT), Harvest (HVT), Shamrock (SHR), Brick (BRI), Denim (DEN), Black (BLK) or White (WHT).


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			Gr1	H	W	D
	18" Privacy felt panel integrated with aluminum top trim	EVFDK1824P	123	18	24	2 7/8
		EVFDK1830P	144	18	30	2 7/8
		EVFDK1836P	170	18	36	2 7/8
		EVFDK1842P	190	18	42	2 7/8
		EVFDK1848P	282	18	48	2 7/8
		EVFDK1854P	307	18	54	2 7/8
		EVFDK1860P	332	18	60	2 7/8
		EVFDK1866P	349	18	66	2 7/8
		EVFDK1872P	396	18	72	2 7/8



GALLERY PANELS


EVPPGT - GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs with glides and end of run trims
- 3" thick mobile or freestanding panels.
- 22" deep T-legs for stability (9.5" on each side)
- 66" high. Additional widths, heights and configurations available.
- All Modules are Tempered Glass.
- Includes end of run trim.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
	Freestanding Glazed Privacy Panel	EVPPGT6660	1740	2290	66	60	2 7/8
	Mobile Glazed Privacy Panel	EVPPGT6660M	1799	2351	66	60	2 7/8


EVPPHGT - LAMINATE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs with glides and end of run trims
- 3" thick mobile or freestanding panels.
- 22" deep T-legs for stability (9.5" on each side)
- 66" high. Additional widths, heights and configurations available.
- Laminate Base Module w/36" Tempered Glass above.
- Includes end of run trim.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
	Freestanding Laminate Glazed Privacy Panel	EVPPHGT6660	1842	2138	66	60	2 7/8
	Mobile Laminate Glazed Privacy Panel	EVPPHGT6660M	1903	2199	66	60	2 7/8

EVPPHGTU - LAMINATE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs with glides and end of run trims
- 3" thick mobile or freestanding panels.
- 22" deep T-legs for stability (9.5" on each side)
- 66" high. Additional widths, heights and configurations available.
- Bottom Two Modules are Laminate w/12" Tempered Glass on top.
- Includes end of run trim.


	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
	Freestanding Laminate Glazed Privacy Panel	EVPPHGTU6660	1947	2265	66	60	2 7/8
	Mobile Laminate Glazed Privacy Panel	EVPPHGTU6660M	2007	2325	66	60	2 7/8

GALLERY PANELS

EVPPH2S - LAMINATE PRIVACY PANEL

- Includes panel with two connectors with T legs with glides and end of run trims
 - 3" thick mobile or freestanding panels.
 - 22" deep T-legs for stability (9.5" on each side)
- 66" high. Additional widths, heights and configurations available.
 - All Modules are Laminate.
 - Includes end of run trim.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Freestanding Laminate Privacy Panel Mobile Laminate Privacy Panel	EVPPH2S6660	1972	66	60	2 7/8
	EVPPH2S6660M	2033	66	60	2 7/8



EVPPF2W - WRITE BOARD PRIVACY PANEL

- Includes panel with two connectors with T legs with glides and end of run trims
 - 3" thick mobile or freestanding panels.
 - 22" deep T-legs for stability (9.5" on each side)
- 66" high. Additional widths, heights and configurations available.
 - Fabric Base Module w/36" Writeboard.
 - Includes end of run trim.


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
Freestanding Write Board Privacy Panel Mobile Write Board Privacy Panel	EVPPF2W6660	2032	2067	66	60	2 7/8
	EVPPF2W6660M	2092	2127	66	60	2 7/8



EVPPH2W - WRITE BOARD PRIVACY PANEL

- Includes panel with two connectors with T legs with glides and end of run trims
 - 3" thick mobile or freestanding panels.
 - 22" deep T-legs for stability (9.5" on each side)
- 66" high. Additional widths, heights and configurations available.
 - Laminate Base Module w/36" Writeboard.
 - Includes end of run trim.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Freestanding Write Board Privacy Panel Mobile Write Board Privacy Panel	EVPPH2W6660	2183	66	60	2 7/8
	EVPPH2W6660M	2242	66	60	2 7/8





GALLERY PANELS

EVPP - FREESTANDING GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides.
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Includes end of run trim.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			CLR	FRST	H	W	D
	Freestanding Glazed Monolithic Privacy Panel	EVPPXGT4218	613	738	42	18	2 7/8
		EVPPXGT4224	674	825	42	24	2 7/8
		EVPPXGT4230	733	906	42	30	2 7/8
		EVPPXGT4236	788	984	42	36	2 7/8
		EVPPXGT4242	851	1073	42	42	2 7/8


	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			CLR	FRST	H	W	D
	Freestanding Glazed Monolithic Privacy Panel	EVPPXGT5418	714	866	54	18	2 7/8
		EVPPXGT5424	787	968	54	24	2 7/8
		EVPPXGT5430	856	1065	54	30	2 7/8
		EVPPXGT5436	921	1158	54	36	2 7/8
		EVPPXGT5442	995	1262	54	42	2 7/8


	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			CLR	FRST	H	W	D
	Freestanding Glazed Monolithic Privacy Panel	EVPPXGT6618	822	1007	66	18	2 7/8
		EVPPXGT6624	903	1120	66	24	2 7/8
		EVPPXGT6630	985	1232	66	30	2 7/8
		EVPPXGT6636	1060	1338	66	36	2 7/8
		EVPPXGT6642	1149	1463	66	42	2 7/8


GALLERY PANELS

EVPP - GLAZED MOBILE PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Includes end of run trim.
-

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			CLR	FRST	H	W	D
	Monolithic Mobile Glazed Privacy Panel	EVPPXGT4218M	673	798	42	18	2 7/8
		EVPPXGT4224M	735	885	42	24	2 7/8
		EVPPXGT4230M	793	966	42	30	2 7/8
		EVPPXGT4236M	848	1043	42	36	2 7/8
		EVPPXGT4242M	911	1134	42	42	2 7/8


DESCRIPTION	PRODUCT CODE	CLR	LIST PRICE		WRW	DIMENSIONS/INCHES		
			FRST			H	W	D
	Mobile Glazed Monolithic Privacy Panel	EVPPXGT5418M	775	926	1295	54	18	2 7/8
		EVPPXGT5424M	847	1029	1492	54	24	2 7/8
		EVPPXGT5430M	916	1125	1682	54	30	2 7/8
		EVPPXGT5436M	982	1219	1871	54	36	2 7/8
		EVPPXGT5442M	1056	1321	2070	54	42	2 7/8

DESCRIPTION	PRODUCT CODE	CLR	LIST PRICE		WRW	DIMENSIONS/INCHES		
			FRST			H	W	D
	Mobile Glazed Monolithic Privacy Panel	EVPPXGT6618M	882	1068	1523	66	18	2 7/8
		EVPPXGT6624M	963	1181	1754	66	24	2 7/8
		EVPPXGT6630M	1045	1293	1985	66	30	2 7/8
		EVPPXGT6636M	1120	1398	2207	66	36	2 7/8
		EVPPXGT6642M	1208	1523	2450	66	42	2 7/8

GALLERY PANELS

EVPBLERT - END OF RUN TRIM


- Specify to match height of beam or total height with extension modules

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBLERT24	46	21.4	2 7/8	
	EVPBLERT30	62	27.4	2 7/8	
	EVPBLERT36	66	33.4	2 7/8	
	EVPBLERT42	69	39.4	2 7/8	

GALLERY PANELS


EVPBLEPDSNC - POWER BEAM LAMINATE DOUBLE SIDED GALLERY PANEL, FINISHED ENDS

- Attaches to power beam channel.
 - To be installed at end of power beam run.
 - Finished in thermally fused laminate.
 - No connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
 - If wood grain is selected, grain runs horizontally.
 - Power beam channel and bottom connecting bracket to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			LP	H	W	D
	Laminate Double Sided Connecting Gallery Panel - Finished Ends - 42" High	EVPBLEPDS4251NC	593	42	51	1
		EVPBLEPDS4263NC	771	42	63	1
		EVPBLEPDS4275NC	951	42	75	1
	Laminate Double Sided Connecting Gallery Panel - Finished Ends - 48" High	EVPBLEPDS4851NC	646	48	51	1
		EVPBLEPDS4863NC	856	48	63	1
		EVPBLEPDS4875NC	1040	48	75	1
	Laminate Double Sided Connecting Gallery Panel - Finished Ends - 54" High	EVPBLEPDS5451NC	750	54	51	1
		EVPBLEPDS5463NC	980	54	63	1
		EVPBLEPDS5475NC	1133	54	75	1

EVPBLEPDS - POWER BEAM LAMINATE DOUBLE SIDED CONNECTING GALLERY PANEL, CONNECTOR ENDS



- Attaches to power beam channel.
 - To be installed at end of power beam run.
 - Finished in thermally fused laminate.
 - No connection both sides.
 - Locking connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
 - If wood grain is selected, grain runs horizontally.
 - Power beam channel and bottom connecting bracket to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			LP	H	W	D
	Laminate Double Sided Connecting	EVPBLEPDS4251	593	42	51	1
	Gallery Panel - Finished Ends - 42" High	EVPBLEPDS4263	771	42	63	1
		EVPBLEPDS4275	951	42	75	1
	Laminate Double Sided Connecting	EVPBLEPDS4851	646	48	51	1
	Gallery Panel - Finished Ends - 48" High	EVPBLEPDS4863	856	48	63	1
		EVPBLEPDS4875	1040	48	75	1
	Laminate Double Sided Connecting	EVPBLEPDS5451	750	54	51	1
Gallery Panel - Finished Ends - 52" High	EVPBLEPDS5463	980	54	63	1	
	EVPBLEPDS5475	1133	54	75	1	

GALLERY PANELS

EVPBLEPSSNC- POWER BEAM LAMINATE SINGLE SIDED GALLERY PANEL, FINISHED ENDS



- Attaches to power beam channel.
- To be installed at end of power beam run on one side.
- Finished in thermally fused laminate.
- No connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Power beam channel and bottom connecting bracket to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			LP	H	W	D
	Laminate Single Sided Connecting Gallery Panel - Finished Ends - Left - 42" High	EVPBLEPSSL4227NC	385	42	27	1
		EVPBLEPSSL4233NC	430	42	33	1
		EVPBLEPSSL4239NC	483	42	39	1
		EVPBLEPSSL4245NC	553	42	45	1
		EVPBLEPSSL4251NC	593	42	51	1
	Laminate Single Sided Connecting Gallery Panel - Finished Ends - Left - 48" High	EVPBLEPSSL4827NC	421	48	27	1
		EVPBLEPSSL4833NC	478	48	33	1
		EVPBLEPSSL4839NC	535	48	39	1
		EVPBLEPSSL4845NC	593	48	45	1
		EVPBLEPSSL4851NC	671	48	51	1
	Laminate Single Sided Connecting Gallery Panel - Finished Ends - Left - 54" High	EVPBLEPSSL5427NC	463	54	27	1
		EVPBLEPSSL5433NC	529	54	33	1
		EVPBLEPSSL5439NC	603	54	39	1
		EVPBLEPSSL5445NC	706	54	45	1
		EVPBLEPSSL5451NC	750	54	51	1
	Laminate Single Sided Connecting Gallery Panel - Finished Ends -Right - 42" High	EVPBLEPSSR4227NC	385	42	27	1
		EVPBLEPSSR4233NC	430	42	33	1
		EVPBLEPSSR4239NC	483	42	39	1
		EVPBLEPSSR4245NC	553	42	45	1
		EVPBLEPSSR4251NC	593	42	51	1
	Laminate Single Sided Connecting Gallery Panel - Finished Ends -Right - 48" High	EVPBLEPSSR4827NC	421	48	27	1
		EVPBLEPSSR4833NC	478	48	33	1
		EVPBLEPSSR4839NC	535	48	39	1
		EVPBLEPSSR4845NC	593	48	45	1
		EVPBLEPSSR4851NC	671	48	51	1
	Laminate Single Sided Connecting Gallery Panel - Finished Ends - Right - 54" High	EVPBLEPSSR5427NC	463	54	27	1
		EVPBLEPSSR5433NC	529	54	33	1
		EVPBLEPSSR5439NC	603	54	39	1
		EVPBLEPSSR5445NC	706	54	45	1
		EVPBLEPSSR5451NC	750	54	51	1

GALLERY PANELS

EVPBLEPSS - POWER BEAM LAMINATE SINGLE SIDED GALLERY PANEL, CONNECTOR ENDS


- Attaches to power beam channel.
- To be installed at end of power beam run on one side.
- Finished in thermally fused laminate.
- Locking connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Power beam channel and bottom connecting bracket to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Single Sided Connecting Gallery Panel Connector Ends - Left - 42" High	EVPBLEPSSL4227	385	42	27	1
		EVPBLEPSSL4233	430	42	33	1
		EVPBLEPSSL4239	483	42	39	1
		EVPBLEPSSL4245	553	42	45	1
		EVPBLEPSSL4251	593	42	51	1
	Laminate Single Sided Connecting Gallery Panel Connector Ends - Left - 48" High	EVPBLEPSSL4827	421	48	27	1
		EVPBLEPSSL4833	478	48	33	1
		EVPBLEPSSL4839	535	48	39	1
		EVPBLEPSSL4845	593	48	45	1
		EVPBLEPSSL4851	671	48	51	1
	Laminate Single Sided Connecting Gallery Panel Connector Ends - Left - 54" High	EVPBLEPSSL5427	463	54	27	1
		EVPBLEPSSL5433	529	54	33	1
		EVPBLEPSSL5439	603	54	39	1
		EVPBLEPSSL5445	706	54	45	1
		EVPBLEPSSL5451	750	54	51	1
	Laminate Single Sided Connecting Gallery Panel Connector Ends -Right - 42" High	EVPBLEPSSR4227	385	42	27	1
		EVPBLEPSSR4233	430	42	33	1
		EVPBLEPSSR4239	483	42	39	1
		EVPBLEPSSR4245	553	42	45	1
		EVPBLEPSSR4251	593	42	51	1
	Laminate Single Sided Connecting Gallery Panel Connector Ends -Right - 48" High	EVPBLEPSSR4827	421	48	27	1
		EVPBLEPSSR4833	593	48	33	1
		EVPBLEPSSR4839	535	48	39	1
		EVPBLEPSSR4845	593	48	45	1
		EVPBLEPSSR4851	671	48	51	1
	Laminate Single Sided Connecting Gallery Panel Connector Ends - Right - 54" High	EVPBLEPSSR5427	463	54	27	1
		EVPBLEPSSR5433	529	54	33	1
		EVPBLEPSSR5439	603	54	39	1
		EVPBLEPSSR5445	706	54	45	1
		EVPBLEPSSR5451	750	54	51	1

GALLERY PANELS


EVPBLEPDCNC - POWER BEAM LAMINATE DOUBLE SIDED MIDDLE GALLERY PANEL, 24" ELECTRICAL CUTOUT, FINISHED ENDS

- Attaches to power beam channel.
- To be installed in middle between two power beam in straight run.
- Cut out for electrics at 24" power beam height
- Finished in thermally fused laminate.
- No connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Power beam channel and bottom connecting bracket to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Double Sided Middle Gallery Panel - 24" Electrical Cutout - 42" High	EVPBLEPDC4251NC	593	42	51	1
		EVPBLEPDC4263NC	771	42	63	1
		EVPBLEPDC4275NC	951	42	75	1
	Laminate Double Sided Middle Gallery Panel - 24" Electrical Cutout - 48" High	EVPBLEPDC4851NC	646	48	51	1
		EVPBLEPDC4863NC	856	48	63	1
		EVPBLEPDC4875NC	1040	48	75	1
	Laminate Double Sided Middle Gallery Panel - 24" Electrical Cutout - 54" High	EVPBLEPDC5451NC	750	54	51	1
		EVPBLEPDC5463NC	980	54	63	1
		EVPBLEPDC5475NC	1133	54	75	1

EVPBLEPDBNC - POWER BEAM LAMINATE DOUBLE SIDED MIDDLE GALLERY PANEL, 30" ELECTRICAL CUTOUT, FINISHED ENDS


- Attaches to power beam channel.
- To be installed in middle between two power beam in straight run.
- Cut out for electrics at 30" power beam height
- Finished in thermally fused laminate.
- No connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Power beam channel and bottom connecting bracket to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Double Sided Middle Gallery Panel - 30" Electrical Cutout - 42" High	EVPBLEPDC4251BNC	593	42	51	1
		EVPBLEPDC4263BNC	771	42	63	1
		EVPBLEPDC4275BNC	951	42	75	1
	Laminate Double Sided Middle Gallery Panel - 30" Electrical Cutout - 48" High	EVPBLEPDC4851BNC	646	48	51	1
		EVPBLEPDC4863BNC	856	48	63	1
		EVPBLEPDC4875BNC	1040	48	75	1
	Laminate Double Sided Middle Gallery Panel - 30" Electrical Cutout - 54" High	EVPBLEPDC5451BNC	750	54	51	1
		EVPBLEPDC5463BNC	980	54	63	1
		EVPBLEPDC5475BNC	1133	54	75	1

GALLERY PANELS

EVPBLEPDCNC - POWER BEAM LAMINATE DOUBLE SIDED MIDDLE GALLERY PANEL, 36" ELECTRICAL CUTOUT, FINISHED ENDS


- Attaches to power beam channel.
 - To be installed in middle between two power beam in straight run.
 - Cut out for electrics at 36" power beam height
 - Finished in thermally fused laminate.
 - No connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
 - If wood grain is selected, grain runs horizontally.
 - Power beam channel and bottom connecting bracket to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Double Sided Middle Gallery Panel - 36" Electrical Cutout - 42" High	EVPBLEPDC4251CNC	593	42	51	1
		EVPBLEPDC4263CNC	771	42	63	1
		EVPBLEPDC4275CNC	951	42	75	1
	Laminate Double Sided Middle Gallery Panel - 36" Electrical Cutout - 48" High	EVPBLEPDC4851CNC	646	48	51	1
		EVPBLEPDC4863CNC	856	48	63	1
		EVPBLEPDC4875CNC	1040	48	75	1
	Laminate Double Sided Middle Gallery Panel - 36" Electrical Cutout - 54" High	EVPBLEPDC5451CNC	750	54	51	1
		EVPBLEPDC5463CNC	980	54	63	1
		EVPBLEPDC5475CNC	1133	54	75	1

GALLERY PANELS


EVPBLEPDC - POWER BEAM LAMINATE DOUBLE SIDED MIDDLE CONNECTING GALLERY PANEL, 24"H ELECTRICAL CUTOUT

- Attaches to power beam channel.
- To be installed in middle between two power beams in straight run.
- Cut out for electrics at 24" power beam height.
- Finished in thermally fused laminate.
- No connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Power beam channel and bottom connecting bracket to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Double Sided Middle Connecting Gallery Panel - Electrical Cutout - 42" High	EVPBLEPDC4251	593	42	51	1
		EVPBLEPDC4263	771	42	63	1
		EVPBLEPDC4275	951	42	75	1
	Laminate Double Sided Middle Connecting Gallery Panel - Electrical Cutout - 48" High	EVPBLEPDC4851	646	48	51	1
		EVPBLEPDC4863	856	48	63	1
		EVPBLEPDC4875	1040	48	75	1
	Laminate Double Sided Middle Connecting Gallery Panel - Electrical Cutout - 54" High	EVPBLEPDC5451	750	54	51	1
		EVPBLEPDC5463	980	54	63	1
		EVPBLEPDC5475	1133	54	75	1

EVPBLEPDC - POWER BEAM LAMINATE DOUBLE SIDED MIDDLE CONNECTING GALLERY PANEL, 30"H ELECTRICAL CUTOUT


- Attaches to power beam channel.
- To be installed in middle between two power beams in straight run.
- Cut out for electrics at 30" power beam height
- Finished in thermally fused laminate.
- Locking connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Power beam channel and bottom connecting bracket to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Double Sided Middle Connecting Gallery Panel - 30" Electrical Cutout - 42" High	EVPBLEPDC4251B	593	42	51	1
		EVPBLEPDC4263B	771	42	63	1
		EVPBLEPDC4275B	951	42	75	1
	Laminate Double Sided Middle Connecting Gallery Panel - 30" Electrical Cutout - 48" High	EVPBLEPDC4851B	646	48	51	1
		EVPBLEPDC4863B	856	48	63	1
		EVPBLEPDC4875B	1040	48	75	1
	Laminate Double Sided Middle Connecting Gallery Panel - 30" Electrical Cutout - 54" High	EVPBLEPDC5451B	750	54	51	1
		EVPBLEPDC5463B	980	54	63	1
		EVPBLEPDC5475B	1133	54	75	1

GALLERY PANELS


EVPBLEPDC - POWER BEAM LAMINATE DOUBLE SIDED MIDDLE CONNECTING GALLERY PANEL, 36"H ELECTRICAL CUTOUT

- Attaches to power beam channel.
- To be installed in middle between two power beams in straight run.
- Cut out for electrics at 36" power beam height
- Finished in thermally fused laminate.
- Locking connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Power beam channel and bottom connecting bracket to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Double Sided Middle Connecting	EVPBLEPDC4251C	593	42	51	1
	Gallery Panel - 30" Electrical Cutout - 42" High	EVPBLEPDC4263C	771	42	63	1
		EVPBLEPDC4275C	951	42	75	1
	Laminate Double Sided Middle Connecting	EVPBLEPDC4851C	646	48	51	1
	Gallery Panel - 30" Electrical Cutout - 48" High	EVPBLEPDC4863C	856	48	63	1
		EVPBLEPDC4875C	1040	48	75	1
	Laminate Double Sided Middle Connecting	EVPBLEPDC5451C	750	54	51	1
	Gallery Panel - 30" Electrical Cutout - 54" High	EVPBLEPDC5463C	980	54	63	1
		EVPBLEPDC5475C	1133	54	75	1

EVPBLEPSCNC - POWER BEAM LAMINATE SINGLE SIDED MIDDLE GALLERY PANEL, FINISHED ENDS, 24"H ELECTRICAL CUTOUT

- Attaches to power beam channel.
- To be installed in middle between two power beam in straight run on one side.
- Cut out for electrics at 24" power beam height.
- Finished in thermally fused laminate.
- No connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Power beam channel and bottom connecting bracket to be ordered separately.


	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Single Sided Middle Gallery	EVPBLEPSC4227NC	385	42	27	1
	Panel - Finished Ends - 42" High	EVPBLEPSC4233NC	430	42	33	1
		EVPBLEPSC4239NC	483	42	39	1
		EVPBLEPSC4245NC	553	42	45	1
		EVPBLEPSC4251NC	593	42	51	1
	Laminate Single Sided Middle Gallery	EVPBLEPSC4827NC	421	48	27	1
	Panel - Finished Ends - 48" High	EVPBLEPSC4833NC	478	48	33	1
		EVPBLEPSC4839NC	535	48	39	1
		EVPBLEPSC4845NC	593	48	45	1
		EVPBLEPSC4851NC	671	48	51	1
	Laminate Single Sided Middle Gallery	EVPBLEPSC5427NC	463	54	27	1
	Panel - Finished Ends - 54" High	EVPBLEPSC5433NC	529	54	33	1
		EVPBLEPSC5439NC	603	54	39	1
		EVPBLEPSC5445NC	593	54	45	1
		EVPBLEPSC5451NC	750	54	51	1



GALLERY PANELS

EEVPBLEPSCNC - POWER BEAM LAMINATE SINGLE SIDED MIDDLE GALLERY PANEL, FINISHED ENDS, 30"H ELECTRICAL CUTOUT


- Attaches to power beam channel.
- To be installed in middle between two power beam in straight run on one side.
- Cut out for electrics at 30" power beam height
- Finished in thermally fused laminate.
- No connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Power beam channel and bottom connecting bracket to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Single Sided Middle Gallery Panel - Finished Ends - 42" High	EVPBLEPSC4227BNC	385	42	27	1
		EVPBLEPSC4233BNC	430	42	33	1
		EVPBLEPSC4239BNC	483	42	39	1
		EVPBLEPSC4245BNC	553	42	45	1
		EVPBLEPSC4251BNC	593	42	51	1
	Laminate Single Sided Middle Gallery Panel - Finished Ends - 48" High	EVPBLEPSC4827BNC	421	48	27	1
		EVPBLEPSC4833BNC	478	48	33	1
		EVPBLEPSC4839BNC	535	48	39	1
		EVPBLEPSC4845BNC	593	48	45	1
		EVPBLEPSC4851BNC	671	48	51	1
	Laminate Single Sided Middle Gallery Panel - Finished Ends - 54" High	EVPBLEPSC5427BNC	463	54	27	1
		EVPBLEPSC5433BNC	529	54	33	1
		EVPBLEPSC5439BNC	603	54	39	1
		EVPBLEPSC5445BNC	706	54	45	1
		EVPBLEPSC5451BNC	750	54	51	1

GALLERY PANELS

EVPBLEPSCNC - POWER BEAM LAMINATE SINGLE SIDED MIDDLE GALLERY PANEL, FINISHED ENDS, 36"H ELECTRICAL CUTOUT


- Attaches to power beam channel.
- To be installed in middle between two power beam in straight run on one side.
- Cut out for electrics at 36" power beam height
- Finished in thermally fused laminate.
- No connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Power beam channel and bottom connecting bracket to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Single Sided Middle Gallery Panel - Finished Ends - 42" High	EVPBLEPSC4227CNC	385	42	27	1
		EVPBLEPSC4233CNC	430	42	33	1
		EVPBLEPSC4239CNC	483	42	39	1
		EVPBLEPSC4245CNC	553	42	45	1
		EVPBLEPSC4251CNC	593	42	51	1
	Laminate Single Sided Middle Gallery Panel - Finished Ends - 48" High	EVPBLEPSC4827CNC	421	48	27	1
		EVPBLEPSC4833CNC	478	48	33	1
		EVPBLEPSC4839CNC	535	48	39	1
		EVPBLEPSC4845CNC	593	48	45	1
		EVPBLEPSC4851CNC	671	48	51	1
	Laminate Single Sided Middle Gallery Panel - Finished Ends - 54" High	EVPBLEPSC5427CNC	463	54	27	1
		EVPBLEPSC5433CNC	529	54	33	1
		EVPBLEPSC5439CNC	603	54	39	1
		EVPBLEPSC5445CNC	706	54	45	1
		EVPBLEPSC5451CNC	750	54	51	1

GALLERY PANELS


VPBLEPSC - POWER BEAM LAMINATE SINGLE SIDED MIDDLE CONNECTING GALLERY PANEL, 24"H ELECTRICAL CUTOUT

- Attaches to power beam channel.
- To be installed in middle between two power beam in straight run on one side.
- Cut out for electrics at 24" power beam height
- Finished in thermally fused laminate.
- Locking connection one side.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Power beam channel and bottom connecting bracket to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Single Sided Connecting Gallery Panel - 24" Electrical Cutout - 42" High	EVPBLEPSC4227	385	42	27	1
		EVPBLEPSC4233	430	42	33	1
		EVPBLEPSC4239	483	42	39	1
		EVPBLEPSC4245	553	42	45	1
		EVPBLEPSC4251	593	42	51	1
	Laminate Single Sided Connecting Gallery Panel - 24" Electrical Cutout - 48" High	EVPBLEPSC4827	421	48	27	1
		EVPBLEPSC4833	478	48	33	1
		EVPBLEPSC4839	535	48	39	1
		EVPBLEPSC4845	593	48	45	1
		EVPBLEPSC4851	671	48	51	1
	Laminate Single Sided Connecting Gallery Panel - 24" Electrical Cutout - 54" High	EVPBLEPSC5427	463	54	27	1
		EVPBLEPSC5433	529	54	33	1
		EVPBLEPSC5439	603	54	39	1
		EVPBLEPSC5445	706	54	45	1
		EVPBLEPSC5451	750	54	51	1

EVBPBLEPSC - POWER BEAM LAMINATE SINGLE SIDED MIDDLE CONNECTING GALLERY PANEL, 30"H ELECTRICAL CUTOUT


- Attaches to power beam channel.
- To be installed in middle between two power beam in straight run on one side.
- Cut out for electrics at 30" power beam height.
- Finished in thermally fused laminate.
- Locking connection on one side.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Power beam channel and bottom connecting bracket to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Single Sided Connecting Gallery Panel - 30" Electrical Cutout - 42" High	EVPBPBLEPSC4227B	385	42	27	1
		EVPBPBLEPSC4233B	430	42	33	1
		EVPBPBLEPSC4239B	483	42	39	1
		EVPBPBLEPSC4245B	553	42	45	1
		EVPBPBLEPSC4251B	593	42	51	1
	Laminate Single Sided Connecting Gallery Panel - 30" Electrical Cutout - 48" High	EVPBPBLEPSC4827B	421	48	27	1
		EVPBPBLEPSC4833B	478	48	33	1
		EVPBPBLEPSC4839B	535	48	39	1
		EVPBPBLEPSC4845B	593	48	45	1
		EVPBPBLEPSC4851B	671	48	51	1
	Laminate Single Sided Connecting Gallery Panel - 30" Electrical Cutout - 54" High	EVPBPBLEPSC5427B	463	54	27	1
		EVPBPBLEPSC5433B	529	54	33	1
		EVPBPBLEPSC5439B	603	54	39	1
		EVPBPBLEPSC5445B	706	54	45	1
		EVPBPBLEPSC5451B	750	54	51	1

GALLERY PANELS

EVPBLEPSC - POWER BEAM LAMINATE SINGLE SIDED MIDDLE CONNECTING GALLERY PANEL, 36"H ELECTRICAL CUTOUT



- Attaches to power beam channel.
 - To be installed in middle between two power beam in straight run on one side.
 - Cut out for electric at 36" power beam height
 - Finished in thermally fused laminate.
 - Locking connection on one side.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
 - If wood grain is selected, grain runs horizontally.
 - Power beam channel and bottom connecting bracket to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Single Sided Connecting Gallery Panel - 36" Electrical Cutout - 42" High	EVPBLEPSC4227C	385	42	27	1
		EVPBLEPSC4233C	430	42	33	1
		EVPBLEPSC4239C	483	42	39	1
		EVPBLEPSC4245C	553	42	45	1
		EVPBLEPSC4251C	593	42	51	1
	Laminate Single Sided Connecting Gallery Panel - 36" Electrical Cutout - 48" High	EVPBLEPSC4827C	421	48	27	1
		EVPBLEPSC4833C	478	48	33	1
		EVPBLEPSC4839C	535	48	39	1
		EVPBLEPSC4845C	593	48	45	1
		EVPBLEPSC4851C	671	48	51	1
	Laminate Single Sided Connecting Gallery Panel - 36" Electrical Cutout - 54" High	EVPBLEPSC5427C	463	54	27	1
		EVPBLEPSC5433C	529	54	33	1
		EVPBLEPSC5439C	603	54	39	1
		EVPBLEPSC5445C	706	54	45	1
		EVPBLEPSC5451C	750	54	51	1

GALLERY PANELS

EVLXPMNC - LAMINATE GALLERY EXTENSION PANEL, FINISHED END



- Locking connection on one side, no connection at end.
- Finished in thermally fused laminate.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Gallery Extension Panel	EVLXPML4224NC	316	42	24	1
	Finished End - 42" High	EVLXPML4230NC	385	42	30	1
		EVLXPML4236NC	430	42	36	1
		EVLXPML4242NC	482	42	42	1
		EVLXPML4248NC	552	42	48	1
	Laminate Gallery Extension Panel	EVLXPML4824NC	363	48	24	1
	Finished End - 48" High	EVLXPML4830NC	421	48	30	1
		EVLXPML4836NC	478	48	36	1
		EVLXPML4842NC	535	48	42	1
		EVLXPML4848NC	593	48	48	1
	Laminate Gallery Extension Panel	EVLXPML5424NC	396	54	24	1
	Finished End - 54" High	EVLXPML5430NC	463	54	30	1
		EVLXPML5436NC	529	54	36	1
		EVLXPML5442NC	603	54	42	1
		EVLXPML5448NC	706	54	48	1
	Laminate Gallery Extension Panel	EVLXPMR4224NC	316	42	24	1
	Finished End - 42" High	EVLXPMR4230NC	385	42	30	1
		EVLXPMR4236NC	430	42	36	1
		EVLXPMR4242NC	482	42	42	1
		EVLXPMR4248NC	552	42	48	1
	Laminate Gallery Extension Panel	EVLXPMR4824NC	363	48	24	1
	Finished End - 48" High	EVLXPMR4830NC	421	48	30	1
		EVLXPMR4836NC	478	48	36	1
		EVLXPMR4842NC	535	48	42	1
		EVLXPMR4848NC	593	48	48	1
	Laminate Gallery Extension Panel	EVLXPMR5424NC	396	54	24	1
	Finished End - 54" High	EVLXPMR5430NC	463	54	30	1
		EVLXPMR5436NC	529	54	36	1
		EVLXPMR5442NC	603	54	42	1
		EVLXPMR5448NC	706	54	48	1

GALLERY PANELS

EVLXPM - LAMINATE GALLERY STRAIGHT EXTENSION PANEL, CONNECTOR ENDS



- Locking connection both sides.
- Finished in thermally fused laminate.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Gallery Straight Extension	EVLXPML4224	316	42	24	1
	Panel - Connector Ends - Left - 42" High	EVLXPML4230	385	42	30	1
		EVLXPML4236	430	42	36	1
		EVLXPML4242	482	42	42	1
		EVLXPML4248	552	42	48	1
	Laminate Gallery Straight Extension	EVLXPML4824	363	48	24	1
	Panel - Connector Ends - Left - 48" High	EVLXPML4830	421	48	30	1
		EVLXPML4836	593	48	36	1
		EVLXPML4842	535	48	42	1
		EVLXPML4848	593	48	48	1
	Laminate Gallery Straight Extension	EVLXPML5424	396	54	24	1
	Panel - Connector Ends - Left - 54" High	EVLXPML5430	463	54	30	1
		EVLXPML5436	529	54	36	1
		EVLXPML5442	603	54	42	1
		EVLXPML5448	706	54	48	1
	Laminate Gallery Straight Extension	EVLXPMR4224	316	42	24	1
	Panel - Connector Ends - Right - 42" High	EVLXPMR4230	385	42	30	1
		EVLXPMR4236	430	42	36	1
		EVLXPMR4242	482	42	42	1
		EVLXPMR4248	552	42	48	1
	Laminate Gallery Straight Extension	EVLXPMR4824	363	48	24	1
	Panel - Connector Ends - Right - 48" High	EVLXPMR4830	421	48	30	1
		EVLXPMR4836	478	48	36	1
		EVLXPMR4842	535	48	42	1
		EVLXPMR4848	593	48	48	1
	Laminate Gallery Straight Extension	EVLXPMR5424	396	54	24	1
	Panel - Connector Ends - Right - 54" High	EVLXPMR5430	463	54	30	1
		EVLXPMR5436	529	54	36	1
		EVLXPMR5442	603	54	42	1
		EVLXPMR5448	706	54	48	1

GALLERY PANELS

EV2LXP - LAMINATE GALLERY TWO-WAY EXTENSION PANEL, FINISHED ENDS



- Panel connects at 90 degree with extension panel.
- Finished in thermally fused laminate.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Corner connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Left - 42" High	EV2LXPL4225	317	42	25	1
		EV2LXPL4231	385	42	31	1
		EV2LXPL4237	430	42	37	1
		EV2LXPL4243	483	42	43	1
		EV2LXPL4249	553	42	49	1
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Left - 48" High	EV2LXPL4825	363	48	25	1
		EV2LXPL4831	421	48	31	1
		EV2LXPL4837	478	48	37	1
		EV2LXPL4843	535	48	43	1
		EV2LXPL4849	593	48	49	1
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Left - 54" High	EV2LXPL5425	425	54	25	1
		EV2LXPL5431	486	54	31	1
		EV2LXPL5437	547	54	37	1
		EV2LXPL5443	665	54	43	1
		EV2LXPL5449	750	54	49	1
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Right - 42" High	EV2LXPR4225	317	42	25	1
		EV2LXPR4231	385	42	33	1
		EV2LXPR4237	430	42	37	1
		EV2LXPR4243	483	42	43	1
		EV2LXPR4249	553	42	49	1
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Right - 48" High	EV2LXPR4825	363	48	25	1
		EV2LXPR4831	421	48	33	1
		EV2LXPR4837	478	48	37	1
		EV2LXPR4843	535	48	43	1
		EV2LXPR4849	593	48	49	1
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Right - 54" High	EV2LXPR5425	425	54	25	1
		EV2LXPR5431	486	54	31	1
		EV2LXPR5437	547	54	37	1
		EV2LXPR5443	665	54	43	1
		EV2LXPR5449	750	54	49	1

GALLERY PANELS

EV3LXP - LAMINATE GALLERY THREE-WAY EXTENSION PANEL, FINISHED ENDS


- Panel connects "T" configuration with extension panel.
- Finished in thermally fused laminate.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Corner connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 42" High	EV3LXPL4249	593	42	49	1
		EV3LXPL4261	706	42	61	1
		EV3LXPL4273	821	42	73	1
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 48" High	EV3LXPL4849	671	48	49	1
		EV3LXPL4861	825	48	61	1
		EV3LXPL4873	980	48	73	1
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 54" High	EV3LXPL5449	750	54	49	1
		EV3LXPL5461	980	54	61	1
		EV3LXPL5473	1133	54	73	1
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 42" High	EV3LXPR4249	593	42	49	1
		EV3LXPR4261	706	42	61	1
		EV3LXPR4273	821	42	73	1
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 48" High	EV3LXPR4849	671	48	49	1
		EV3LXPR4861	825	48	61	1
		EV3LXPR4873	980	48	73	1
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 54" High	EV3LXPR5449	750	54	49	1
		EV3LXPR5461	980	54	61	1
		EV3LXPR5473	1133	54	73	1

GALLERY PANELS


EV4LXP - LAMINATE DOUBLE GALLERY PANEL FOR FOUR-WAY, FINISHED ENDS

- Panel connects "+" configuration with extension panel.
- Finished in thermally fused laminate.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Corner connecting brackets to be ordered separately

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Double Gallery Panel	EV4LXP4249	593	42	49	1
	Four-Way - Finished Ends - 42" High	EV4LXP4261	772	42	61	1
		EV4LXP4273	951	42	73	1
	Laminate Double Gallery Panel	EV4LXP4849	646	48	49	1
	Four-Way - Finished Ends - 48" High	EV4LXP4861	856	48	61	1
		EV4LXP4873	1040	48	73	1
	Laminate Double Gallery Panel	EV4LXP5449	750	54	49	1
	Four-Way - Finished Ends - 48" High	EV4LXP5461	980	54	61	1
		EV4LXP5473	1133	54	73	1

EV4LXPM - LAMINATE GALLERY EXTENSION PANEL FOR FOUR-WAY CONFIGURATION, FINISHED ENDS


- Locking connection on one side only for four way panel.
- Finished in thermally fused laminate.
- Universal to be used on both sides of four way laminate panel.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Bottom connecting brackets to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
				H	W	D
	Laminate Gallery Extension Panel	EV4LXPM4224	316	42	24	1
	Four-Way - Finished Ends - 42" High	EV4LXPM4230	385	42	30	1
		EV4LXPM4236	430	42	36	1
		EV4LXPM4242	482	42	42	1
		EV4LXPM4248	552	42	58	1
	Laminate Gallery Extension Panel	EV4LXPM4824	363	48	24	1
	Four-Way - Finished Ends - 42" High	EV4LXPM4830	421	48	30	1
		EV4LXPM4836	478	48	36	1
		EV4LXPM4842	535	48	42	1
		EV4LXPM4848	593	48	48	1
	Laminate Gallery Extension Panel	EV4LXPM5424	396	54	24	1
	Four-Way - Finished Ends - 42" High	EV4LXPM5430	463	54	30	1
		EV4LXPM5436	529	54	36	1
		EV4LXPM5442	603	54	42	1
		EV4LXPM5448	706	54	48	1

GALLERY PANELS


EVPBIECH - POWER BEAM CONNECTOR CHANNEL

- One piece channel for power beam and extension module above , attaches to laminate panels with screws.
 - Power beam attaches to channel with clamps and extension module attaches above.
- Channel has cut out for power beam electrics to run thru laminate panel.
 - Note: not stackable. Channel has cut out for power beam electrics to run thru laminate panel.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	Connector Channel	EVPBIECH12	43	12	2.875
		EVPBIECH18	49	18	2.875
		EVPBIECH24	58	24	2.875
		EVPBIECH30	64	30	2.875
		EVPBIECH36	68	36	2.875


EVHLPBB01 - LAMINATE GALLERY PANEL BOTTOM BRACKET

- Laminate panel bottom bracket connects two laminate end panels at bottom with screws.
 - Available in standard paint colors.
- Bracket and screws included.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	Bottom Bracket	EVHLPBB01	39	1.5	8 1

EVHLPGB01 - LAMINATE GALLERY PANEL CORNER BRACKET


- Laminate panel corner bottom bracket connects two laminate panels at 90 degree.
 - Available in standard paint colors.
- Bracket and screws included.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	Corner Bracket	EVHLPGB01	38	1.5	4 4

GALLERY PANELS


EVPBGFC - GALLERY PANEL BASE FEED COVER

- Connects to gallery panels, underneath power beam with electrical cutout.
- Includes vertical covers and slotted connector.
- Power beam with electrical cut out to be ordered seperately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			LP	H	W	D
	Gallery Panel Base Feed Cover	EVPBGFC24	158	24	6	3
		EVPBGFC30	180	30	6	3
		EVPBGFC36	202	36	6	3

EVPBGDP - GALLERY PANEL POWER DATA POST / COMM LAY-IN


- Attaches to Power beam gallery end panel to bring power and/or data cables from ceiling to power beam.
- Three-sided power pole with snap-on fourth side.
- Made of aluminum and can be field cut.
- Accommodates up to 25 CAT 5 cables with electric.
- Accommodates up to 45 CAT 5 cables without electric.
- Standard data post extension used above.
- Standard data post extension to be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			LP	H	W	D
	Gallery Panel Power Data Post 24" High	EVPBGDP42	137	42	2	
		EVPBGDP48	155	48	2	
		EVPBGDP54	188	54	2	
	Gallery Panel Power Data Post 30" High	EVPBGDP42B	137	42	2	
		EVPBGDP48B	155	48	2	
		EVPBGDP54B	188	54	2	
	Gallery Panel Power Data Post 36" High	EVPBGDP42C	137	42	2	
		EVPBGDP48C	155	48	2	
		EVPBGDP54C	188	54	2	

GALLERY PANELS


EVPBLEP - LAMINATE END PANEL FOR POWER BEAM

- Connects to a power beam support leg with foot at the end of a run
 - Includes brackets to attach to support leg with foot
 - Finished in thermally fused laminate. If wood grain is selected, grain runs horizontally
- Laminate End Panel height is inclusive of panel glides extended to their full height
 - Laminate end panel must connect to a support leg with foot and will not connect to a support leg with glide
 - Must be used with Connectors with T-Leg

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Laminate End Panel for Power Beam				
	EVPBLEP2451	329	24	51	1
	EVPBLEP3051	410	30	51	1
	EVPBLEP3651	495	36	51	1
	EVPBLEP4251	726	42	51	1
	EVPBLEP2463	401	24	63	1
	EVPBLEP3063	500	30	63	1
	EVPBLEP3663	594	36	63	1
	EVPBLEP4263	811	42	63	1

EVPBLEP - LAMINATE END PANEL FOR POWER BEAM, SINGLE LEG


- Attaches to power beam connector with single leg
 - For one sided Power beam application
 - Includes brackets to attached to leg
 - Finished in thermally fused laminate, if wood grain is selected, grain runs horizontally
- Laminate End Panel height is inclusive of panel glides extended to their full height
 - EVPBLEPxx30 to be used for 24" deep worksurface
 - EVPBLEPxx36 to be used for 30" deep worksurface

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBLEP2430	297	24	30	1
	EVPBLEP3030	320	30	30	1
	EVPBLEP3630	343	36	30	1
	EVPBLEP4230	402	42	30	1
	EVPBLEP2436	346	24	36	1
	EVPBLEP3036	358	30	36	1
	EVPBLEP3636	402	36	36	1
	EVPBLEP4236	482	42	36	1

ELECTRICAL


EVE8PD - POWER DISTRIBUTION HOUSING

- Power housing is specified per beam size (e.g. EVE8PD36 is for use in a 36" beam).
- 8 wire, 4 circuits (2+2 configuration).
- Accommodates two duplex receptacles per panel side.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Power Distribution Housing	EVE8PD36	198	17 1/2	
		EVE8PD42	202	23 1/2	
		EVE8PD48	219	29 1/2	
		EVE8PD54	220	39 1/4	
		EVE8PD60	221	41 1/2	
		EVE8PD66	230	41 1/2	
		EVE8PD72	243	41 1/2	


EVE8CP17 - FLEXIBLE MESH JUMPER CABLE

- One (1) 17.5" flexible harness
- Used to connect two power distribution housings in a straight run, 90-degree or 120-degree connections

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Flexible Mesh Jumper Cable	EVE8CP17	107		


EVE8CP - PASS-THROUGH CABLE

- Flexible metal conduit is used to distribute electrical power through non-powered beams.
- To calculate the length of a Pass-Through Cable, add the widths of the non-powered beam separating the powered panels (panels with distribution housing attached). To this, add 16" (distance from the edge of the panel to the distribution housing x 2).
- Add additional 3" when passing through a post. See the Tips at the beginning of the section for more details.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Pass-Through Cable	EVE8CP28	143	28 1/2	
		EVE8CP40	151	40 1/2	
		EVE8CP46	155	46 1/2	
		EVE8CP52	160	52 1/2	
		EVE8CP58	170	58 1/2	
		EVE8CP64	177	64 1/2	
		EVE8CP70	182	70 1/2	
		EVE8CP76	185	76 1/2	
		EVE8CP82	193	82 1/2	
		EVE8CP88	198	88 1/2	

EVE8CI-1 - "I" CONNECTOR


- Female - Female connector used to connect two Pass-Through Cables
- Connects receptacles for 66" w and 72" w modules when two are required on one end

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	"I" Connector	EVE8CI-1	80		

ELECTRICAL

EVE8RD - DUPLEX RECEPTACLE

- Duplex receptacles are rated for 15 Amps.
- EVE8RD1 = Circuit #1 (utility circuit)
- EVE8RD2 = Circuit #2 (utility circuit)
- EVE8RDA = Circuit A (dedicated)
- EVE8RDB = Circuit B (dedicated)



Duplex Receptacle


EVE8RD1	30	2	4 5/8	1 1/4
EVE8RD2	30	2	4 5/8	1 1/4
EVE8RDA	30	2	4 5/8	1 1/4
EVE8RDB	30	2	4 5/8	1 1/4

NOTE:

- EVE8RD1 and EVE8RD2 (#1 and #2 share common ground)
- EVE8RDA and EVE8RDB (A and B share common ground)
- Up to 8 receptacles on average per circuit (24 per infeed), not to exceed total of 15 Amps per circuit.
- Actual quantity of receptacles is determined by individual electrical requirements as determined by the customer.
- Standard in black. Available in White or Nevada with upcharge, add \$3.00.

EVE8RDxca - CALIFORNIA CONTROLLED DUPLEX RECEPTACLE

- California Title 24 meets federal and LEED certification guidelines
- Allows circuit to be controlled or switched off when utility is not in use.
- Duplex receptacles are rated for 15 Amps.
- EVE8RD1CA = Circuit #1 (utility circuit)
- EVE8RD2CA = Circuit #2 (utility circuit)
- EVE8RDACA = Circuit A (dedicated)
- EVE8RDBCA = Circuit B (dedicated)



Duplex Receptacle


EVE8RD1CA	33	2	4 5/8	1 1/4
EVE8RD2CA	33	2	4 5/8	1 1/4
EVE8RDACA	33	2	4 5/8	1 1/4
EVE8RDBCA	33	2	4 5/8	1 1/4

NOTE:

- EVE8RD1CA and EVE8RD2CA (#1 and #2 share common ground)
- EVE8RDACA and EVE8RDBCA (A and B share common ground)
- Up to 6 receptacles per circuit (24 per infeed), not to exceed total of 15 Amps per circuit.
- Available in BLK finish only.

EVEUSB01 - USB MODULE

- Includes two USB ports.
- Available in White and Black.



USB Module - White

EVEUSB01WHT	193	2	4 5/8	1 1/4
-------------	-----	---	-------	-------

USB Module - Black


EVEUSB01BLK	193	2	4 5/8	1 1/4
-------------	-----	---	-------	-------



ELECTRICAL


EVE8FR3PB - POWER ENTRY FOR POWER BEAM

- Snaps in to power distribution housing
 - Includes 84" long flexible vinyl conduit
- Includes bracket to attach within vertical infeed cover
 - Must be hardwired to source by licensed electrician

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVE8FR3PB	415		84	

EVE8FR3PBD - DOUBLE POWER ENTRY FOR POWER BEAM


- Each power feed entry snaps into separate power distribution housing
 - Includes two 84" long flexible vinyl conduit
 - Includes double bracket to attach to Vertical base power feed cover leg
- Must be installed in middle between two power beams, one base feed plugs to power beam on opposite side of leg than attached bracket
 - Vertical base power feed cover with leg to be ordered separately
 - Must be hardwired to source by licensed electrician

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVE8FR3PBD	692		84	

NOTE: Always determine that each individual harness is electrically connected to only one power supply.

EVE8EC - CEILING POWER ENTRY


- Must specify at a 90 or 120 Degree Post
- Post extension specified separate
- Floor plate must be separate on post with ceiling infeed

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Ceiling Power Entry				
	EVE8EC1	243		132	
	EVE8EC2	425		144	
	EVE8EC3	480		180	

EVEENY-2PB - HARDWARE POWER ENTRY BOX - NEW YORK FOR POWER BEAM

- A licensed electrician must provide hard wire connection within the junction box.
 - Box attaches vertically with screws to leg between Vertical base feed covers
 - Vertical base power feed cover with leg to be ordered seperately
- Must be installed in middle between two power beams, plugs to power beam on opposite side of leg than attached box
 - For use with Power Beam only

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D




Hardware Power Entry Box - New York	EVEENY2PB	402	3	28	2 1/5
-------------------------------------	-----------	-----	---	----	-------

EVEJBC-1PB - HARDWARE JUNCTION BOX - CHICAGO FOR POWER BEAM

- Can be retrofitted in any size of power beam at the receptacle location.
 - Gives access from one side only at each location.
 - Customer to supply conduit, wiring, receptacle, and face plate.
- A licensed electrician must provide hardware connection with the junction box.
 - 2 per power beam
 - For use with Power Beam only

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D




Hardware Junction Box - Chicago	EVEJBC-1PB	92			
---------------------------------	------------	----	--	--	--

EVDPE - POST EXTENSION DATA/ COMM LAY-IN

- Attaches to the top of post to bring power and/or data cables from ceiling to panel power way
 - Three-sided power pole with snap-on fourth side
 - Post extension can be open on one side for lay-in or power and/or data cables
 - Made of aluminum and can be field cut
- Accommodates up to 25 CAT 5 cables with electric. Accommodates up to 45 CAT 5 cables without electric
 - Ceiling infeed installed on one way post with T Leg requires securing post with two Floor mount plates
 - Post extension bigger then 82"H is made from two parts

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D




Post Extension Data/Comm Lay-in	EVDPE64	155	64	2	
	EVDPE82	188	84	2	
	EVDPE88	280	88	2	
	EVDPE94	300	94	2	
	EVDPE100	318	100	2	

EVAFMB01 - FLOOR MOUNT PLATE

- Attaches to floor.
 - Secures beam to floor.
 - Attachment screws are not included.
- Care should be taken to use correct fastners for type of floor.
 - Available in chrome finish only.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Floor Mount Plate	EVAFMB01	77	0.25	5	2.5



EVPBECH34 - E-CHAIN WITH BRACKET

- E-Chain provides cable management from the Power Beam to a height adjustable table
 - Includes bracket to attach to bottom of Power Beam
- E-chain provides wire management for all height adjustable table heights
 - Available in black only


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
E-Chain with Bracket	EVPBECH34	358	41	1	2



EVPBT01 - POWER BEAM TRAY

- Power beam tray provides support for wires
 - Can be used with power beam only
- Available in standard and premium paint finishes

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Power Beam Tray	EVPBT01	37	12	1.25	3.5




STORAGE

EVSDA0H - POWER BEAM DUAL ACCESS OVERHEAD

- Inside dimensions 6.500"high x 13"deep
 - Laminate Overhead
 - Available in standard Evolve laminate finishes
 - Top mount on power beam
- Dual Access Overhead Support Brackets to be ordered separately
 - Horizontal tube with trim and power beam legs for storage to be ordered separately
 - Power Beam shared storage cabinet must be installed at bottom for stability
 - Power beam legs for storage must be used


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Dual Access Overhead	EVSDA0H60	1145	8.5	60	16
	EVSDA0H72	1163	8.6	72	16



EVPBSCGD - POWER BEAM SHARED STORAGE CABINET WITH SLIDING GLASS DOOR

- Inside dimensions 13"high x 13"deep
 - Laminate storage cabinet, available in standard Evolve laminate finishes
 - Available in Temperete Frosted Glass only, glass with hole to pull
 - Tracks for sliding glass available in Tungsten only
- To be used with 24" H Power beam only
 - To be installed under power beam between T legs
 - Power Beam Storage cabinet attaches to bottom of power beam with brackets
 - For ease of installation, levelers in middle included

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Storage Cabinet with Sliding Glass Right	EVPBSCGDR60	1644	15	58.75	16
	EVPBSCGDR72	1834	15	70.75	16
Storage Cabinet with Sliding Glass Left	EVPBSCGDL60	1644	15	58.75	16
	EVPBSCGDL72	1834	15	70.75	16




Right shown
(opening on right)

STORAGE

EVPBSCP - POWER BEAM STORAGE CABINET AND CABLE PASS THROUGH

- Inside dimensions 13"high x 13"deep
- Laminate storage cabinet, available in standard Evolve laminate finishes
- To be used with 24" H Power beam only and 60" and 72" widths only
- To be installed under power beam between two T legs
- Power Beam Storage cabinet attaches to bottom of power beam with brackets
- For ease of installation, levelers in middle included
- Cabinet with cable pass through in middle to bring power to power beam above
- Includes metal cover for easy access to wires
- Electrics not included
- Power beam base feed to be ordered separately
- Power beam kit with electrical cut out in middle to be ordered separately (EVPBEPxxKIT) See page 7

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Storage Cabinet Right	EVPBSCPR60	1472	15	58.75	16
	EVPBSCPR72	1556	15	70.75	16
Storage Cabinet Left	EVPBSCPL60	1472	15	58.75	16
	EVPBSCPL72	1556	15	70.75	16




**NOTE: Can not be converted to cabinet with glass door.
To be used with 24" H Power Beam only**

EVPBSCGDP - POWER BEAM STORAGE CABINET WITH SLIDING GLASS DOOR AND CABLE PASS THROUGH

- Inside dimensions 13"high x 13"deep
- Laminate storage cabinet, available in standard Evolve laminate finishes
- Available in Temperate Frosted Glass only, with handle
- Tracks for sliding glass available in Tungsten only
- To be used with 24" H Power beam only and 60" and 72" widths only
- To be installed under power beam between two T legs
- Power Beam Storage cabinet attaches to bottom of power beam with brackets
- For ease of installation, levelers in middle included
- Cabinet with cable pass through in middle to bring power to power beam above
- Includes metal cover for easy access to wires
- Electrics not included
- Power beam base feed to be ordered separately
- Power beam kit with electrical cut out in middle to be ordered separately (EVPBEPxxKIT) See page 7

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Storage Cabinet with Sliding Glass Right	EVPBSCGDP60	2491	15	58.75	16
	EVPBSCGDP72	2634	15	70.75	16
Storage Cabinet with Sliding Glass Left	EVPBSCGDPL60	2491	15	58.75	16
	EVPBSCGDPL72	2634	15	70.75	16




NOTE: To be used with 24" H Power Beam only

STORAGE

VPBL - 36" H POWER BEAM CONNECTOR WITH LEG FOR STORAGE

- Connects 24" H power beams on equal height
 - Includes non slotted connector with leg, glides and connecting hardware
- Horizontal tube to be ordered separately
 - Must be used with overhead

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Connector with Leg for Storage	EVPBL36S	102	36	18	16



NOTES

NOTES



textiles and finishes

Care and Cleaning

The following guide encompasses the Power Beam System line.

The guide was compiled using information from our “raw” material suppliers and is relevant only to our standard offering finishes and textiles.

FABRICS

To extend the life of your upholstered panels, regularly dust the panel to prevent airborne particles from penetrating the fabric surface.

For light soiling, use a damp cloth and blot the spot with very slight pressure, taking care never to soak the fabric. Dry with a clean cloth by blotting - never rub fabric. More intense stains can be treated the same way, but with a mild detergent. Always test fabric first in an unseen area before using any cleaning method.

PANEL FRAMES

The panel frames are manufactured out of sturdy aluminum with a powder coated enamel paint finish. To clean the frames of the panels, and all hardware associated with the Evolve line, simply utilize a clean, damp cloth. For stubborn stains on the panel frames, you may consider adding a mild detergent.

GLAZED PANELS

Cleaning of the glazing in panels should only be done with a damp lint-free cloth. A mild detergent can be used if necessary. Do not use paper towels in combination with a window cleaner-this may cause scratches to the glazing.

WORKSURFACES

The worksurfaces are manufactured using primarily Nevamar Brand laminates as the exposed surface. To properly clean these areas, it is best to use a clean, damp cloth and circular motion to prevent streaks. For stubborn stains, you are able to add a mild detergent to the water. Be certain not to use an ammonia-based solution. It will react with the PVC, or wood edge trim, causing permanent damage to the contacted areas.

ACCESSORIES

The accessories sold with the Evolve product line can be simply cleaned with a clean, damp cloth. If they are really dirty, a mild, non-abrasive solution may be added. Wipe with a damp cloth after the solution, and finally, a dry cloth.

LAMINATES – THERMALLY FUSED & HIGH PRESSURE

Absolute Acajou*	ACJ
Asian Night*	ASN
Avant Cherry*	AWC
Avant Honey*	AWH
Black*	BLK
Blizzard*	BZD
Blizzard Matrix	BMX
Brushed Cobalt*	BRC
Clear Maple*	CMB
Custom Grey	CGY
Dark Espresso*	DES
Designer White*	DWT
Grey Matrix	GRX
Hayden Grey	HGT
Hayden Linen	HLN
Noce Biondo	(NBL)
Noce Grigio	(NGL)
Noce Leggero	(NEL)
Noce Medio	(NML)
Quartered Mahogany*	QTM
Stone Dust	SDT
Stone Linen	SLN
Storm Grey	SOG
Studio White Matrix	SWX
String	STG
Tiger Fruitwood*	TFW
Tiger Walnut*	TWL
Walnut Heights*	WHE
Willow Grey	WGY
Winter Cherry*	WCR
White Chocolate*	WHC

Additional paint and laminates may be available. Contact Evolve Customer Support for details.

* Matching Wood Grain PVC edge available.

* PVC panel and connector trims are discontinued. Effective 12/2014

* 1 1/8" Worksurfaces are discontinued. Effective December 2014

PVC EDGE TRIM

Absolute Acajou	AAE
Asian Night	ASE
Avant Cherry	ACE
Avant Honey	AHE
Black	BLK
Blizzard	BZD
Brushed Cobalt	BRC
Charcoal	CHR
Clear Maple	CME
Dark Espresso*	DES
Designer White	DWE
Nevada	NEV
Quartered Mahogany*	QTM
Shaker Cherry*	SKE
Silver	SIL
Taupe	TPE
Tiger Fruitwood*	TFW
Tiger Maple*	TMP
Tiger Walnut*	TWL
Tungsten	TUN
Walnut Heights	WHE
Winter Cherry*	WCR
White Chocolate*	CBE

* 1 7/16" HPW PVC Trim for Worksurfaces is not available in Dark Espresso (DES), Tiger Fruitwood (TFW), Tiger Maple (TMP) and Tiger Walnut (TWL).

WOOD VENEER WORKSURFACES*

Almond Cherry	AMW
Cocoa Walnut	CAW
Coral	CRW
Dark Cherry	DCW
Espresso Walnut	EWV
Evening Oak	EVW
Grey on Oak	GRW
Hazlenut	HAW
Honey Maple	SMW
Java	JAW
Latte Walnut	LTW
Milestone	MTW
Mocha	MCW
Natural Maple	MPW
Red Cherry	RCW
Vintage Cherry	VNW
Walnut	WLW
Warm Cherry	WCW
White Maple	WMW

All wood veneer worksurfaces are 1.38" thick.

*Note: Wood veneer options for worksurfaces are available at an up charge and with an extended lead time. Contact Evolve Customer Support for details.

ACCENT PAINTED FINISHES

Crystal Blue	CYB
Lime Green	LMG
Orange Flame	ORF
Steel Blue	STB
Vermilion Red	VLR

Accessory painted finishes are subject to 10% upcharge and minimum order of 50 pieces, orders under 50 pieces subject to \$500 net fee

STANDARD PAINT & FRAME COLORS

(for application to trim, steel components, PVC, vertical and horizontal members)	
Black	BLK
Blizzard (Textured)	BZD
Charcoal	CHR
Designer White	DWT
Fog	FOG
Nevada	NEV
Silver	SIL
Stone Dust (Textured)	SDT
Taupe	TPE
Tungsten ^o	TUN

Additional paint and laminates may be available. Contact Evolve Customer Support for details.

^oTungsten paint is subject to 10% upcharge EXCEPT on Worksurfaces, PVC items, or when PVC trim components are ordered separately.

PREMIUM PAINT & FRAME COLORS

Black Coffee*	BKC
Bone*	BNE
Business Grey*	BGR
Claret*	CLT
Dark Chocolate*	DCH
Desert Putty*	DPT
Grey*	GRY
Ice*	ICE
Ivory*	IVR
Light Grey*	LGR
Metro*	MET
Mocha*	MCH
Moss*	MOS
Navy*	NAV
Oyster*	OYS
Sky*	SKY
Stone*	STN
Storm Grey	SGR
Tahiti Sand*	TSA
Willow*	WIL

*Premium paint selections are available on the following components: Panels (top trim and frame), Hardware, End-of run/Post Kits, and Accessories at a 22% upcharge. Storage with no upcharge.

*Please note all Double Wall Storage units must be ordered in a minimum quantity of 50 when ordering in a premium paint finish. Different model types can be combined to achieve the minimum quantity required. See pages 192-193 for affected models.

All special and premium paint match orders of 50 panels or less will incur a \$500 net setup fee. Panels, hardware, accessories and storage may be combined on orders to achieve minimum of 50 pieces or more and will not be subject to \$500 net set up fee. Add on orders will not have that charge for 90 days after the original order has shipped and must have the original PO# quoted otherwise they will not qualify for the program.

Global matte paint finishes are available on most Evolve Storage pieces without an up charge regardless of quantities.

All Mica and Metallic paint finishes will incur a minimum up charge of 10%.

All non-standard paint finishes must be approved by Evolve prior to placing an order.

ADA Overheads are not available in Evolve premium color paints. ADA Overheads are available in Evolve standard paint colors only.

Frames for all Open Panel models, all panel retainers, PVC components for panels and connectors are unavailable in premium or special/custom paint colors. They are available in standard Evolve paint colors only.



PANEL FABRICS – GRADE 1**Anchorage** - 35% Post - consumer Recycled Polyester and 65% Pre -consumer Recycled Polyester

Birch	AN40
Green Apple	AN41
Lapis	AN42
Straw	AN43
Wolf	AN44
Goose	AN45
Angora	AN46
Cumin	AN47
Asteriod	AN48
Geranium	AN49
Thistle	AN50
Graphite	AN51
Slate	AN52
Quarry Blue	AN53
Onyx	AN54
Pumpkin	AN55
Red Delicious	AN56
Sunshine	AN57
Waterfall	AN59
Vanilla	AN61
Cobalt	AN62
Cloud	AN64

Aurora - 100% Polyester, 80% minimum Post-Consumer Recycled Polyester

Cloud	AU20
Seal	AU21
Fog	AU22
Pewter	AU23
Granite	AU24
Oat	AU25
Coconut	AU26
Latte	AU27
Lake	AU28
Frost	AU29

Chance - 63% Virgin Polyester, 37% Post-Consumer Recycled Polyester

Mist	CN51
Dill	CN52
Island	CN53
Plaza	CN54
Tranquil	CN55
Malt	CN56
Navajo	CN57
Prairie	CN58
Cinder	CN59
Oasis	CN66

Linea - 100% Post Consumer Recycled Polyester

Queue	LN41
Cord	LN42
Twine	LN43
Thread	LN44
Contour	LN45
Silhouette	LN46
Cable	LN47
Route	LN48

Loopy - 100% Recycled Polyester

Oyster	LP60
Putty	LP61
Marble	LP62
Hazelnut	LP63
Latte	LP64
Bay	LP65
Wild Rice	LP66
Harbor	LP67

Melody - 100% Recycled Polyester

Spray	ME40
Pond	ME41
Sand Bar	ME42
Silt	ME43
Pebble	ME44
Lake	ME45
Gravel	ME46
Boulder	ME47

Merge - 100% Polyester, 75% minimum Post-Consumer Recycled Polyester

Fawn	MG20
Marshmallow	MG21
Driftwood	MG22
Dove	MG23
Graphite	MG24
Slate	MG25
Eucalyptus	MG26
Fire Engine	MG27
Mediterranean	MG28
Midnight	MG29

Pinpoint - 100% Post-Consumer Recycled Polyester

Bliss	PN11
Delight	PN12
Dune	PN13
Infusion	PN14
Ebony	PN15
Fresh	PN16
Carrot	PN17
Splash	PN18
Vibe	PN19
Gala	PN20

Streak - 100% Recycled Polyester

Beach	SR81
Shade	SR86
Stretch	SR88
Sprint	SR89
Roll	SR91
Dart	SR92
Zoom	SR93
Splash	SR94
Whiz	SR95
Flash	SR96

Tek - 100% Recycled Polyester

Finesse	TX60
Grain	TX61
Essence	TX62
Warp	TX64
Mesh	TX67
Form	TX69
Spice	TX71
Glacier	TX72
Spring	TX73
Harmony	TX74
Smoke	TX75
Pebble	TX76

Terrace - 100% Post-Consumer Recycled Polyester

Lotus	TC60
Tigerlily	TC61
Shadow	TC62
Cobble	TC63
Cherry Blossom	TC64
Bluebell	TC65
Apple	TC66
Haze	TC67
Cerise	TC68
Twilight	TC69
Wintergreen	TC70
Ironwork	TC71
Flirt	TC73
Echo	TC74
Glacier	TC75

PANEL FABRICS— GRADE 2

Cyclone - 56% post-consumer recycled polyester and 44% polyester.

Stove Pipe	IM37
Stainless.....	IM40
Polished Pewter	IM41
Welded Steel	IM43
Etched Bronze.....	IM44
Fired Titanium.....	IM46
Chrome.....	IM49
Dark Annealed.....	IM50
Karat.....	IM54
Red Metal.....	IM55
Oxidized Bronze.....	IM56
Bright Ray.....	IM57
Bismuth Crystal	IM58
Gallium Blue.....	IM59

Dashing -100% Post-Consumer Recycled Polyester

Classic Silver.....	DS21
Refined Marble.....	DS22
Antique Sage.....	DS23
Polished Slate	DS24
Genteel Beige	DS25
Bespoke Tan	DS26
Dapper Grey.....	DS27

Mesh - 100% Recycled Polyester

Canyon.....	B33A
Napa Valley.....	B34A
Huntington.....	B36A
Huron.....	B37A
Heartland.....	B39A
Oat.....	B81A
Pepper	B82A
Limestone.....	B84A
Zinc.....	B86A

Quadrille - 52.5% Polyester / 47.5% Recycled Polyester
*Maximum panel width is 48'

Escapade.....	QU30
Shenanigan	QU31
Revelry	QU32
Spring	QU33
Regalia	QU34
Soiree.....	QU35
Zest.....	QU36
Gambol	QU37
Leisure	QU38
Fair	QU39
Fiesta.....	QU40
Carnival	QU41
Spree	QU42
Opus	QU43
Jubilee.....	QU44
Masquerade	QU45
Cabarets	QU46

PET PANEL FABRICS

Graphite.....	GPH
Mist.....	MTS
Pewter	PWT
Harvest.....	HVT
Shamrock.....	SHR
Brick.....	BRI
Denim.....	DEN
Black.....	BLK
White.....	WHT



GRADE 1

Dobby - 96% Recycled Polyester / 4% Virgin Polyester

Snowcap.....	DB30
Bonsai.....	DB31
Cloud.....	DB32
Sand.....	DB33
Pewter.....	DB34
Sante Fe.....	DB35
Corfu.....	DB36
Medium Taupe.....	DB37
Charcoal.....	DB38
Berry.....	DB39
Royal.....	DB40
Titanium.....	DB41
Black.....	DB42

Fusion - 90% Virgin Polyester/ 10% Post-Consumer Recycled Polyester

Tangerine.....	FU71
Fresh.....	FU72
Moss.....	FU73
TomatoF.....	FU74
Aqua.....	FU75
Sandstone.....	FU76
Granite.....	FU77
Poppy.....	FU78
Cadet.....	FU79
Oasis.....	FU80
Graphite.....	FU81
Viola.....	FU82
Cobalt.....	FU83
Flax.....	FU84
Carbon.....	FU85

Hudson - 100% Post-Consumer Recycled Polyester

Cordovan.....	HD02
Ruby.....	HD03
Orange.....	HD04
Wheat.....	HD05
Meadow.....	HD06
Coffee.....	HD07
Grey.....	HD08
Mocha.....	HD09
Thyme.....	HD10
Carbon.....	HD11
Midnight.....	HD12
Ocean.....	HD13
Cerulean.....	HD14

Illusion - 100% Virgin Polyester

Cappuccino.....	II01
Paprika.....	II02
Tropic.....	II03
Wicker.....	II04
Hemp.....	II05
Cayenne.....	II06
Maui.....	II07
Dusk.....	II08
Smoke.....	II09
Currant.....	II10
Fiji.....	II11
Ozone.....	II12
Ebony.....	II13

Jenny - 100% Polyester

Midnite.....	JN01
Ebony.....	JN02
Slate.....	JN03
Vermilion.....	JN07
Admiral.....	JN08
Charcoal.....	JN11
Silver Lining.....	JN25
Oatmeal.....	JN26
Sunflower.....	JN27
Cascade.....	JN28
Harvest.....	JN29
Mellon.....	JN30
Berry.....	JN31
Green Grass.....	JN32
Roast.....	JN33

Quilt - 100% Polyester

Black.....	QL10
Charcoal Grey.....	QL11
Navy.....	QL14
Wine.....	QL16
Silver.....	QL19
Feather.....	QL20
Dune.....	QL21
Meadow.....	QL22
Cadet.....	QL23
Geranium.....	QL24
Daisy.....	QL25
Quest.....	QL26
Punch.....	QL27
Tangerine.....	QL28
Cocoa.....	QL29

Terrace - 100% Post-Consumer Recycled Polyester

Lotus.....	TC60
Tigerlily.....	TC61
Shadow.....	TC62
Cobble.....	TC63
Cherry Blossom.....	TC64
Bluebell.....	TC65
Apple.....	TC66
Haze.....	TC67
Cerise.....	TC68
Twilight.....	TC69
Wintergreen.....	TC70
Ironwork.....	TC71
Pine Cone.....	TC72
Flirt.....	TC73
Echo.....	TC74

Trak - 100% Recycled Polyester

Taupe.....	TK40
Mustard.....	TK41
Latte.....	TK42
Cement.....	TK43
Silver.....	TK44
Copper.....	TK45
Teal.....	TK46
Apple.....	TK47
Steel.....	TK48
Merlot.....	TK49
Midnight Sky.....	TK50
Mocha.....	TK51
Carbon.....	TK52

Urban - 62% Recycled Polyester / 32% Polyester

Red Rose.....	UR10
Ocean Blue.....	UR11
Blue Bayou.....	UR12
Green Grass.....	UR13
Sandcastle.....	UR14
Beach Day.....	UR15
Boardwalk.....	UR16
Earth.....	UR17
Brown Ridge.....	UR18
White Sand.....	UR19
Granite Rock.....	UR20
Gravel Road.....	UR21
Black Coal.....	UR22

Waterfall - 60% Virgin Polyester /40% Post - Consumer Recycled Polyester

Trance.....	WA40
Tryst.....	WA41
Splash.....	WA42
Victoria.....	WA43
Imagine.....	WA44
Sky.....	WA45
Rainforest.....	WA46
Rumble.....	WA47
Prism.....	WA48
Tranquility.....	WA49
Grand.....	WA50
Rushing.....	WA51
Majestic.....	WA52
Pacific.....	WA53
Dance.....	WA54

Waterfall - 60% Virgin Polyester /40% Post - Consumer Recycled Polyester

Lime.....	WV01
Mint.....	WV02
Stone.....	WV03
Flame.....	WV04
Mykonos.....	WV05
Savannah.....	WV06
Mesa.....	WV07
Plasma.....	WV08
Cancun.....	WV09
Quartz.....	WV10
Moonrock.....	WV11
Rubine.....	WV12
Corfu.....	WV13
Bluejay.....	WV14

GRADE 2 (FABRIC)

Imprint - 100% Post-Consumer Polyester

Almond.....	IM70
Cork.....	IM71
Sand.....	IM72
Currie.....	IM73
Candy Apple.....	IM74
Ocean.....	IM75
Navy.....	IM76
Green Tea.....	IM77
Celery.....	IM78
Oregano.....	IM79
Walnut.....	IM80
Paprika.....	IM81
Graphite.....	IM82
Slate.....	IM83
Licorice.....	IM84

Match - 100% Recycled Polyester

Desert.....	MT20
Sand.....	MT21
Moss.....	MT22
Orange.....	MT23
Sunset.....	MT24
Blue.....	MT25
Wave.....	MT26
Green.....	MT27
Chocolate.....	MT28
Burgundy.....	MT29
Grey.....	MT30
Quarry.....	MT31
Black.....	MT32
Arctic.....	MT33

GRADE 2 (FABRIC) - CONTINUED

Replay - 100% Post-Consumer Recycled Polyester

Taupe	RP20
Caramel	RP21
Paprika	RP22
Wine	RP23
Ocean	RP24
Navy	RP25
Pistachio	RP26
Moss	RP27
Turquoise	RP28
Teal	RP29
Autumn	RP30
Dark Chocolate	RP31
Slate	RP32
Dove	RP33
Coal	RP34

Silhouette - 100% Nylon with Teflon
Designed to color coordinate with Cumulus and Oxygen fabrics.

Asphalt	SL20
Acorn	SL21
Indigo	SL22
Shiraz	SL23
Verdant	SL24
Bronze	SL25
Camel	SL26
Jade	SL27
Sienna	SL28
Charcoal	SL30
Claret	SL32
Hunter	SL35
Sapphire	SL36

GRADE 2 (VINYL)

For availability of chair series in Vinyl, please contact a Global Sales Representative.

Allante FRee - 100% Vinyl Face / 100% Polyester Backing

Illusion	A01F
Bright White	A02F
White Crush	A03F
Ivory	A04F
Ice	A05F
Bleached Sand	A06F
Taupe Fawn	A07F
Warm Smoke	A08F
Autumn Rain	A09F
Cookie	A10F
Sierra Brick	A11F
Gibraltar	A12F
Chateau Grey	A13F
Golden Green	A14F
Oasis Green	A15F
Ink Black	A16F
Purple impulse	A17F
Italian Rose	A18F
Mountain Sky	A19F
Old Navy	A20F
Galaxy	A21F
Red Truffle	A22F
Chocolate Sundae	A23F
Province Blue	A24F
Eclipse	A25F

GRADE 3 (RECYCLED)

Couture - 100% Post-Consumer Polyester

Champagne	CE70
Mocha	CE71
Pecan	CE72
Raspberry	CE73
Sapphire	CE74
Neptune	CE75
Lake	CE76
Willow	CE77
Sassy	CE78
Fudge	CE79
Persimmon	CE80
Carbon	CE81
Sterling	CE82
Peat	CE83



PANEL C.O.M REQUEST FOR APPLICATION TEST

SEND COMPLETED FORM AND FABRIC TO:

Evolve Furniture Group
555 Petrolia Road
Toronto, Ontario M3J2X8
Attn: Eliza Porres

Requested By: _____

Phone #: _____ Fax #: _____

Product Name _____ Dealer/Specifier _____

Dealer Contact: _____ Evolve CSR: _____

Phone #: _____ Fax #: _____

FABRIC INFORMATION

Fabric Manufacturer: _____

Color Name: _____ Color #: _____

Pattern Name: _____ Pattern #: _____

Content: _____

Weight: _____ Width: _____

Repeat Horizontal: _____ Repeat Vertical: _____

Other Comments: _____

REQUEST FOR APPLICATION TEST (THIS REQUIRES 2 YARDS OF FABRIC)

_____ Evolve Panel _____ Evolve Tackboard _____ OH Doors

Total Number of yards for testing: _____

Please Note:

Evolve is not responsible for the duty and brokerage fees for C.O.M. Fabric to clear customs. These charges will be billed to the dealer on a separate invoice.

PANEL FABRIC SPECIFICATION SHEET

SEND COMPLETED FORM TO:

EVOLVE Furniture Group
555 Petrolia Road
Toronto, Ontario M3J2X8
Attn: Eliza Porres

SUPPLIER PATTERN WIDTH CONTENT	REMARKS: <hr/> <hr/> <hr/> <hr/>	
LIGHT FASTNESS FLAMMABILITY TUNNER TEST	REMARKS: <hr/> <hr/> <hr/> <hr/>	
CUT PRICE 1 - 3 ROLLS 4 ROLLS	REMARKS: <hr/> <hr/> <hr/> <hr/>	
DIRECTIONAL PANELS CORNERS RACEWAY COVER RACEWAY CORNERS STRETCH	REMARKS: <hr/> <hr/> <hr/> <hr/>	EASY HARD X-HARD
<div><div>APPROVED <input type="checkbox"/></div><div>NOT APPROVED <input type="checkbox"/></div><div>CONDITIONAL APPROVAL <input type="checkbox"/></div></div> <div>REMARKS: <hr/><hr/><hr/></div> <div><p>* This fabric is approved for upholster-ability only. The approval does not account for the durability of the fabric at the time of, and after installation of the product</p><div><div>SIGNATURE: _____</div><div>PRINT NAME: _____</div><div>DATE: _____</div></div></div>		



C.O.M AUTHORIZATION FORM FOR EVOLVE PEDESTAL AND LATERAL CUSHIONS


CUSTOMER INFORMATION

To be completed by the dealer/design firm. Use one form per textile. Incomplete information may delay or prevent approval.

A+D/Dealer/Company Name:		Contact:	Date:
Billing Address:		Phone:	
City:	State:	Zip:	Fax:
End-User/Project Name:		End-User/Project Registered?	YES NO If YES, The Evolve Quote#:

TEXTILE APPLICATION INFORMATION		
MODEL NUMBER	QUANTITY	SPECIAL INSTRUCTIONS

Textile Name (Series/Style #):			
Textile Color Name and Description:			
Country of Origin:			
Mill or Manufacturer's Name:			
Textile Content (% Cotton, % Poly, % Wool, etc.):			
Textile Width:	Pattern Repeat:	VERTICAL HORIZONTAL	Rail Roaded? YES NO

TEXTILE DIRECTION	NEW TEXTILE	PREVIOUSLY APPROVED TEXTILE
 <p style="margin-top: 20px;">STAPLE FABRIC TO THIS FORM IN THE DIRECTION IN WHICH THE FABRIC IS TO BE UPHOLSTERED WITH THE LEFT SIDE OF THIS PAGE BEING THE SAME LEFT AS THE CUSHION.</p>	Attached textile sample (Minimum 5"x 5" Max 12"x 12") In correct DIRECTION and SIDE.	Fax completed form to: 856.596.5684
	MAIL FORM AND TEXTILE SAMPLE ONLY TO: GLOBAL - COM Department 17 West Stow Road Marlton, NJ 08053 856.596.3390	
	Please contact your local EVOLVE CustomeCare representative for status of all COM requests. When textile is approved and an authorization number issued, a set of shipping instructions will be faxed or e-mailed to you.	
	Approved textiles are to be shipped to the address that will be included with instructions. Do not ship textiles to the address on this form. Dealer is responsible for the shipping expenses. Brokerage fees will be paid for by Global. However, duties imposed by North American Governments related to textile materials, content and Country of Origin, additional fees may apply and will be billed separately.	
Please Note: C.O.M Textiles may not be shipped without shipping documents. GLOBAL is not responsible for any material shipped without the authorization number.		
Please be advised that Global has phased out the use of textiles that contain certain Phthalates, including but not limited to: DEHP (di (2-ethylhexyl) phthalate), DBP (di-n-butyl phthalate), BBP (butyl benzyl phthalate) and DINP (di-isononyl phthalate) (collectively the "Listed Chemiclas"). The Listed Chemicals are used in certain types of vinyls. Global cannot accept orders for textiles that contain the Listed Chemicals, if such orders are to be shipped to the U.S.A. or are intended for customer in the U.S.A. If you are not sure if the C.O.M you have selected contains the Listed Chemicals, please contact the manufacturer or supplier of the fabric to verify.		

EVOLVE AUTHORIZATION FORM (TO BE COMPLETED BY CUSTOMERCARE REP.)		
CAN#:	TEXTILE YARDAGE (REQUIRED FOR THE ORDER):	GU CODE:
SIGNATURE: _____	PRINT NAME: _____	DATE: _____



APPENDIX

The Evolve Furniture Group has partnered with the software vendors listed below to provide you with an online source for viewing the 2014 Evolve Electronic Catalog. Please visit their websites for additional information and download details.

2020 Technologies

www.2020technologies.com
5503 Mile Road NW
Grand Rapids, MI 49544
Phone: 800-638-6002

Ice Edge Business Solutions

www.ice-edge.com
4001 S 700 East, Suite 450
Salt Lake City, UT 84107
Phone: 801-747-0373

KISP

www.kisp.com
Customer Support: 416-499-2457
Cad Services Team: 416-499-2457 x3
Customer Service e-mail: tellmemore@kisp.com
CAD Services requests CadServices@kispstech.com

Project Matrix

www.projectmatrix.com
11655 Lebanon Rd.
Cincinnati, OH 45241
Tech Support Instant Messenger: projectmatrixtech@yahoo.com
Phone: 513.554.1665
Fax: 513.554.1255

Quintero-Smith Incorporated/Midnight Oil

www.midnight-oil.com
10469 Kinnard Avenue
Los Angeles, CA 90024
voice: 800-350-7434 (US Only)
international: 310-478-5140
fax: 310-478-4572
e-mail: jimsr@q-si.com



TERMS & CONDITIONS

APPLICATION OF STANDARD TERMS

Sales of Evolve products are made only on Evolve standard terms and conditions of sale which are contained in the Price Book and in Evolve's order acknowledgments. These standard terms and conditions may be modified or supplemented only by a separately written document signed by Evolve's authorized personnel at its head office in Marlton, New Jersey. An offer by Purchaser of said terms and conditions shall not be binding until accepted by Evolve in writing.

All illustrations, specifications and prices in this Price List are based on the latest product information available at the time of publication. Evolve reserves the right to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

PRICES AND PAYMENT

The prices shown in this Price List, as well as those quoted by Evolve, shall be in US dollars for orders shipped to destinations within the continental United States.

Prices listed herein are for standard product. Quotations for special product are available through Evolve Customer Support Department in Marlton, New Jersey.

If shipping date requested is more than 90 days from date of order Evolve shall use published list prices effective at the time of shipment.

Not included in the list price are special or export packing, unpacking and installation. Orders are invoiced at the time of shipment. The Customer agrees to pay a charge of 2% per month of invoices outstanding more than 30 days.

FOR PAYMENTS ONLY, MAIL TO:

Evolve Furniture Group, a division of:
Global Industries, Inc.
17 West Stow Road
P.O. Box 562
Marlton, New Jersey 08053

Any products sold shall remain the property of Evolve until fully paid for in cash. The Purchaser agrees to perform all acts which may be necessary to perfect and assure retention of title to such products to Evolve until such time as the goods have been paid for in full.

Freight charges will be prepaid by Evolve to destinations within the contiguous United States on shipments of \$10,000 list and greater. For shipments less than \$10,000 list, the freight charge will be 5% of the total list price.

Please note exception below:

All showroom and mock-up orders will be subject to actual freight charges.

Evolve shall, in its sole discretion, determine the most appropriate method of shipment routing and carrier. Shipments of less than a full trailer load (LTL) shall ship via common carrier. **These LTL shipments are not subject to specific delivery days or times.** Full trailer loads will provide for dedicated delivery time and schedule. Purchaser may request special packaging or method of shipment at Purchaser's sole expense.

TAXES

All sales, use, excise and other applicable taxes and the collection and reporting thereof (excluding only taxes on the net income of Evolve) are the Purchaser's responsibility and will be invoiced to the Purchaser. If Purchaser claims an exemption from such taxes, it shall be the Purchaser's responsibility to furnish an appropriate exemption certificate to Evolve.

ORDER INFORMATION

Evolve requires that **all orders be submitted in writing** to avoid errors and/or duplication. Orders will be acknowledged with Evolve's acknowledgement forms governing the transaction. The details appearing on the acknowledgement will describe the items to be shipped to Purchaser who must ascertain that they are correct. If not correct, Purchaser should notify Evolve immediately by telephone or fax followed by written confirmation. Acknowledgment shows approximate shipping date of items ordered. **Shipping dates are assigned to orders based on the item having the longest manufacturing lead time.** Orders with Customer's Own Material (C.O.M.), or missing or incorrect information (finish selections, fabric selections, etc.) will be scheduled for manufacturing upon receipt of COM or correct complete information. Purchaser must indicate if multiple shipping schedules are required including noting if the shipping date requested is longer than standard posted lead time. Each shipment will be invoiced at time of shipping and will be subject to payment terms described herein.

C.O.M. CUSTOMER'S OWN MATERIAL

Should Purchaser request a fabric, not standard to the Evolve upholstery line, Purchaser shall submit a sample of not less than two yards for approval. Evolve will determine whether fabric is suitable to manufacturing process and applicable UL or code requirements. Should Evolve be required to test such fabric, it shall so advise Purchaser, and Purchaser shall be responsible for all costs associated therewith. This includes all duty and brokerage fees.

Fabric yardage requirement will be determined by Evolve. An additional charge may be made to cover the cost of cutting, matching or sewing unusual or directional patterns. Evolve shall have no responsibility for condition, quality, performance, physical properties or any other aspect of C.O.M. For panels, price as if grade 1 fabric is used.

Evolve reserves the right to reject any C.O.M. deemed unsuitable.

Evolve reserves the right to cancel an order at any time if C.O.M. is, in the sole judgement of Evolve, inadequate for any reason.

CHANGES AND CANCELLATION

The order may not be changed or cancelled by Purchaser without the written consent of Evolve. This charge can be as much as 100% based upon proximity to scheduled shipment date. Special order items and fabric-covered items already in production are not subject to change or cancellation under any circumstances. Fabric-covered items are considered to be in production once the fabric has been cut.

DEPOSIT ON SPECIAL ORDERS

Orders for nonstandard products may, at Evolve's discretion, require deposit prior to scheduling of production, the amount of the deposit being credited against the total price of the project.

SUSPENSION

In the event that the Purchaser defaults in the payment of any sum due Evolve, or in the event the Purchaser's financial condition becomes unsatisfactory to Evolve, Evolve shall have the right at its option, upon written notice to the Purchaser, to cancel shipment of any goods, unless within ten (10) days of Purchaser's receipt of such notice Purchaser provides assurance of payment to Evolve in such form, content and/or amounts as Evolve, in its sole discretion, deems adequate.

COMBINED SHIPMENTS

Evolve will make every effort to combine shipments and orders on written request. However, acceptance of such request shall be with Evolve's sole discretion.

CODE RESTRICTIONS

Evolve portable furniture may be subject to local fire, electrical and/or building codes applicable to portable furniture. It shall be Purchaser's sole responsibility for the proper application of Evolve items within the limitations of such local codes, which may be different from area to area.

SERVICE

Service problems shall be handled by the authorized Evolve dealer. Where this cannot be accomplished on a local level, service problems should be referred to:

Evolve Furniture Group
Customer Support
17 West Stow Road
Marlton, New Jersey USA 08053
856-552-4000 888-827-2500
Attention: Evolve Operations Manager



TERMS & CONDITIONS

STORAGE

In the event Purchaser requests postponement of delivery beyond the acknowledged shipping date, Evolve may transfer the goods to storage on Purchaser's account and at Purchaser's risk and expense subject to a daily storage rate. Such transfer to storage shall be deemed shipment to Purchaser for all purposes, including invoicing and payment.

DELAYS

Evolve's order acknowledgement will state a shipping date which is Evolve's best estimate at the time the order is acknowledged. However, Evolve shall not incur any obligation or liability to Purchaser for failure to ship by a specified date. In addition, Evolve shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, act of enemies, delay or default in transportation, strike disputes among or between unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Evolve, whether of the class of causes enumerated or otherwise. Without limiting the generality of the foregoing, Evolve may, without causing any breach or incurring liability, allocate goods which are in short supply, regardless of the reasons therefore, among purchasers, in any manner which Evolve, in its sole discretion, deems advisable.

BACK CHARGES

Evolve will not accept charges for expense incurred by the Purchaser in expediting shipments or otherwise. Evolve will not accept charges for the repair of damage by others.

CLAIMS

All goods are sold F.O.B. Toronto, Canada, unless otherwise agreed to in writing by Evolve. Evolve is not responsible for damage which occurs in transit or in storage. The carrier signs for all goods received in good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Any claims made against Evolve for apparent defects, errors or shortages must be made by the Purchaser in writing, within fifteen (15) working days after any delivery. Failure by the Purchaser to make any claim against Evolve within the above-described fifteen days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

RETURNS

No returns of goods will be accepted without written consent and shipping instructions, including Evolve's Return Goods Authorization (R.G.A.) numbers, to Evolve. A minimum restocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Evolve in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items and fabric-covered items are in no event subject to return. All returns must be approved and authorized in writing by Evolve Customer Support, Marlton, New Jersey.

LIFETIME WARRANTY

Evolve warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original purchaser. This warranty is made by Evolve only to original customers acquiring the product directly from Evolve's authorized dealers. The customer's sole remedy pursuant to this warranty is limited to repair or replacement of parts or product at Evolve's option. Consent from Evolve must be obtained before any warranty work is performed. This warranty shall not apply to any products which must be replaced because of normal wear and tear, negligence, abuse or "accident", shipping damage, or product use and installation other than in accordance with written instructions or warnings. It shall also not apply when product has been modified or altered, repaired or refurbished by someone other than Evolve or an authorized dealer or because of natural variations over which Evolve has no control. In the event of repair and/or replacement of any defective product, Evolve does not warrant matching color, grain, texture or dye lots. Evolve's warranty does not cover the cost of transportation or labor. Repair or replacement will be at Evolve's option. Evolve makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, expressed or implied, other than those set forth in this Price List. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Evolve be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

This Lifetime Warranty is NOT applicable to customers who use Evolve products for rental purposes and is effective only for products, parts or components manufactured after January 1, 2011.

Exceptions to this warranty include:

- Global fabrics and wood veneers, which are warranted for five years from date of delivery.
- Electrical components, which are warranted for ten years from the date of delivery.
- Moving parts such as glides, slides, casters, user-adjustable worksurface mechanisms, which are warranted for five years from date of delivery.

- Fading on fabric and wood veneers can be caused by exposure to U.V. rays/sunlight. Natural wood veneer, being a natural material, will have shade differences between veneer sheers, the difference will be more apparent between dye lots.

Evolve does not warrant color fastness on Customer's Own Material.

Because of natural variations over which Evolve has no control, this warranty does not extend to color, grain or texture of wood, and Evolve does not warrant matching of color, grain or texture.

Evolve makes no warranties, including implied warranties of merchantability and fitness for a particular purpose, other than the express warranties contained herein.

LIMITATION OF REMEDY

Purchaser's sole and exclusive remedy (excluding the repair or replacement of goods for breach of the express warranty above) for any matter or claim arising under or relating to these terms and conditions, the goods covered hereby and any transaction involving or relating to such goods, whether in contract, tort (including negligence) or otherwise, shall be payment of the lesser of the cost to repair or replace said product or the purchase price for the goods to which the claim relates. In no event shall Evolve be liable for any special, indirect, consequential, or incidental damages, including without limitation, damages for loss of business profits, business interruptions, or loss of information.

EVOLVE'S WARRANTY DOES NOT APPLY (FOR ANY PRODUCT CATEGORY) TO THE FOLLOWING:

- Failures due to wear and tear
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Evolve's written instructions and warnings
- Modifications, attachments or repair methods not approved by Evolve
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colors, grains or textures (wood, leather, etc.) of natural materials and color matching of textiles
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Colorfastness or the matching of color of textiles
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes

Evolve's warranty applies to products sold within the United States of America, Mexico, the Commonwealth of Puerto Rico and Canada.

showrooms and distribution centers throughout the united states

SHOWROOMS

Atlanta

10 10th Street, Suite 150
Atlanta, GA 30309
T 404.879.0998

Chicago

The Merchandise Mart
10th Floor, Suite 1035
Chicago, IL 60654
T 312.755.0843

New Jersey (Southern)

119 Greentree Road
Marlton, NJ 08053
T 856.596.3390

Philadelphia

1735 Market Street
38th Floor
Philadelphia PA, 19103
215.861.0963

Washington, DC

1130 Connecticut
Avenue
Washington, DC 20036
T 202.659.0230

Boston

One Harbor Street,
Suite 104
Boston, MA 02210
T 617.406.5435

Miami

112 NE 41st Street
6th floor
Miami, FL 33137

New York City

386 Park Avenue South,
7th floor
New York, NY 10016
T 212.545.9900

Phoenix

4675 East Cotton
Center Boulevard,
Suite 165
Phoenix, AZ 85040
T 602.426.0666

SHOWROOMS + DISTRIBUTION CENTERS

Atlanta Area

2124 Evergreen Blvd.
Duluth, GA 30096
T 678.602.4130

Chicago Area

27W501 North Avenue
West Chicago, IL 60185
T 630.681.2818

Denver Area

16401 E. 33rd Dr., Ste. 50
Aurora, CO 80011
T 303.340.1617

Kansas Area

11617 West 81st Street
Lenexa, KS 66214
T 913.310.9963

Seattle Area

Oakesdale Commerce
Center
820 Southwest 34th St.
Building W7, Suite A
Renton, WA 98057
T 425.291.9282

Baltimore Area

Troy Hill Corporate
Center
7030 Troy Hill Drive
Elkridge, MD 21075
T 410.379.8021

Cincinnati Area

8712 LeSaint Drive
Fairfield, OH 45014
T 513.777.0009

Ft. Lauderdale Area

560 Sawgrass
Corporate Parkway
Sunrise, FL 33325
T 954.846.8888

Los Angeles Area

12320 Bloomfield
Avenue, Unit A
Santa Fe Springs, CA
90670
T 562.484.9686

Boston Area

19 Connector Rd., Unit 1
Andover, MA 01810
T 978.470.8463

Dallas Area

2025 W. Beltline Rd.,
#100
Carrollton, TX 75006
T 972.236.1366

Houston

7865 Northcourt Road,
Building D, Suite 200
Houston, TX 77040
T 713.695.5777

Tampa Area

10351 Windhorst Road
Tampa, FL 33619
T 813.621.6272

Global - USA Headquarters

17 West Stow Road P.O. Box 562
Marlton, New Jersey U.S.A. 08053
Tel (856) 596-3390 (800) 220-1900
Fax (856) 596-5684
www.globalfurnituregroup.com

Global - Canada Headquarters

1350 Flint Road
Downsview, ON Canada M3J 2J7
Sales & Marketing: Tel (1-877) 446-2251
Customer Service: Fax (800) 361-3182
Government Customer Service: Fax (416) 739-6319

